

## SIA "Preiļu putni" transportēšana

Rating periods				
T1	Day (12h)			
T2	Evening (4h)			
T3	Night (8h)			
T4	DEN			

Road /XP S 31-133 (9)										PP_darbiba_transports	
R96_021	Label		Rietumu iela PP			Action radius/m		3000.00			
	Group		Transportesana_PP			Emi. variant		Emission			
	Number of nodes		34					dB(A)			
	Length/ m		1651.39			Day (12h)		51.21			
	Length/ m (2D)		1651.38			Night (8h)		-99.00			
	Area /m²		---			Evening (4h)		-99.00			
						Max gradient % (z-coord.)		1.19			
						Driving direction		2 direct./driving on the right			
						Dist.:centreline lane - road /m		3.50			
						Road surface		Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)		
	Day (12h)	Continuous flow		0.00		7.26	70.00	70.00	51.21		
	Night (8h)	Continuous flow		0.00		0.00	70.00	70.00	-99.00		
	Evening (4h)	Continuous flow		0.00		0.00	70.00	70.00	-99.00		
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB		
	Lden		-		0.0	0.0	0.0		-		
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)		
	Day (12h)		12.00	Day	71.2	1.00	12.00000	0.00	0.0		
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0		
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0		
	Geometry		Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m		
			Section profile 0		1	667620.28	241191.15	122.15	0.00		
			Section profile 0		2	667542.93	241231.18	122.00	0.00		
			Section profile 0		3	667504.47	241251.08	122.00	0.00		
			Section profile 0		4	667477.30	241266.14	122.00	0.00		
			Section profile 0		5	667460.63	241275.56	122.00	0.00		
			Section profile 0		6	667441.80	241288.20	122.00	0.00		
			Section profile 0		7	667419.87	241305.63	122.00	0.00		
			Section profile 0		8	667393.53	241329.38	122.00	0.00		
			Section profile 0		9	667371.16	241352.28	122.00	0.00		
			Section profile 0		10	667294.13	241446.89	122.00	0.00		
			Section profile 0		11	667240.61	241513.06	122.00	0.00		
			Section profile 0		12	667211.02	241551.79	122.00	0.00		
			Section profile 0		13	667190.04	241586.76	122.00	0.00		
			Section profile 0		14	667165.30	241636.51	122.00	0.00		
			Section profile 0		15	667151.04	241678.20	122.00	0.00		
			Section profile 0		16	667132.52	241750.17	122.00	0.00		
			Section profile 0		17	667127.89	241808.59	122.00	0.00		
			Section profile 0		18	667127.47	241852.30	122.00	0.00		
			Section profile 0		19	667136.72	241929.62	121.12	0.00		

# SIA "Preiļu putni" transportēšana

		Section profile 0	20	667146.81	241968.29	121.00	0.00
		Section profile 0	21	667171.99	242045.49	121.00	0.00
		Section profile 0	22	667181.63	242078.88	121.00	0.00
		Section profile 0	23	667199.46	242134.65	121.51	0.00
		Section profile 0	24	667225.82	242216.68	121.00	0.00
		Section profile 0	25	667239.80	242261.33	121.00	0.00
		Section profile 0	26	667253.24	242306.28	121.00	0.00
		Section profile 0	27	667257.71	242328.49	121.00	0.00
		Section profile 0	28	667261.67	242352.41	121.00	0.00
		Section profile 0	29	667265.12	242376.17	121.00	0.00
		Section profile 0	30	667265.63	242395.28	121.00	0.00
		Section profile 0	31	667268.26	242473.03	121.00	0.00
		Section profile 0	32	667269.25	242516.81	121.00	0.00
		Section profile 0	33	667267.87	242586.87	121.69	0.00
		-	34	667266.32	242612.64	122.00	0.00
R96_025	Label	Rietumu iela PP		Action radius/m		3000.00	
	Group	Transportesana_PP		Emi. variant		Emission	
	Number of nodes	47				dB(A)	
	Length/ m	800.00		Day (12h)		49.20	
	Length/ m (2D)	799.82		Night (8h)		-99.00	
	Area /m²	---		Evening (4h)		-99.00	
				Max gradient % (z-coord.)		-17.44	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h
	Day (12h)	Continuous flow		0.00	4.48	50.00	50.00
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	-
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	69.2	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m
		Section profile 0		1	668219.95	240402.38	126.33
		Section profile 0		2	668197.09	240450.61	125.96
		Section profile 0		3	668174.53	240501.39	125.17
		Section profile 0		4	668163.64	240535.24	125.00
		Section profile 0		5	668152.62	240574.13	125.00
		Section profile 0		6	668142.86	240610.35	125.00
		Section profile 0		7	668137.18	240635.49	125.00
		Section profile 0		8	668133.22	240658.55	125.00
		Section profile 0		9	668130.64	240683.00	125.00

# SIA “Preiļu putni” transportēšana

		Section profile 0	10	668129.26	240708.65	125.00	0.00
		Section profile 0	11	668128.57	240742.21	125.00	0.00
		Section profile 0	12	668127.88	240774.57	126.00	0.00
		Section profile 0	13	668125.65	240794.89	125.35	0.00
		Section profile 0	14	668122.55	240807.97	125.00	0.00
		Section profile 0	15	668120.48	240814.68	125.00	0.00
		Section profile 0	16	668117.26	240822.90	125.00	0.00
		Section profile 0	17	668111.53	240834.47	125.00	0.00
		Section profile 0	18	668101.62	240850.00	124.61	0.00
		Section profile 0	19	668092.91	240860.69	124.93	0.00
		Section profile 0	20	668083.88	240869.61	124.59	0.00
		Section profile 0	21	668070.99	240879.42	124.09	0.00
		Section profile 0	22	668060.17	240887.01	124.00	0.00
		Section profile 0	23	668052.22	240892.59	124.00	0.00
		Section profile 0	24	668041.62	240900.03	124.00	0.00
		Section profile 0	25	668038.85	240901.97	124.00	0.00
		Section profile 0	26	668035.59	240904.25	124.00	0.00
		Section profile 0	27	668032.40	240906.50	124.00	0.00
		Section profile 0	28	668029.44	240908.57	124.33	0.00
		Section profile 0	29	668026.74	240910.47	124.74	0.00
		Section profile 0	30	668023.78	240912.55	124.69	0.00
		Section profile 0	31	668020.71	240914.70	124.04	0.00
		Section profile 0	32	668018.06	240916.56	124.00	0.00
		Section profile 0	33	668014.38	240919.14	124.00	0.00
		Section profile 0	34	668010.66	240921.76	124.00	0.00
		Section profile 0	35	668007.30	240925.11	124.00	0.00
		Section profile 0	36	668003.77	240928.64	124.00	0.00
		Section profile 0	37	667996.67	240935.14	124.00	0.00
		Section profile 0	38	667991.55	240939.83	124.00	0.00
		Section profile 0	39	667984.15	240950.33	123.81	0.00
		Section profile 0	40	667975.02	240964.96	123.04	0.00
		Section profile 0	41	667963.15	240986.31	123.00	0.00
		Section profile 0	42	667957.47	240996.12	123.00	0.00
		Section profile 0	43	667948.81	241007.39	123.00	0.00
		Section profile 0	44	667933.74	241024.07	123.00	0.00
		Section profile 0	45	667911.96	241041.29	123.00	0.00
		Section profile 0	46	667871.07	241063.07	123.00	0.00
		-	47	667860.72	241068.34	122.99	0.00
<b>R96_029</b>	<b>Label</b>	Rietumu iela PP		<b>Action radius/m</b>		3000.00	
	<b>Group</b>	Transportesana_PP		<b>Emi. variant</b>		Emission	
	<b>Number of nodes</b>	2				dB(A)	
	<b>Length/ m</b>	51.16		<b>Day (12h)</b>		49.24	
	<b>Length/ m (2D)</b>	51.16		<b>Night (8h)</b>		-99.00	
	<b>Area /m²</b>	---		<b>Evening (4h)</b>		-99.00	
				<b>Max gradient % (z-coord.)</b>		-0.51	

## SIA "Preiļu putni" transportēšana

				Driving direction			2 direct./driving on the right		
				Dist.:centreline lane - road /m			3.50		
				Road surface			Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	4.52	50.00	50.00	49.24	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	69.2	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
	Geometry		Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
			Section profile 0		1	667860.72	241068.34	122.99	0.00
			-		2	667815.12	241091.55	122.73	0.00
R96_028	Label		Rietumu iela PP			Action radius/m		3000.00	
	Group		Transportesana_PP			Emi. variant		Emission	
	Number of nodes		3					dB(A)	
	Length/ m		121.82			Day (12h)		50.51	
	Length/ m (2D)		121.82			Night (8h)		-99.00	
	Area /m²		---			Evening (4h)		-99.00	
						Max gradient % (z-coord.)		-0.25	
						Driving direction		2 direct./driving on the right	
						Dist.:centreline lane - road /m		3.50	
						Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		0.00	6.05	50.00	50.00	50.51	
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	70.5	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	-79.0	1.00	8.00000	0.00	0.0
	Geometry		Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
			Section profile 0		1	667815.12	241091.55	122.73	0.00
			Section profile 0		2	667708.03	241146.05	122.45	0.00
			-		3	667706.56	241146.81	122.45	0.00
R96_027	Label		Rietumu iela PP			Action radius/m		3000.00	
	Group		Transportesana_PP			Emi. variant		Emission	
	Number of nodes		2					dB(A)	
	Length/ m		79.79			Day (12h)		51.48	
	Length/ m (2D)		79.79			Night (8h)		-99.00	

## SIA "Preiļu putni" transportēšana

	Area /m²	---			Evening (4h)	-99.00	
					Max gradient % (z-coord.)	-0.30	
					Driving direction	2 direct./driving on the right	
					Dist.:centreline lane - road /m	3.50	
					Road surface	Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	7.57	50.00	51.48
	Night (8h)	Continuous flow		0.00	0.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	Lw'r /dB(A)
	Day (12h)	12.00	Day	71.5	1.00	12.00000	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.0
	Geometry	Section profile		Nr	x/m	y/m	! z(rel) /m
		Section profile 0		1	667706.56	241146.81	0.00
		-		2	667635.56	241183.24	0.00
R96_026	Label	V752 PP			Action radius/m	3000.00	
	Group	Transportesana_PP			Emi. variant	Emission	
	Number of nodes	7				dB(A)	
	Length/ m	51.58			Day (12h)	46.19	
	Length/ m (2D)	51.58			Night (8h)	-99.00	
	Area /m²	---			Evening (4h)	-99.00	
					Max gradient % (z-coord.)	-0.24	
					Driving direction	2 direct./driving on the right	
					Dist.:centreline lane - road /m	3.50	
					Road surface	Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	2.24	50.00	46.19
	Night (8h)	Continuous flow		0.00	0.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	Lw'r /dB(A)
	Day (12h)	12.00	Day	66.2	1.00	12.00000	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.0
	Geometry	Section profile		Nr	x/m	y/m	! z(rel) /m
		Section profile 0		1	668171.92	240383.56	0.00
		Section profile 0		2	668176.43	240385.32	0.00
		Section profile 0		3	668185.44	240388.85	0.00
		Section profile 0		4	668194.45	240392.39	0.00
		Section profile 0		5	668203.46	240395.92	0.00
		Section profile 0		6	668212.47	240399.45	0.00

## SIA "Preiļu putni" transportēšana

			-	7	668219.94	240402.39	126.33	0.00
R96_023	Label	V752 PP			Action radius/m		3000.00	
	Group	Transportesana_PP			Emi. variant		Emission	
	Number of nodes	28					dB(A)	
	Length/ m	256.20			Day (12h)		46.19	
	Length/ m (2D)	256.16			Night (8h)		-99.00	
	Area /m²	---			Evening (4h)		-99.00	
					Max gradient % (z-coord.)		3.56	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		3.50	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		0.00	2.24	50.00	50.00	46.19
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00	-99.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	66.2	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00	0.0
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Section profile 0		1	668219.94	240402.39	126.33	0.00
		Section profile 0		2	668221.48	240402.98	126.33	0.00
		Section profile 0		3	668230.49	240406.51	126.31	0.00
		Section profile 0		4	668239.50	240410.04	126.28	0.00
		Section profile 0		5	668248.51	240413.58	126.37	0.00
		Section profile 0		6	668257.53	240417.11	126.52	0.00
		Section profile 0		7	668266.66	240420.68	126.65	0.00
		Section profile 0		8	668275.79	240424.26	126.79	0.00
		Section profile 0		9	668284.93	240427.83	126.93	0.00
		Section profile 0		10	668294.06	240431.40	127.06	0.00
		Section profile 0		11	668303.20	240434.98	127.15	0.00
		Section profile 0		12	668312.33	240438.55	127.25	0.00
		Section profile 0		13	668321.47	240442.13	127.44	0.00
		Section profile 0		14	668330.60	240445.70	127.59	0.00
		Section profile 0		15	668339.74	240449.28	127.73	0.00
		Section profile 0		16	668348.87	240452.85	127.87	0.00
		Section profile 0		17	668358.00	240456.42	128.00	0.00
		Section profile 0		18	668367.14	240460.00	128.30	0.00
		Section profile 0		19	668376.27	240463.57	128.53	0.00
		Section profile 0		20	668385.41	240467.15	128.72	0.00
		Section profile 0		21	668394.54	240470.72	128.98	0.00
		Section profile 0		22	668403.68	240474.30	129.09	0.00
		Section profile 0		23	668412.81	240477.87	129.18	0.00

# SIA "Preiļu putni" transportēšana

		Section profile 0	24	668421.94	240481.44	129.40	0.00
		Section profile 0	25	668431.08	240485.02	129.66	0.00
		Section profile 0	26	668440.21	240488.59	130.01	0.00
		Section profile 0	27	668449.35	240492.17	130.15	0.00
		-	28	668458.48	240495.74	130.28	0.00
R96_024	Label	V752 PP		Action radius/m		3000.00	
	Group	Transportesana_PP		Emi. variant		Emission	
	Number of nodes	41				dB(A)	
	Length/ m	383.78		Day (12h)		48.22	
	Length/ m (2D)	383.78		Night (8h)		-99.00	
	Area /m²	---		Evening (4h)		-99.00	
				Max gradient % (z-coord.)		0.88	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h
	Day (12h)	Continuous flow		0.00	2.24	90.00	90.00
	Night (8h)	Continuous flow		0.00	0.00	90.00	90.00
	Evening (4h)	Continuous flow		0.00	0.00	90.00	90.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	68.2	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m
		Section profile 0		1	667814.70	240243.27	125.18
		Section profile 0		2	667819.31	240245.09	125.16
		Section profile 0		3	667828.59	240248.77	125.20
		Section profile 0		4	667837.87	240252.46	125.29
		Section profile 0		5	667847.15	240256.14	125.37
		Section profile 0		6	667856.43	240259.82	125.46
		Section profile 0		7	667865.71	240263.50	125.55
		Section profile 0		8	667874.99	240267.18	125.64
		Section profile 0		9	667884.27	240270.86	125.73
		Section profile 0		10	667893.55	240274.55	125.81
		Section profile 0		11	667902.83	240278.23	125.90
		Section profile 0		12	667912.11	240281.91	125.99
		Section profile 0		13	667921.40	240285.59	126.00
		Section profile 0		14	667930.68	240289.27	126.00
		Section profile 0		15	667939.96	240292.95	126.00
		Section profile 0		16	667949.24	240296.64	126.00
		Section profile 0		17	667958.52	240300.32	126.00
		Section profile 0		18	667967.80	240304.00	126.00
		Section profile 0		19	667975.97	240307.06	126.00

# SIA "Preiļu putni" transportēšana

		Section profile 0	20	667984.14	240310.13	126.00	0.00
		Section profile 0	21	667992.32	240313.19	126.00	0.00
		Section profile 0	22	668000.49	240316.25	126.00	0.00
		Section profile 0	23	668009.78	240319.90	126.00	0.00
		Section profile 0	24	668019.07	240323.55	126.00	0.00
		Section profile 0	25	668028.36	240327.20	126.00	0.00
		Section profile 0	26	668037.65	240330.84	126.00	0.00
		Section profile 0	27	668046.94	240334.49	126.04	0.00
		Section profile 0	28	668056.22	240338.14	126.12	0.00
		Section profile 0	29	668065.51	240341.78	126.15	0.00
		Section profile 0	30	668074.80	240345.43	126.16	0.00
		Section profile 0	31	668084.09	240349.08	126.17	0.00
		Section profile 0	32	668093.38	240352.73	126.18	0.00
		Section profile 0	33	668102.67	240356.37	126.19	0.00
		Section profile 0	34	668111.96	240360.02	126.20	0.00
		Section profile 0	35	668121.25	240363.67	126.21	0.00
		Section profile 0	36	668130.54	240367.32	126.22	0.00
		Section profile 0	37	668139.83	240370.96	126.24	0.00
		Section profile 0	38	668149.11	240374.61	126.27	0.00
		Section profile 0	39	668158.40	240378.26	126.32	0.00
		Section profile 0	40	668167.41	240381.79	126.34	0.00
		-	41	668171.92	240383.56	126.34	0.00
R96_022	Label	Rietumu iela PP		Action radius/m		3000.00	
	Group	Transportesana_PP		Emi. variant		Emission	
	Number of nodes	2				dB(A)	
	Length/ m	17.21		Day (12h)		51.30	
	Length/ m (2D)	17.21		Night (8h)		-99.00	
	Area /m²	---		Evening (4h)		-99.00	
				Max gradient % (z-coord.)		-0.33	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h
	Day (12h)	Continuous flow		0.00	7.26	50.00	50.00
	Night (8h)	Continuous flow		0.00	0.00	50.00	50.00
	Evening (4h)	Continuous flow		0.00	0.00	50.00	50.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	71.3	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	-79.0	1.00	4.00000	0.00
	Night (8h)	8.00	Night	-79.0	1.00	8.00000	0.00
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m
		Section profile 0		1	667635.56	241183.24	122.21
		-		2	667620.28	241191.15	122.15



# SIA "Preiļu putni" transportēšana

Slope and slope correction for roads										
Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Correction	Correction	Correction	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening (6h)	
R96_021	Rietumu iela PP	1	0.00	87.09	-0.17	-0.17	0.00	0.00	0.00	
		2	87.09	43.31	0.00	0.00	0.00	0.00	0.00	
		3	130.40	31.06	0.00	0.00	0.00	0.00	0.00	
		4	161.46	19.15	0.00	0.00	0.00	0.00	0.00	
		5	180.61	22.68	0.00	0.00	0.00	0.00	0.00	
		6	203.29	28.01	0.00	0.00	0.00	0.00	0.00	
		7	231.30	35.47	0.00	0.00	0.00	0.00	0.00	
		8	266.77	32.01	0.00	0.00	0.00	0.00	0.00	
		9	298.78	122.00	0.00	0.00	0.00	0.00	0.00	
		10	420.78	85.11	0.00	0.00	0.00	0.00	0.00	
		11	505.89	48.74	0.00	0.00	0.00	0.00	0.00	
		12	554.63	40.78	0.00	0.00	0.00	0.00	0.00	
		13	595.41	55.57	0.00	0.00	0.00	0.00	0.00	
		14	650.98	44.06	0.00	0.00	0.00	0.00	0.00	
		15	695.04	74.31	0.00	0.00	0.00	0.00	0.00	
		16	769.35	58.60	0.00	0.00	0.00	0.00	0.00	
		17	827.95	43.71	0.00	0.00	0.00	0.00	0.00	
		18	871.66	77.88	-1.12	-1.12	0.00	0.00	0.00	
		19	949.54	39.96	-0.31	-0.31	0.00	0.00	0.00	
		20	989.50	81.20	0.00	0.00	0.00	0.00	0.00	
		21	1070.70	34.76	0.00	0.00	0.00	0.00	0.00	
		22	1105.46	58.54	0.87	0.87	0.00	0.00	0.00	
		23	1164.00	86.17	-0.59	-0.59	0.00	0.00	0.00	
		24	1250.17	46.79	-0.00	-0.00	0.00	0.00	0.00	
		25	1296.96	46.92	0.00	0.00	0.00	0.00	0.00	
		26	1343.87	22.65	0.00	0.00	0.00	0.00	0.00	
		27	1366.53	24.25	0.00	0.00	0.00	0.00	0.00	
		28	1390.78	24.00	0.00	0.00	0.00	0.00	0.00	
		29	1414.78	19.11	0.00	0.00	0.00	0.00	0.00	
		30	1433.90	77.79	0.00	0.00	0.00	0.00	0.00	
		31	1511.69	43.79	0.00	0.00	0.00	0.00	0.00	
		32	1555.48	70.07	0.99	0.99	0.00	0.00	0.00	
		33	1625.56	25.82	1.19	1.19	0.00	0.00	0.00	Max.
R96_025	Rietumu iela PP	1	0.00	53.37	-0.68	-0.68	0.00	0.00	0.00	
		2	53.37	55.56	-1.42	-1.42	0.00	0.00	0.00	
		3	108.93	35.57	-0.49	-0.49	0.00	0.00	0.00	
		4	144.50	40.42	0.00	0.00	0.00	0.00	0.00	
		5	184.92	37.51	0.00	0.00	0.00	0.00	0.00	
		6	222.43	25.77	0.00	0.00	0.00	0.00	0.00	
		7	248.20	23.40	0.00	0.00	0.00	0.00	0.00	
		8	271.60	24.58	0.00	0.00	0.00	0.00	0.00	
		9	296.18	25.69	0.00	0.00	0.00	0.00	0.00	
		10	321.87	33.57	0.00	0.00	0.00	0.00	0.00	
		11	355.44	32.37	3.09	3.09	0.96	0.00	0.00	Max.
		12	387.81	20.44	-3.18	-3.18	0.00	0.00	0.00	
		13	408.25	13.44	-2.61	-2.61	0.00	0.00	0.00	
		14	421.69	7.02	0.00	0.00	0.00	0.00	0.00	
		15	428.72	8.82	0.00	0.00	0.00	0.00	0.00	
		16	437.54	12.91	0.00	0.00	0.00	0.00	0.00	
		17	450.45	18.43	-2.12	-2.12	0.00	0.00	0.00	
		18	468.88	13.78	2.29	2.29	0.96	0.00	0.00	
		19	482.66	12.70	-2.66	-2.66	0.00	0.00	0.00	
		20	495.36	16.20	-3.07	-3.07	0.00	0.00	0.00	
		21	511.55	13.22	-0.69	-0.69	0.00	0.00	0.00	
		22	524.77	9.72	0.00	0.00	0.00	0.00	0.00	
		23	534.49	12.95	0.00	0.00	0.00	0.00	0.00	
		24	547.44	3.37	0.00	0.00	0.00	0.00	0.00	

# SIA "Preiļu putni" transportēšana

		25	550.81	3.98	0.00	0.00	0.00	0.00	0.00	
		26	554.79	3.90	0.00	0.00	0.00	0.00	0.00	
		27	558.70	3.61	9.17	9.17	0.96	0.00	0.00	
		28	562.31	3.30	12.29	12.29	0.96	0.00	0.00	
		29	565.61	3.62	-1.20	-1.20	0.00	0.00	0.00	
		30	569.23	3.74	-17.44	-17.44	0.00	0.00	0.00	
		31	572.98	3.24	-1.27	-1.27	0.00	0.00	0.00	
		32	576.22	4.49	0.00	0.00	0.00	0.00	0.00	
		33	580.71	4.55	0.00	0.00	0.00	0.00	0.00	
		34	585.26	4.75	0.00	0.00	0.00	0.00	0.00	
		35	590.01	4.99	0.00	0.00	0.00	0.00	0.00	
		36	595.00	9.63	0.00	0.00	0.00	0.00	0.00	
		37	604.63	6.94	0.00	0.00	0.00	0.00	0.00	
		38	611.57	12.85	-1.50	-1.50	0.00	0.00	0.00	
		39	624.42	17.24	-4.43	-4.43	0.00	0.00	0.00	
		40	641.66	24.43	-0.18	-0.18	0.00	0.00	0.00	
		41	666.09	11.34	0.00	0.00	0.00	0.00	0.00	
		42	677.42	14.22	0.00	0.00	0.00	0.00	0.00	
		43	691.64	22.47	0.00	0.00	0.00	0.00	0.00	
		44	714.11	27.77	0.00	0.00	0.00	0.00	0.00	
		45	741.88	46.33	0.00	0.00	0.00	0.00	0.00	
		46	788.21	11.62	-0.09	-0.09	0.00	0.00	0.00	
R96_029	Rietumu iela PP	1	0.00	51.16	-0.51	-0.51	0.00	0.00	0.00	Max.
R96_028	Rietumu iela PP	1	0.00	120.16	-0.23	-0.23	0.00	0.00	0.00	
		2	120.16	1.66	-0.25	-0.25	0.00	0.00	0.00	Max.
R96_027	Rietumu iela PP	1	0.00	79.79	-0.30	-0.30	0.00	0.00	0.00	Max.
R96_026	V752 PP	1	0.00	4.84	0.03	0.03	0.00	0.00	0.00	
		2	4.84	9.68	0.03	0.03	0.00	0.00	0.00	
		3	14.52	9.68	-0.05	-0.05	0.00	0.00	0.00	
		4	24.20	9.68	-0.24	-0.24	0.00	0.00	0.00	Max.
		5	33.87	9.68	0.23	0.23	0.00	0.00	0.00	
		6	43.55	8.02	-0.07	-0.07	0.00	0.00	0.00	
R96_023	V752 PP	1	0.00	1.65	-0.06	-0.06	0.00	0.00	0.00	
		2	1.65	9.68	-0.19	-0.19	0.00	0.00	0.00	
		3	11.33	9.68	-0.34	-0.34	0.00	0.00	0.00	
		4	21.01	9.68	0.97	0.97	0.00	0.00	0.00	
		5	30.69	9.68	1.51	1.51	0.00	0.00	0.00	
		6	40.37	9.81	1.41	1.41	0.00	0.00	0.00	
		7	50.18	9.81	1.40	1.40	0.00	0.00	0.00	
		8	59.99	9.81	1.41	1.41	0.00	0.00	0.00	
		9	69.79	9.81	1.30	1.30	0.00	0.00	0.00	
		10	79.60	9.81	0.97	0.97	0.00	0.00	0.00	
		11	89.41	9.81	0.95	0.95	0.00	0.00	0.00	
		12	99.22	9.81	2.00	2.00	0.00	0.00	0.00	
		13	109.03	9.81	1.48	1.48	0.00	0.00	0.00	
		14	118.84	9.81	1.44	1.44	0.00	0.00	0.00	
		15	128.65	9.81	1.44	1.44	0.00	0.00	0.00	
		16	138.46	9.81	1.32	1.32	0.00	0.00	0.00	
		17	148.26	9.81	3.03	3.03	0.96	0.00	0.00	Max.
		18	158.07	9.81	2.32	2.32	0.96	0.00	0.00	
		19	167.88	9.81	1.94	1.94	0.00	0.00	0.00	
		20	177.69	9.81	2.67	2.67	0.96	0.00	0.00	
		21	187.50	9.81	1.15	1.15	0.00	0.00	0.00	
		22	197.31	9.81	0.89	0.89	0.00	0.00	0.00	
		23	207.12	9.81	2.31	2.31	0.96	0.00	0.00	
		24	216.93	9.81	2.59	2.59	0.96	0.00	0.00	
		25	226.73	9.81	3.56	3.56	0.96	0.00	0.00	
		26	236.54	9.81	1.44	1.44	0.00	0.00	0.00	
		27	246.35	9.81	1.32	1.32	0.00	0.00	0.00	
R96_024	V752 PP	1	0.00	4.95	-0.36	-0.36	0.00	0.00	0.00	
		2	4.95	9.98	0.37	0.37	0.00	0.00	0.00	

# SIA "Preiļu putni" transportēšana

		3	14.94	9.98	0.88	0.88	0.00	0.00	0.00	
		4	24.92	9.98	0.88	0.88	0.00	0.00	0.00	
		5	34.91	9.98	0.88	0.88	0.00	0.00	0.00	Max.
		6	44.89	9.98	0.88	0.88	0.00	0.00	0.00	
		7	54.87	9.98	0.88	0.88	0.00	0.00	0.00	
		8	64.86	9.98	0.88	0.88	0.00	0.00	0.00	
		9	74.84	9.98	0.88	0.88	0.00	0.00	0.00	
		10	84.83	9.98	0.88	0.88	0.00	0.00	0.00	
		11	94.81	9.98	0.88	0.88	0.00	0.00	0.00	
		12	104.79	9.98	0.11	0.11	0.00	0.00	0.00	
		13	114.78	9.98	0.00	0.00	0.00	0.00	0.00	
		14	124.76	9.98	0.00	0.00	0.00	0.00	0.00	
		15	134.75	9.98	0.00	0.00	0.00	0.00	0.00	
		16	144.73	9.98	0.00	0.00	0.00	0.00	0.00	
		17	154.71	9.98	0.00	0.00	0.00	0.00	0.00	
		18	164.70	8.73	0.00	0.00	0.00	0.00	0.00	
		19	173.43	8.73	0.00	0.00	0.00	0.00	0.00	
		20	182.16	8.73	0.00	0.00	0.00	0.00	0.00	
		21	190.88	8.73	0.00	0.00	0.00	0.00	0.00	
		22	199.61	9.98	0.00	0.00	0.00	0.00	0.00	
		23	209.59	9.98	0.00	0.00	0.00	0.00	0.00	
		24	219.57	9.98	0.00	0.00	0.00	0.00	0.00	
		25	229.55	9.98	0.00	0.00	0.00	0.00	0.00	
		26	239.53	9.98	0.41	0.41	0.00	0.00	0.00	
		27	249.51	9.98	0.80	0.80	0.00	0.00	0.00	
		28	259.49	9.98	0.30	0.30	0.00	0.00	0.00	
		29	269.47	9.98	0.10	0.10	0.00	0.00	0.00	
		30	279.45	9.98	0.10	0.10	0.00	0.00	0.00	
		31	289.43	9.98	0.10	0.10	0.00	0.00	0.00	
		32	299.41	9.98	0.10	0.10	0.00	0.00	0.00	
		33	309.39	9.98	0.10	0.10	0.00	0.00	0.00	
		34	319.37	9.98	0.10	0.10	0.00	0.00	0.00	
		35	329.35	9.98	0.10	0.10	0.00	0.00	0.00	
		36	339.32	9.98	0.22	0.22	0.00	0.00	0.00	
		37	349.30	9.98	0.31	0.31	0.00	0.00	0.00	
		38	359.28	9.98	0.50	0.50	0.00	0.00	0.00	
		39	369.26	9.68	0.13	0.13	0.00	0.00	0.00	
		40	378.94	4.84	0.03	0.03	0.00	0.00	0.00	
R96_022	Rietumu iela PP	1	0.00	17.21	-0.33	-0.33	0.00	0.00	0.00	Max.

\*1): The gradient for the calculation has been entered directly.