

FONA DATI

Rating periods				
T1	Day (12h)			
T2	Evening (4h)			
T3	Night (8h)			
T4	DEN			

Road /XP S 31-133 (20)										Fons
R96_001	Label		P58			Action radius/m		3000.00		
	Group		Fona celi			Emi. variant		Emission		
	Number of nodes		292					dB(A)		
	Length/ m		2797.94			Day (12h)		56.24		
	Length/ m (2D)		2797.71			Night (8h)		47.27		
	Area /m²		---			Evening (4h)		53.15		
						Max gradient % (z-coord.)		5.44		
						Driving direction		2 direct./driving on the right		
						Dist.:centreline lane - road /m		3.50		
						Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h		Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		110.08		8.62	50.00	50.00	56.24	
	Night (8h)	Continuous flow		12.54		1.27	50.00	50.00	47.27	
	Evening (4h)	Continuous flow		63.12		3.08	50.00	50.00	53.15	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-		0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)		12.00	Day	76.2	1.00	12.00000	0.00	0.0	
	Evening (4h)		4.00	Evening	73.2	1.00	4.00000	0.00	0.0	
	Night (8h)		8.00	Night	67.3	1.00	8.00000	0.00	0.0	
	Geometry		Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m	
			Section profile 0		1	668390.74	240182.65	133.26	0.00	
			Section profile 0		2	668392.80	240192.39	133.21	0.00	
			Section profile 0		3	668394.86	240202.12	133.20	0.00	
			Section profile 0		4	668396.92	240211.85	133.15	0.00	
			Section profile 0		5	668398.99	240221.59	133.00	0.00	
			Section profile 0		6	668401.05	240231.32	133.00	0.00	
			Section profile 0		7	668403.11	240241.06	133.00	0.00	
			Section profile 0		8	668405.17	240250.79	133.00	0.00	
			Section profile 0		9	668407.23	240260.52	133.00	0.00	
			Section profile 0		10	668409.30	240270.26	132.62	0.00	
			Section profile 0		11	668411.36	240279.99	132.17	0.00	
			Section profile 0		12	668413.42	240289.72	132.00	0.00	
			Section profile 0		13	668415.48	240299.46	132.00	0.00	
			Section profile 0		14	668417.54	240309.19	131.88	0.00	
			Section profile 0		15	668419.61	240318.93	131.53	0.00	
			Section profile 0		16	668421.67	240328.66	131.31	0.00	
			Section profile 0		17	668423.73	240338.39	131.08	0.00	
			Section profile 0		18	668425.79	240348.13	131.00	0.00	
			Section profile 0		19	668427.85	240357.86	130.87	0.00	

FONA DATI

		Section profile 0	20	668429.92	240367.60	130.53	0.00
		Section profile 0	21	668431.98	240377.33	130.38	0.00
		Section profile 0	22	668434.04	240387.06	130.28	0.00
		Section profile 0	23	668436.08	240396.12	130.23	0.00
		Section profile 0	24	668438.11	240405.18	130.18	0.00
		Section profile 0	25	668440.15	240414.23	130.15	0.00
		Section profile 0	26	668442.19	240423.29	130.11	0.00
		Section profile 0	27	668444.22	240432.35	130.11	0.00
		Section profile 0	28	668446.26	240441.40	130.11	0.00
		Section profile 0	29	668448.30	240450.46	130.15	0.00
		Section profile 0	30	668450.33	240459.52	130.21	0.00
		Section profile 0	31	668452.37	240468.57	130.28	0.00
		Section profile 0	32	668454.41	240477.63	130.32	0.00
		Section profile 0	33	668456.45	240486.68	130.33	0.00
		Section profile 0	34	668458.48	240495.74	130.28	0.00
		Section profile 0	35	668460.24	240504.76	130.21	0.00
		Section profile 0	36	668462.35	240512.06	130.16	0.00
		Section profile 0	37	668464.47	240519.35	130.12	0.00
		Section profile 0	38	668466.58	240526.65	130.03	0.00
		Section profile 0	39	668468.70	240533.95	130.00	0.00
		Section profile 0	40	668472.28	240543.17	129.61	0.00
		Section profile 0	41	668475.85	240552.39	129.42	0.00
		Section profile 0	42	668479.42	240561.61	129.20	0.00
		Section profile 0	43	668483.00	240570.82	129.00	0.00
		Section profile 0	44	668486.57	240580.04	128.64	0.00
		Section profile 0	45	668490.15	240589.26	128.35	0.00
		Section profile 0	46	668493.72	240598.48	128.25	0.00
		Section profile 0	47	668497.29	240607.70	128.11	0.00
		Section profile 0	48	668500.87	240616.92	127.94	0.00
		Section profile 0	49	668504.44	240626.14	127.76	0.00
		Section profile 0	50	668508.02	240635.36	127.59	0.00
		Section profile 0	51	668511.59	240644.58	127.43	0.00
		Section profile 0	52	668515.16	240653.80	127.24	0.00
		Section profile 0	53	668518.74	240663.02	127.05	0.00
		Section profile 0	54	668522.31	240672.24	126.98	0.00
		Section profile 0	55	668525.89	240681.46	126.91	0.00
		Section profile 0	56	668529.46	240690.68	126.81	0.00
		Section profile 0	57	668533.03	240699.90	126.98	0.00
		Section profile 0	58	668536.61	240709.12	127.00	0.00
		Section profile 0	59	668540.18	240718.34	127.00	0.00
		Section profile 0	60	668541.28	240726.80	127.00	0.00
		Section profile 0	61	668542.39	240735.25	127.00	0.00
		Section profile 0	62	668543.49	240743.71	127.00	0.00
		Section profile 0	63	668544.59	240752.17	127.00	0.00
		Section profile 0	64	668545.70	240760.63	127.00	0.00

FONA DATI

		Section profile 0	65	668546.80	240769.09	127.00	0.00
		Section profile 0	66	668546.37	240778.37	127.00	0.00
		Section profile 0	67	668545.95	240787.65	127.00	0.00
		Section profile 0	68	668545.52	240796.93	127.00	0.00
		Section profile 0	69	668545.09	240806.20	127.19	0.00
		Section profile 0	70	668544.67	240815.48	127.51	0.00
		Section profile 0	71	668544.24	240824.76	127.83	0.00
		Section profile 0	72	668543.82	240834.04	128.00	0.00
		Section profile 0	73	668543.39	240843.32	128.00	0.00
		Section profile 0	74	668542.96	240852.59	128.00	0.00
		Section profile 0	75	668542.54	240861.87	128.00	0.00
		Section profile 0	76	668542.11	240871.15	128.24	0.00
		Section profile 0	77	668541.13	240880.81	128.60	0.00
		Section profile 0	78	668540.14	240890.46	128.91	0.00
		Section profile 0	79	668539.16	240900.11	129.00	0.00
		Section profile 0	80	668538.17	240909.77	129.00	0.00
		Section profile 0	81	668537.19	240919.42	129.00	0.00
		Section profile 0	82	668536.20	240929.08	129.00	0.00
		Section profile 0	83	668535.22	240938.73	129.00	0.00
		Section profile 0	84	668534.23	240948.39	129.00	0.00
		Section profile 0	85	668533.25	240958.04	129.00	0.00
		Section profile 0	86	668532.27	240967.69	128.75	0.00
		Section profile 0	87	668531.28	240977.35	128.41	0.00
		Section profile 0	88	668530.30	240987.00	128.08	0.00
		Section profile 0	89	668529.31	240996.66	128.00	0.00
		Section profile 0	90	668528.33	241006.31	128.00	0.00
		Section profile 0	91	668527.34	241015.97	128.00	0.00
		Section profile 0	92	668526.36	241025.62	128.00	0.00
		Section profile 0	93	668525.37	241035.28	128.00	0.00
		Section profile 0	94	668524.39	241044.93	128.00	0.00
		Section profile 0	95	668523.41	241054.58	128.00	0.00
		Section profile 0	96	668522.42	241064.24	128.00	0.00
		Section profile 0	97	668521.44	241073.89	127.99	0.00
		Section profile 0	98	668520.45	241083.55	127.97	0.00
		Section profile 0	99	668519.47	241093.20	127.96	0.00
		Section profile 0	100	668518.48	241102.86	127.99	0.00
		Section profile 0	101	668517.50	241112.51	128.00	0.00
		Section profile 0	102	668516.51	241122.16	128.00	0.00
		Section profile 0	103	668515.53	241131.82	128.00	0.00
		Section profile 0	104	668514.55	241141.47	128.00	0.00
		Section profile 0	105	668513.77	241151.17	128.00	0.00
		Section profile 0	106	668512.99	241160.88	128.00	0.00
		Section profile 0	107	668512.21	241170.58	128.00	0.00
		Section profile 0	108	668511.43	241180.28	128.00	0.00
		Section profile 0	109	668510.65	241189.98	128.00	0.00

FONA DATI

		Section profile 0	110	668509.87	241199.68	128.00	0.00
		Section profile 0	111	668509.09	241209.39	128.00	0.00
		Section profile 0	112	668508.31	241219.09	128.00	0.00
		Section profile 0	113	668507.53	241228.79	128.00	0.00
		Section profile 0	114	668506.75	241238.49	128.00	0.00
		Section profile 0	115	668505.97	241248.19	128.00	0.00
		Section profile 0	116	668505.19	241257.90	128.00	0.00
		Section profile 0	117	668504.41	241267.60	128.00	0.00
		Section profile 0	118	668503.63	241277.30	128.00	0.00
		Section profile 0	119	668502.85	241287.00	128.00	0.00
		Section profile 0	120	668502.07	241296.70	128.00	0.00
		Section profile 0	121	668501.29	241306.41	128.00	0.00
		Section profile 0	122	668500.52	241316.11	128.00	0.00
		Section profile 0	123	668499.74	241325.81	128.00	0.00
		Section profile 0	124	668498.96	241335.51	128.00	0.00
		Section profile 0	125	668498.18	241345.21	128.00	0.00
		Section profile 0	126	668497.40	241354.92	128.00	0.00
		Section profile 0	127	668496.62	241364.62	128.00	0.00
		Section profile 0	128	668495.84	241374.32	128.00	0.00
		Section profile 0	129	668495.06	241384.02	128.00	0.00
		Section profile 0	130	668494.28	241393.72	127.99	0.00
		Section profile 0	131	668493.50	241403.43	127.79	0.00
		Section profile 0	132	668492.72	241413.13	127.54	0.00
		Section profile 0	133	668491.94	241422.83	127.29	0.00
		Section profile 0	134	668493.17	241431.42	127.12	0.00
		Section profile 0	135	668494.40	241440.02	127.00	0.00
		Section profile 0	136	668495.63	241448.61	127.00	0.00
		Section profile 0	137	668496.86	241457.21	127.00	0.00
		Section profile 0	138	668498.45	241466.35	126.85	0.00
		Section profile 0	139	668500.03	241475.50	126.76	0.00
		Section profile 0	140	668501.62	241484.64	126.61	0.00
		Section profile 0	141	668503.21	241493.79	126.45	0.00
		Section profile 0	142	668504.80	241502.93	126.34	0.00
		Section profile 0	143	668506.38	241512.08	126.31	0.00
		Section profile 0	144	668507.97	241521.22	126.30	0.00
		Section profile 0	145	668509.56	241530.36	126.34	0.00
		Section profile 0	146	668511.14	241539.51	126.51	0.00
		Section profile 0	147	668512.73	241548.65	126.69	0.00
		Section profile 0	148	668514.32	241557.80	126.91	0.00
		Section profile 0	149	668515.90	241566.94	127.00	0.00
		Section profile 0	150	668517.43	241576.66	127.00	0.00
		Section profile 0	151	668518.96	241586.38	127.00	0.00
		Section profile 0	152	668520.50	241596.10	127.00	0.00
		Section profile 0	153	668522.03	241605.81	127.00	0.00
		Section profile 0	154	668523.56	241615.53	127.00	0.00

FONA DATI

		Section profile 0	155	668525.09	241625.25	127.05	0.00
		Section profile 0	156	668526.62	241634.97	127.08	0.00
		Section profile 0	157	668528.15	241644.69	127.08	0.00
		Section profile 0	158	668529.68	241654.41	127.08	0.00
		Section profile 0	159	668531.21	241664.12	127.00	0.00
		Section profile 0	160	668532.74	241673.84	127.00	0.00
		Section profile 0	161	668534.46	241683.11	127.00	0.00
		Section profile 0	162	668536.18	241692.38	127.00	0.00
		Section profile 0	163	668537.90	241701.65	127.00	0.00
		Section profile 0	164	668539.62	241710.92	126.71	0.00
		Section profile 0	165	668541.34	241720.19	126.47	0.00
		Section profile 0	166	668543.06	241729.46	126.40	0.00
		Section profile 0	167	668544.78	241738.72	126.44	0.00
		Section profile 0	168	668546.50	241747.99	126.56	0.00
		Section profile 0	169	668548.22	241757.26	126.69	0.00
		Section profile 0	170	668549.94	241766.53	126.81	0.00
		Section profile 0	171	668551.61	241776.38	126.99	0.00
		Section profile 0	172	668553.28	241786.24	127.13	0.00
		Section profile 0	173	668554.95	241796.09	127.30	0.00
		Section profile 0	174	668556.62	241805.94	127.45	0.00
		Section profile 0	175	668558.29	241815.80	127.48	0.00
		Section profile 0	176	668559.96	241825.65	127.48	0.00
		Section profile 0	177	668561.63	241835.50	127.47	0.00
		Section profile 0	178	668563.30	241845.36	127.47	0.00
		Section profile 0	179	668564.97	241855.21	127.46	0.00
		Section profile 0	180	668566.64	241865.06	127.46	0.00
		Section profile 0	181	668568.31	241874.91	127.45	0.00
		Section profile 0	182	668569.98	241884.77	127.44	0.00
		Section profile 0	183	668571.65	241894.62	127.40	0.00
		Section profile 0	184	668573.32	241904.47	127.38	0.00
		Section profile 0	185	668574.99	241914.33	127.35	0.00
		Section profile 0	186	668576.66	241924.18	127.28	0.00
		Section profile 0	187	668578.33	241934.03	127.21	0.00
		Section profile 0	188	668580.00	241943.89	127.17	0.00
		Section profile 0	189	668581.67	241953.74	127.15	0.00
		Section profile 0	190	668583.34	241963.59	127.11	0.00
		Section profile 0	191	668585.01	241973.45	127.10	0.00
		Section profile 0	192	668586.68	241983.30	127.10	0.00
		Section profile 0	193	668588.35	241993.15	127.10	0.00
		Section profile 0	194	668590.02	242003.00	127.09	0.00
		Section profile 0	195	668591.69	242012.86	127.09	0.00
		Section profile 0	196	668593.36	242022.71	127.16	0.00
		Section profile 0	197	668595.03	242032.56	127.22	0.00
		Section profile 0	198	668596.70	242042.42	127.22	0.00
		Section profile 0	199	668598.37	242052.27	127.27	0.00

FONA DATI

		Section profile 0	200	668600.04	242062.12	127.29	0.00
		Section profile 0	201	668601.96	242070.40	127.37	0.00
		Section profile 0	202	668603.88	242078.67	127.52	0.00
		Section profile 0	203	668605.80	242086.95	127.62	0.00
		Section profile 0	204	668607.72	242095.22	127.63	0.00
		Section profile 0	205	668609.65	242103.49	127.66	0.00
		Section profile 0	206	668611.57	242111.77	127.68	0.00
		Section profile 0	207	668613.57	242121.48	127.77	0.00
		Section profile 0	208	668615.57	242131.20	127.84	0.00
		Section profile 0	209	668617.57	242140.91	127.90	0.00
		Section profile 0	210	668621.64	242149.65	127.91	0.00
		Section profile 0	211	668625.71	242158.38	127.91	0.00
		Section profile 0	212	668629.78	242167.12	127.89	0.00
		Section profile 0	213	668633.86	242175.86	127.86	0.00
		Section profile 0	214	668637.93	242184.59	127.75	0.00
		Section profile 0	215	668642.00	242193.33	127.66	0.00
		Section profile 0	216	668646.07	242202.07	127.59	0.00
		Section profile 0	217	668650.14	242210.80	127.51	0.00
		Section profile 0	218	668654.22	242219.54	127.38	0.00
		Section profile 0	219	668658.29	242228.28	127.27	0.00
		Section profile 0	220	668662.36	242237.01	127.16	0.00
		Section profile 0	221	668666.43	242245.75	127.04	0.00
		Section profile 0	222	668670.51	242254.48	126.99	0.00
		Section profile 0	223	668674.58	242263.22	126.92	0.00
		Section profile 0	224	668678.65	242271.96	126.87	0.00
		Section profile 0	225	668682.72	242280.69	126.95	0.00
		Section profile 0	226	668686.80	242289.43	127.00	0.00
		Section profile 0	227	668690.87	242298.17	127.00	0.00
		Section profile 0	228	668695.28	242306.89	127.00	0.00
		Section profile 0	229	668699.70	242315.61	127.02	0.00
		Section profile 0	230	668704.12	242324.33	127.31	0.00
		Section profile 0	231	668708.53	242333.05	127.60	0.00
		Section profile 0	232	668712.95	242341.78	127.91	0.00
		Section profile 0	233	668717.36	242350.50	128.00	0.00
		Section profile 0	234	668721.78	242359.22	128.00	0.00
		Section profile 0	235	668726.20	242367.94	128.00	0.00
		Section profile 0	236	668730.61	242376.66	128.16	0.00
		Section profile 0	237	668735.03	242385.39	128.69	0.00
		Section profile 0	238	668739.44	242394.11	129.00	0.00
		Section profile 0	239	668744.15	242402.86	129.00	0.00
		Section profile 0	240	668748.85	242411.62	129.00	0.00
		Section profile 0	241	668753.55	242420.37	129.00	0.00
		Section profile 0	242	668758.25	242429.12	129.00	0.00
		Section profile 0	243	668762.95	242437.88	129.03	0.00
		Section profile 0	244	668767.65	242446.63	129.41	0.00

FONA DATI

		Section profile 0	245	668772.35	242455.39	129.79	0.00
		Section profile 0	246	668777.05	242464.14	130.00	0.00
		Section profile 0	247	668781.75	242472.89	130.00	0.00
		Section profile 0	248	668786.45	242481.65	130.00	0.00
		Section profile 0	249	668791.15	242490.40	130.00	0.00
		Section profile 0	250	668795.85	242499.16	130.00	0.00
		Section profile 0	251	668800.55	242507.91	130.00	0.00
		Section profile 0	252	668805.25	242516.66	130.00	0.00
		Section profile 0	253	668809.95	242525.42	130.03	0.00
		Section profile 0	254	668814.65	242534.17	130.18	0.00
		Section profile 0	255	668819.35	242542.92	130.34	0.00
		Section profile 0	256	668824.05	242551.68	130.49	0.00
		Section profile 0	257	668828.75	242560.43	130.64	0.00
		Section profile 0	258	668833.46	242569.19	130.79	0.00
		Section profile 0	259	668838.16	242577.94	130.94	0.00
		Section profile 0	260	668842.86	242586.69	131.00	0.00
		Section profile 0	261	668847.56	242595.45	131.00	0.00
		Section profile 0	262	668852.26	242604.20	131.00	0.00
		Section profile 0	263	668856.96	242612.96	131.00	0.00
		Section profile 0	264	668861.66	242621.71	131.00	0.00
		Section profile 0	265	668866.36	242630.46	131.00	0.00
		Section profile 0	266	668871.06	242639.22	131.00	0.00
		Section profile 0	267	668875.76	242647.97	131.00	0.00
		Section profile 0	268	668880.46	242656.73	131.00	0.00
		Section profile 0	269	668885.16	242665.48	131.00	0.00
		Section profile 0	270	668889.86	242674.23	131.00	0.00
		Section profile 0	271	668894.56	242682.99	131.00	0.00
		Section profile 0	272	668899.26	242691.74	131.00	0.00
		Section profile 0	273	668903.96	242700.49	131.00	0.00
		Section profile 0	274	668908.66	242709.25	131.00	0.00
		Section profile 0	275	668913.36	242718.00	131.00	0.00
		Section profile 0	276	668918.06	242726.76	131.00	0.00
		Section profile 0	277	668922.76	242735.51	131.00	0.00
		Section profile 0	278	668927.47	242744.26	131.00	0.00
		Section profile 0	279	668932.17	242753.02	131.00	0.00
		Section profile 0	280	668936.87	242761.77	131.00	0.00
		Section profile 0	281	668941.57	242770.53	131.00	0.00
		Section profile 0	282	668946.27	242779.28	131.00	0.00
		Section profile 0	283	668950.97	242788.03	131.00	0.00
		Section profile 0	284	668953.87	242792.46	131.00	0.00
		Section profile 0	285	668956.77	242796.89	131.00	0.00
		Section profile 0	286	668962.95	242803.80	131.00	0.00
		Section profile 0	287	668969.12	242810.70	131.00	0.00
		Section profile 0	288	668975.30	242817.60	131.00	0.00
		Section profile 0	289	668981.47	242824.50	131.00	0.00

FONA DATI

		Section profile 0		290	668987.65	242831.40	131.00	0.00
		Section profile 0		291	668993.82	242838.30	131.00	0.00
		-		292	669000.00	242845.20	131.00	0.00
R96_002	Label	V752			Action radius/m		3000.00	
	Group	Fona celi			Emi. variant		Emission	
	Number of nodes	211					dB(A)	
	Length/ m	1953.75			Day (12h)		49.45	
	Length/ m (2D)	1953.54			Night (8h)		40.47	
	Area /m²	---			Evening (4h)		46.31	
					Max gradient % (z-coord.)		-5.66	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		3.50	
					Road surface		No correction	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		16.78	1.52	80.00	80.00	49.45
	Night (8h)	Continuous flow		1.91	0.22	80.00	80.00	40.47
	Evening (4h)	Continuous flow		9.62	0.54	80.00	80.00	46.31
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	2.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	69.5	1.00	12.00000	2.00	2.0
	Evening (4h)	4.00	Evening	66.3	1.00	4.00000	2.00	2.0
	Night (8h)	8.00	Night	60.5	1.00	8.00000	2.00	2.0
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Section profile 0		1	666000.00	239650.01	123.03	0.00
		Section profile 0		2	666008.47	239653.81	123.02	0.00
		Section profile 0		3	666016.94	239657.61	123.00	0.00
		Section profile 0		4	666025.41	239661.41	122.72	0.00
		Section profile 0		5	666033.88	239665.22	122.38	0.00
		Section profile 0		6	666041.72	239668.87	122.09	0.00
		Section profile 0		7	666049.56	239672.53	121.70	0.00
		Section profile 0		8	666057.40	239676.19	121.30	0.00
		Section profile 0		9	666065.24	239679.85	120.81	0.00
		Section profile 0		10	666073.08	239683.51	120.51	0.00
		Section profile 0		11	666080.78	239686.45	120.27	0.00
		Section profile 0		12	666088.48	239689.39	120.15	0.00
		Section profile 0		13	666096.18	239692.33	119.94	0.00
		Section profile 0		14	666103.85	239694.64	119.68	0.00
		Section profile 0		15	666111.52	239696.95	119.57	0.00
		Section profile 0		16	666119.18	239699.26	119.54	0.00
		Section profile 0		17	666126.85	239701.57	119.48	0.00
		Section profile 0		18	666134.91	239703.50	119.47	0.00
		Section profile 0		19	666142.98	239705.44	119.54	0.00
		Section profile 0		20	666151.05	239707.37	119.56	0.00
		Section profile 0		21	666159.11	239709.30	119.46	0.00

FONA DATI

		Section profile 0	22	666167.18	239711.23	119.35	0.00
		Section profile 0	23	666175.14	239712.87	119.28	0.00
		Section profile 0	24	666183.11	239714.51	119.10	0.00
		Section profile 0	25	666191.08	239716.15	119.00	0.00
		Section profile 0	26	666200.75	239717.57	118.69	0.00
		Section profile 0	27	666210.42	239718.99	118.28	0.00
		Section profile 0	28	666220.09	239720.41	118.00	0.00
		Section profile 0	29	666229.76	239721.83	118.00	0.00
		Section profile 0	30	666239.42	239723.26	118.00	0.00
		Section profile 0	31	666249.09	239724.68	118.02	0.00
		Section profile 0	32	666259.07	239725.10	118.38	0.00
		Section profile 0	33	666269.05	239725.52	118.74	0.00
		Section profile 0	34	666279.02	239725.94	119.00	0.00
		Section profile 0	35	666289.00	239726.36	119.05	0.00
		Section profile 0	36	666298.79	239725.86	119.27	0.00
		Section profile 0	37	666308.59	239725.36	119.41	0.00
		Section profile 0	38	666318.38	239724.86	119.55	0.00
		Section profile 0	39	666328.17	239724.36	119.69	0.00
		Section profile 0	40	666337.96	239723.86	119.82	0.00
		Section profile 0	41	666347.76	239723.36	119.95	0.00
		Section profile 0	42	666357.55	239722.86	120.00	0.00
		Section profile 0	43	666367.34	239722.37	120.00	0.00
		Section profile 0	44	666377.14	239721.87	120.00	0.00
		Section profile 0	45	666386.93	239721.37	120.00	0.00
		Section profile 0	46	666396.72	239720.87	120.00	0.00
		Section profile 0	47	666406.52	239720.37	120.00	0.00
		Section profile 0	48	666416.31	239719.87	120.00	0.00
		Section profile 0	49	666426.10	239719.37	120.00	0.00
		Section profile 0	50	666435.89	239718.87	120.00	0.00
		Section profile 0	51	666445.69	239718.38	120.00	0.00
		Section profile 0	52	666455.09	239717.77	120.00	0.00
		Section profile 0	53	666464.49	239717.17	120.00	0.00
		Section profile 0	54	666473.89	239716.56	120.00	0.00
		Section profile 0	55	666483.29	239715.96	120.07	0.00
		Section profile 0	56	666492.68	239715.36	120.16	0.00
		Section profile 0	57	666502.08	239714.75	120.24	0.00
		Section profile 0	58	666511.48	239714.15	120.33	0.00
		Section profile 0	59	666520.88	239713.54	120.42	0.00
		Section profile 0	60	666530.28	239712.94	120.50	0.00
		Section profile 0	61	666539.68	239712.34	120.59	0.00
		Section profile 0	62	666549.08	239711.73	120.68	0.00
		Section profile 0	63	666558.48	239711.13	120.76	0.00
		Section profile 0	64	666567.88	239710.53	120.85	0.00
		Section profile 0	65	666577.28	239709.92	120.93	0.00
		Section profile 0	66	666586.68	239709.32	121.00	0.00

FONA DATI

		Section profile 0	67	666596.08	239708.71	121.00	0.00
		Section profile 0	68	666604.06	239709.13	121.00	0.00
		Section profile 0	69	666612.04	239709.55	121.00	0.00
		Section profile 0	70	666620.02	239709.97	121.00	0.00
		Section profile 0	71	666628.84	239711.02	121.00	0.00
		Section profile 0	72	666637.67	239712.07	121.00	0.00
		Section profile 0	73	666644.39	239713.61	121.00	0.00
		Section profile 0	74	666651.11	239715.15	121.00	0.00
		Section profile 0	75	666657.83	239716.70	121.00	0.00
		Section profile 0	76	666666.48	239720.22	121.00	0.00
		Section profile 0	77	666675.14	239723.75	121.00	0.00
		Section profile 0	78	666683.79	239727.28	121.00	0.00
		Section profile 0	79	666692.44	239730.81	121.00	0.00
		Section profile 0	80	666701.10	239734.34	121.00	0.00
		Section profile 0	81	666709.21	239738.01	121.00	0.00
		Section profile 0	82	666717.32	239741.68	121.00	0.00
		Section profile 0	83	666725.43	239745.35	121.00	0.00
		Section profile 0	84	666733.55	239749.02	121.00	0.00
		Section profile 0	85	666741.66	239752.69	121.00	0.00
		Section profile 0	86	666749.77	239756.36	121.00	0.00
		Section profile 0	87	666757.88	239760.03	121.00	0.00
		Section profile 0	88	666765.99	239763.71	121.00	0.00
		Section profile 0	89	666774.11	239767.38	121.00	0.00
		Section profile 0	90	666782.61	239771.36	121.00	0.00
		Section profile 0	91	666791.11	239775.35	121.00	0.00
		Section profile 0	92	666799.61	239779.33	121.00	0.00
		Section profile 0	93	666808.11	239783.32	121.00	0.00
		Section profile 0	94	666816.62	239787.30	121.00	0.00
		Section profile 0	95	666825.12	239791.29	121.00	0.00
		Section profile 0	96	666833.62	239795.28	121.00	0.00
		Section profile 0	97	666842.12	239799.26	121.00	0.00
		Section profile 0	98	666850.62	239803.25	121.00	0.00
		Section profile 0	99	666858.96	239808.38	121.00	0.00
		Section profile 0	100	666867.30	239813.52	121.00	0.00
		Section profile 0	101	666875.64	239818.66	121.00	0.00
		Section profile 0	102	666883.97	239823.80	121.00	0.00
		Section profile 0	103	666892.31	239828.93	121.00	0.00
		Section profile 0	104	666900.65	239834.07	121.00	0.00
		Section profile 0	105	666908.99	239839.21	121.04	0.00
		Section profile 0	106	666917.33	239844.35	121.11	0.00
		Section profile 0	107	666925.66	239849.48	121.17	0.00
		Section profile 0	108	666934.00	239854.62	121.24	0.00
		Section profile 0	109	666942.34	239859.76	121.30	0.00
		Section profile 0	110	666950.68	239864.89	121.37	0.00
		Section profile 0	111	666959.01	239870.03	121.44	0.00

FONA DATI

		Section profile 0	112	666967.35	239875.17	121.50	0.00
		Section profile 0	113	666975.69	239880.31	121.57	0.00
		Section profile 0	114	666984.03	239885.44	121.63	0.00
		Section profile 0	115	666992.37	239890.58	121.66	0.00
		Section profile 0	116	666998.99	239896.64	121.66	0.00
		Section profile 0	117	667009.04	239900.86	121.69	0.00
		Section profile 0	118	667017.38	239905.99	121.72	0.00
		Section profile 0	119	667025.72	239911.13	121.72	0.00
		Section profile 0	120	667034.05	239916.27	121.81	0.00
		Section profile 0	121	667042.39	239921.40	121.90	0.00
		Section profile 0	122	667050.73	239926.54	121.99	0.00
		Section profile 0	123	667059.07	239931.68	122.00	0.00
		Section profile 0	124	667067.41	239936.82	122.00	0.00
		Section profile 0	125	667074.92	239942.13	122.22	0.00
		Section profile 0	126	667082.44	239947.44	122.35	0.00
		Section profile 0	127	667089.96	239952.75	122.48	0.00
		Section profile 0	128	667097.48	239958.06	122.58	0.00
		Section profile 0	129	667105.00	239963.37	122.81	0.00
		Section profile 0	130	667112.52	239968.68	123.00	0.00
		Section profile 0	131	667120.03	239973.99	123.00	0.00
		Section profile 0	132	667127.55	239979.30	123.17	0.00
		Section profile 0	133	667135.07	239984.61	123.52	0.00
		Section profile 0	134	667142.59	239989.92	123.87	0.00
		Section profile 0	135	667150.40	239995.39	124.00	0.00
		Section profile 0	136	667158.20	240000.86	124.00	0.00
		Section profile 0	137	667166.01	240006.33	124.00	0.00
		Section profile 0	138	667173.82	240011.79	124.00	0.00
		Section profile 0	139	667181.63	240017.26	124.00	0.00
		Section profile 0	140	667189.43	240022.73	124.00	0.00
		Section profile 0	141	667197.24	240028.20	124.00	0.00
		Section profile 0	142	667205.05	240033.66	124.00	0.00
		Section profile 0	143	667213.00	240038.18	124.00	0.00
		Section profile 0	144	667220.95	240042.70	123.96	0.00
		Section profile 0	145	667228.89	240047.21	123.97	0.00
		Section profile 0	146	667236.84	240051.73	123.98	0.00
		Section profile 0	147	667245.91	240054.54	123.95	0.00
		Section profile 0	148	667254.97	240057.35	123.93	0.00
		Section profile 0	149	667262.57	240058.95	123.90	0.00
		Section profile 0	150	667270.17	240060.54	123.90	0.00
		Section profile 0	151	667278.45	240061.63	123.94	0.00
		Section profile 0	152	667286.72	240062.71	123.97	0.00
		Section profile 0	153	667295.00	240063.80	124.00	0.00
		Section profile 0	154	667303.28	240064.88	124.00	0.00
		Section profile 0	155	667311.56	240065.97	124.14	0.00
		Section profile 0	156	667319.84	240067.05	124.27	0.00

FONA DATI

		Section profile 0	157	667328.37	240068.74	124.44	0.00
		Section profile 0	158	667336.90	240070.42	124.61	0.00
		Section profile 0	159	667345.44	240072.11	124.89	0.00
		Section profile 0	160	667353.97	240073.79	125.05	0.00
		Section profile 0	161	667362.51	240075.47	125.23	0.00
		Section profile 0	162	667371.62	240077.71	125.42	0.00
		Section profile 0	163	667380.74	240079.95	125.61	0.00
		Section profile 0	164	667390.02	240082.91	125.81	0.00
		Section profile 0	165	667399.30	240085.87	125.99	0.00
		Section profile 0	166	667408.58	240088.82	126.00	0.00
		Section profile 0	167	667417.86	240091.78	126.00	0.00
		Section profile 0	168	667427.13	240094.74	126.00	0.00
		Section profile 0	169	667436.41	240097.70	126.13	0.00
		Section profile 0	170	667445.69	240100.66	126.54	0.00
		Section profile 0	171	667454.97	240103.61	127.00	0.00
		Section profile 0	172	667464.25	240106.57	127.00	0.00
		Section profile 0	173	667473.53	240109.53	127.00	0.00
		Section profile 0	174	667482.80	240112.49	127.00	0.00
		Section profile 0	175	667492.08	240115.45	127.00	0.00
		Section profile 0	176	667500.89	240118.95	126.98	0.00
		Section profile 0	177	667509.69	240122.46	126.75	0.00
		Section profile 0	178	667518.50	240125.96	126.28	0.00
		Section profile 0	179	667527.30	240129.46	126.00	0.00
		Section profile 0	180	667536.11	240132.97	126.00	0.00
		Section profile 0	181	667544.91	240136.47	126.00	0.00
		Section profile 0	182	667553.72	240139.98	126.00	0.00
		Section profile 0	183	667562.52	240143.48	126.00	0.00
		Section profile 0	184	667571.33	240146.99	125.84	0.00
		Section profile 0	185	667580.13	240150.49	125.76	0.00
		Section profile 0	186	667588.94	240154.00	125.67	0.00
		Section profile 0	187	667598.15	240157.64	125.48	0.00
		Section profile 0	188	667607.37	240161.28	125.29	0.00
		Section profile 0	189	667616.58	240164.93	125.09	0.00
		Section profile 0	190	667625.80	240168.57	125.00	0.00
		Section profile 0	191	667635.01	240172.22	125.00	0.00
		Section profile 0	192	667644.23	240175.86	125.00	0.00
		Section profile 0	193	667653.44	240179.50	125.00	0.00
		Section profile 0	194	667662.66	240183.15	125.00	0.00
		Section profile 0	195	667671.87	240186.79	125.00	0.00
		Section profile 0	196	667681.09	240190.43	125.00	0.00
		Section profile 0	197	667690.30	240194.08	125.01	0.00
		Section profile 0	198	667699.52	240197.72	125.08	0.00
		Section profile 0	199	667708.73	240201.37	125.13	0.00
		Section profile 0	200	667717.95	240205.01	125.18	0.00
		Section profile 0	201	667727.16	240208.65	125.22	0.00

FONA DATI

		Section profile 0	202	667736.38	240212.30	125.27	0.00
		Section profile 0	203	667745.59	240215.94	125.31	0.00
		Section profile 0	204	667754.81	240219.59	125.30	0.00
		Section profile 0	205	667764.02	240223.23	125.29	0.00
		Section profile 0	206	667773.24	240226.87	125.28	0.00
		Section profile 0	207	667782.45	240230.52	125.28	0.00
		Section profile 0	208	667791.67	240234.16	125.26	0.00
		Section profile 0	209	667800.88	240237.81	125.23	0.00
		Section profile 0	210	667810.10	240241.45	125.19	0.00
		-	211	667814.70	240243.27	125.18	0.00
R96_003	Label	P63		Action radius/m		3000.00	
	Group	Fona celi		Emi. variant		Emission	
	Number of nodes	7				dB(A)	
	Length/ m	43.02		Day (12h)		55.58	
	Length/ m (2D)	43.02		Night (8h)		46.85	
	Area /m²	---		Evening (4h)		52.07	
				Max gradient % (z-coord.)		1.33	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h
	Day (12h)	Continuous flow		62.40	11.50	50.00	50.00
	Night (8h)	Continuous flow		7.10	1.70	50.00	50.00
	Evening (4h)	Continuous flow		35.80	4.10	50.00	50.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	75.6	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	72.1	1.00	4.00000	0.00
	Night (8h)	8.00	Night	66.8	1.00	8.00000	0.00
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m
		Section profile 0		1	667768.41	242641.24	123.72
		Section profile 0		2	667777.44	242644.99	123.84
		Section profile 0		3	667782.81	242646.67	123.92
		Section profile 0		4	667788.19	242648.36	123.99
		Section profile 0		5	667795.49	242653.01	124.00
		Section profile 0		6	667800.65	242657.23	124.00
		-		7	667805.81	242661.44	124.00
R96_004	Label	P63		Action radius/m		3000.00	
	Group	Fona celi		Emi. variant		Emission	
	Number of nodes	8				dB(A)	
	Length/ m	46.80		Day (12h)		55.58	
	Length/ m (2D)	46.80		Night (8h)		46.85	
	Area /m²	---		Evening (4h)		52.07	
				Max gradient % (z-coord.)		1.75	

FONA DATI

				Driving direction		2 direct./driving on the right			
				Dist.:centreline lane - road /m		3.50			
				Road surface		Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		62.40	11.50	50.00	50.00	55.58	
	Night (8h)	Continuous flow		7.10	1.70	50.00	50.00	46.85	
	Evening (4h)	Continuous flow		35.80	4.10	50.00	50.00	52.07	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	75.6	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	72.1	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	66.8	1.00	8.00000	0.00	0.0
	Geometry		Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
			Section profile 0		1	667768.41	242641.24	123.72	0.00
			Section profile 0		2	667774.26	242640.56	123.81	0.00
			Section profile 0		3	667780.10	242639.88	123.86	0.00
			Section profile 0		4	667787.98	242641.43	124.00	0.00
			Section profile 0		5	667793.41	242643.68	124.00	0.00
			Section profile 0		6	667798.83	242645.93	124.00	0.00
			Section profile 0		7	667805.58	242649.48	124.00	0.00
			-		8	667812.33	242653.03	124.00	0.00
R96_005	Label		P63		Action radius/m		3000.00		
	Group		Fona celi		Emi. variant		Emission		
	Number of nodes		121				dB(A)		
	Length/ m		1161.85		Day (12h)		62.22		
	Length/ m (2D)		1161.75		Night (8h)		53.28		
	Area /m²		---		Evening (4h)		59.08		
					Max gradient % (z-coord.)		3.43		
					Driving direction		2 direct./driving on the right		
					Dist.:centreline lane - road /m		3.50		
					Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		124.84	22.92	90.00	90.00	62.22	
	Night (8h)	Continuous flow		14.22	3.39	90.00	90.00	53.28	
	Evening (4h)	Continuous flow		71.59	8.20	90.00	90.00	59.08	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	82.2	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	79.1	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	73.3	1.00	8.00000	0.00	0.0
	Geometry		Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
			Section profile 0		1	666000.00	242538.85	123.00	0.00
			Section profile 0		2	666008.48	242539.32	123.00	0.00

FONA DATI

		Section profile 0	3	666016.95	242539.79	123.00	0.00
		Section profile 0	4	666025.43	242540.26	123.00	0.00
		Section profile 0	5	666033.91	242540.73	123.00	0.00
		Section profile 0	6	666042.38	242541.20	123.00	0.00
		Section profile 0	7	666052.15	242541.78	123.00	0.00
		Section profile 0	8	666061.92	242542.36	123.20	0.00
		Section profile 0	9	666071.68	242542.95	123.31	0.00
		Section profile 0	10	666081.45	242543.53	123.57	0.00
		Section profile 0	11	666091.22	242544.11	123.85	0.00
		Section profile 0	12	666100.99	242544.70	124.00	0.00
		Section profile 0	13	666110.76	242545.28	124.00	0.00
		Section profile 0	14	666120.52	242545.86	124.00	0.00
		Section profile 0	15	666130.29	242546.45	124.01	0.00
		Section profile 0	16	666140.06	242547.03	124.34	0.00
		Section profile 0	17	666149.83	242547.62	124.68	0.00
		Section profile 0	18	666159.59	242548.20	124.90	0.00
		Section profile 0	19	666169.36	242548.78	125.00	0.00
		Section profile 0	20	666179.13	242549.37	125.14	0.00
		Section profile 0	21	666188.90	242549.95	125.39	0.00
		Section profile 0	22	666198.66	242550.53	125.65	0.00
		Section profile 0	23	666208.43	242551.12	125.90	0.00
		Section profile 0	24	666218.20	242551.70	126.00	0.00
		Section profile 0	25	666227.97	242552.29	126.15	0.00
		Section profile 0	26	666237.73	242552.87	126.37	0.00
		Section profile 0	27	666247.50	242553.45	126.55	0.00
		Section profile 0	28	666257.27	242554.04	126.86	0.00
		Section profile 0	29	666267.04	242554.62	127.00	0.00
		Section profile 0	30	666276.81	242555.20	127.00	0.00
		Section profile 0	31	666286.57	242555.79	127.00	0.00
		Section profile 0	32	666296.34	242556.37	127.00	0.00
		Section profile 0	33	666306.11	242556.96	127.00	0.00
		Section profile 0	34	666315.88	242557.54	127.00	0.00
		Section profile 0	35	666325.68	242558.08	127.00	0.00
		Section profile 0	36	666335.48	242558.63	127.00	0.00
		Section profile 0	37	666345.28	242559.17	127.00	0.00
		Section profile 0	38	666355.08	242559.71	127.00	0.00
		Section profile 0	39	666364.88	242560.25	127.00	0.00
		Section profile 0	40	666374.69	242560.80	127.00	0.00
		Section profile 0	41	666384.49	242561.34	127.00	0.00
		Section profile 0	42	666394.29	242561.88	127.00	0.00
		Section profile 0	43	666404.09	242562.43	127.00	0.00
		Section profile 0	44	666413.89	242562.97	127.00	0.00
		Section profile 0	45	666423.70	242563.51	127.00	0.00
		Section profile 0	46	666433.50	242564.05	127.00	0.00
		Section profile 0	47	666443.30	242564.60	126.95	0.00

FONA DATI

		Section profile 0	48	666453.10	242565.14	126.82	0.00
		Section profile 0	49	666462.90	242565.68	126.68	0.00
		Section profile 0	50	666472.70	242566.23	126.55	0.00
		Section profile 0	51	666482.50	242566.80	126.42	0.00
		Section profile 0	52	666492.29	242567.37	126.29	0.00
		Section profile 0	53	666502.08	242567.94	126.08	0.00
		Section profile 0	54	666511.87	242568.51	126.00	0.00
		Section profile 0	55	666521.67	242569.08	125.74	0.00
		Section profile 0	56	666531.46	242569.65	125.50	0.00
		Section profile 0	57	666541.25	242570.22	125.30	0.00
		Section profile 0	58	666551.05	242570.79	125.07	0.00
		Section profile 0	59	666560.84	242571.36	125.00	0.00
		Section profile 0	60	666570.63	242571.93	125.00	0.00
		Section profile 0	61	666580.42	242572.50	125.00	0.00
		Section profile 0	62	666590.22	242573.08	125.00	0.00
		Section profile 0	63	666600.01	242573.65	125.00	0.00
		Section profile 0	64	666609.80	242574.22	124.93	0.00
		Section profile 0	65	666619.59	242574.79	124.67	0.00
		Section profile 0	66	666629.39	242575.36	124.41	0.00
		Section profile 0	67	666639.18	242575.93	124.15	0.00
		Section profile 0	68	666648.97	242576.50	124.00	0.00
		Section profile 0	69	666658.77	242577.07	124.00	0.00
		Section profile 0	70	666668.56	242577.64	124.00	0.00
		Section profile 0	71	666678.35	242578.21	123.90	0.00
		Section profile 0	72	666688.14	242578.78	123.56	0.00
		Section profile 0	73	666697.94	242579.35	123.24	0.00
		Section profile 0	74	666707.73	242579.92	123.02	0.00
		Section profile 0	75	666717.52	242580.49	123.17	0.00
		Section profile 0	76	666727.31	242581.06	123.33	0.00
		Section profile 0	77	666737.11	242581.64	123.33	0.00
		Section profile 0	78	666746.90	242582.21	123.22	0.00
		Section profile 0	79	666756.69	242582.78	123.16	0.00
		Section profile 0	80	666766.48	242583.35	123.08	0.00
		Section profile 0	81	666776.28	242583.92	123.00	0.00
		Section profile 0	82	666786.07	242584.49	123.00	0.00
		Section profile 0	83	666795.86	242585.06	123.00	0.00
		Section profile 0	84	666805.66	242585.63	123.00	0.00
		Section profile 0	85	666815.45	242586.20	123.00	0.00
		Section profile 0	86	666825.24	242586.77	123.00	0.00
		Section profile 0	87	666835.03	242587.34	123.00	0.00
		Section profile 0	88	666844.83	242587.91	123.00	0.00
		Section profile 0	89	666854.62	242588.48	123.00	0.00
		Section profile 0	90	666864.41	242589.05	122.92	0.00
		Section profile 0	91	666874.20	242589.63	122.71	0.00
		Section profile 0	92	666884.00	242590.20	122.50	0.00

FONA DATI

		Section profile 0	93	666893.84	242590.80	122.43	0.00
		Section profile 0	94	666903.69	242591.39	122.34	0.00
		Section profile 0	95	666913.53	242591.99	122.21	0.00
		Section profile 0	96	666923.38	242592.59	122.08	0.00
		Section profile 0	97	666933.22	242593.19	122.00	0.00
		Section profile 0	98	666943.07	242593.79	122.00	0.00
		Section profile 0	99	666952.91	242594.39	122.00	0.00
		Section profile 0	100	666962.76	242594.99	122.00	0.00
		Section profile 0	101	666972.60	242595.59	122.00	0.00
		Section profile 0	102	666982.45	242596.19	122.00	0.00
		Section profile 0	103	666992.29	242596.79	122.00	0.00
		Section profile 0	104	667002.14	242597.39	122.00	0.00
		Section profile 0	105	667011.98	242597.99	122.00	0.00
		Section profile 0	106	667021.83	242598.58	122.00	0.00
		Section profile 0	107	667031.67	242599.18	122.00	0.00
		Section profile 0	108	667041.52	242599.78	122.00	0.00
		Section profile 0	109	667051.36	242600.38	122.00	0.00
		Section profile 0	110	667061.21	242600.98	122.00	0.00
		Section profile 0	111	667071.05	242601.58	122.00	0.00
		Section profile 0	112	667080.90	242602.18	122.00	0.00
		Section profile 0	113	667090.74	242602.78	122.00	0.00
		Section profile 0	114	667100.59	242603.38	122.00	0.00
		Section profile 0	115	667110.44	242603.98	122.00	0.00
		Section profile 0	116	667120.28	242604.58	122.00	0.00
		Section profile 0	117	667130.13	242605.18	122.00	0.00
		Section profile 0	118	667139.97	242605.77	122.00	0.00
		Section profile 0	119	667149.82	242606.37	122.00	0.00
		Section profile 0	120	667159.66	242606.97	122.00	0.00
		-	121	667159.75	242606.98	122.00	0.00
R96_006	Label	P63	Action radius/m		3000.00		
	Group	Fona celi	Emi. variant		Emission		
	Number of nodes	64			dB(A)		
	Length/ m	609.67	Day (12h)		58.58		
	Length/ m (2D)	609.66	Night (8h)		49.85		
	Area /m²	---	Evening (4h)		55.08		
			Max gradient % (z-coord.)		1.97		
			Driving direction		2 direct./driving on the right		
			Dist.:centreline lane - road /m		3.50		
			Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	124.84	22.92	50.00	50.00	58.58
	Night (8h)	Continuous flow	14.22	3.39	50.00	50.00	49.85
	Evening (4h)	Continuous flow	71.59	8.20	50.00	50.00	55.08
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-	0.0	0.0	0.0	-	0.0

FONA DATI

	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	78.6	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	75.1	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	69.9	1.00	8.00000	0.00	0.0
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Section profile 0		1	667159.75	242606.98	122.00	0.00
		Section profile 0		2	667169.04	242607.47	122.00	0.00
		Section profile 0		3	667178.42	242607.97	122.00	0.00
		Section profile 0		4	667187.80	242608.47	122.00	0.00
		Section profile 0		5	667197.18	242608.97	122.00	0.00
		Section profile 0		6	667206.56	242609.47	122.00	0.00
		Section profile 0		7	667215.95	242609.96	121.99	0.00
		Section profile 0		8	667225.33	242610.46	121.99	0.00
		Section profile 0		9	667234.71	242610.96	122.00	0.00
		Section profile 0		10	667244.09	242611.46	122.00	0.00
		Section profile 0		11	667253.47	242611.96	122.00	0.00
		Section profile 0		12	667262.85	242612.46	122.00	0.00
		Section profile 0		13	667272.23	242612.96	122.00	0.00
		Section profile 0		14	667281.61	242613.45	122.00	0.00
		Section profile 0		15	667290.99	242613.95	122.00	0.00
		Section profile 0		16	667300.37	242614.45	122.00	0.00
		Section profile 0		17	667309.75	242614.95	122.00	0.00
		Section profile 0		18	667319.52	242615.46	122.00	0.00
		Section profile 0		19	667329.28	242615.96	122.00	0.00
		Section profile 0		20	667339.05	242616.47	122.00	0.00
		Section profile 0		21	667348.81	242616.98	122.00	0.00
		Section profile 0		22	667358.58	242617.48	122.00	0.00
		Section profile 0		23	667368.34	242617.99	122.00	0.00
		Section profile 0		24	667378.11	242618.49	122.00	0.00
		Section profile 0		25	667387.87	242619.00	122.02	0.00
		Section profile 0		26	667397.63	242619.51	122.22	0.00
		Section profile 0		27	667407.40	242620.01	122.41	0.00
		Section profile 0		28	667417.16	242620.52	122.60	0.00
		Section profile 0		29	667426.93	242621.03	122.79	0.00
		Section profile 0		30	667436.69	242621.53	122.95	0.00
		Section profile 0		31	667446.46	242622.04	123.00	0.00
		Section profile 0		32	667456.22	242622.55	123.00	0.00
		Section profile 0		33	667465.99	242623.05	123.00	0.00
		Section profile 0		34	667475.75	242623.56	123.00	0.00
		Section profile 0		35	667485.52	242624.06	123.00	0.00
		Section profile 0		36	667495.28	242624.57	123.00	0.00
		Section profile 0		37	667505.05	242625.08	123.00	0.00
		Section profile 0		38	667514.81	242625.58	123.00	0.00
		Section profile 0		39	667524.57	242626.09	123.00	0.00
		Section profile 0		40	667534.34	242626.60	123.00	0.00

FONA DATI

		Section profile 0	41	667544.10	242627.10	123.02	0.00		
		Section profile 0	42	667553.87	242627.61	123.03	0.00		
		Section profile 0	43	667563.63	242628.11	123.04	0.00		
		Section profile 0	44	667573.40	242628.62	123.05	0.00		
		Section profile 0	45	667583.16	242629.13	123.05	0.00		
		Section profile 0	46	667592.93	242629.63	123.06	0.00		
		Section profile 0	47	667602.69	242630.14	123.06	0.00		
		Section profile 0	48	667612.53	242630.73	123.06	0.00		
		Section profile 0	49	667622.36	242631.32	123.06	0.00		
		Section profile 0	50	667632.20	242631.91	123.06	0.00		
		Section profile 0	51	667642.03	242632.51	123.05	0.00		
		Section profile 0	52	667651.87	242633.10	123.06	0.00		
		Section profile 0	53	667661.70	242633.69	123.05	0.00		
		Section profile 0	54	667671.53	242634.28	123.05	0.00		
		Section profile 0	55	667681.37	242634.87	123.00	0.00		
		Section profile 0	56	667691.20	242635.46	123.00	0.00		
		Section profile 0	57	667701.04	242636.05	123.00	0.00		
		Section profile 0	58	667710.87	242636.65	123.00	0.00		
		Section profile 0	59	667720.71	242637.24	123.00	0.00		
		Section profile 0	60	667730.54	242637.83	123.14	0.00		
		Section profile 0	61	667740.01	242638.68	123.29	0.00		
		Section profile 0	62	667749.48	242639.53	123.43	0.00		
		Section profile 0	63	667758.95	242640.39	123.58	0.00		
		-	64	667768.41	242641.24	123.72	0.00		
R96_007	Label	P62		Action radius/m		3000.00			
	Group	Fona celi		Emi. variant		Emission			
	Number of nodes	6				dB(A)			
	Length/ m	45.23		Day (12h)		54.35			
	Length/ m (2D)	45.22		Night (8h)		45.46			
	Area /m²	---		Evening (4h)		51.01			
				Max gradient % (z-coord.)		-1.99			
				Driving direction		2 direct./driving on the right			
				Dist.:centreline lane - road /m		3.50			
				Road surface		Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		54.60	7.70	50.00	50.00	54.35	
	Night (8h)	Continuous flow		6.20	1.10	50.00	50.00	45.46	
	Evening (4h)	Continuous flow		31.30	2.80	50.00	50.00	51.01	
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden	-		0.0	0.0	0.0		-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)	12.00	Day	74.4	1.00	12.00000	0.00	0.0	
	Evening (4h)	4.00	Evening	71.0	1.00	4.00000	0.00	0.0	
	Night (8h)	8.00	Night	65.5	1.00	8.00000	0.00	0.0	
	Geometry	Section profile Nr			x/m	y/m	z(abs) /m	! z(rel) /m	

FONA DATI

		Section profile 0	1	667879.98	242643.30	124.73	0.00
		Section profile 0	2	667871.63	242648.58	124.64	0.00
		Section profile 0	3	667863.27	242653.87	124.51	0.00
		Section profile 0	4	667855.55	242657.38	124.35	0.00
		Section profile 0	5	667847.83	242660.89	124.18	0.00
		-	6	667840.10	242664.41	124.01	0.00
R96_008	Label	P62		Action radius/m		3000.00	
	Group	Fona celi		Emi. variant		Emission	
	Number of nodes	7				dB(A)	
	Length/ m	45.93		Day (12h)		54.35	
	Length/ m (2D)	45.92		Night (8h)		45.46	
	Area /m²	---		Evening (4h)		51.01	
				Max gradient % (z-coord.)		-2.18	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		54.60	7.70	50.00	54.35
	Night (8h)	Continuous flow		6.20	1.10	50.00	45.46
	Evening (4h)	Continuous flow		31.30	2.80	50.00	51.01
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	Lw'r /dB(A)
	Day (12h)	12.00	Day	74.4	1.00	12.00000	0.0
	Evening (4h)	4.00	Evening	71.0	1.00	4.00000	0.0
	Night (8h)	8.00	Night	65.5	1.00	8.00000	0.0
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m
		Section profile 0		1	667879.98	242643.30	124.73
		Section profile 0		2	667873.22	242644.60	124.61
		Section profile 0		3	667866.46	242645.89	124.52
		Section profile 0		4	667857.50	242649.13	124.36
		Section profile 0		5	667848.55	242652.37	124.16
		Section profile 0		6	667842.22	242654.08	124.02
		-		7	667835.89	242655.78	124.00
R96_009	Label	P62		Action radius/m		3000.00	
	Group	Fona celi		Emi. variant		Emission	
	Number of nodes	147				dB(A)	
	Length/ m	1368.82		Day (12h)		57.38	
	Length/ m (2D)	1368.72		Night (8h)		48.57	
	Area /m²	---		Evening (4h)		54.00	
				Max gradient % (z-coord.)		5.17	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	Leq /dB(A)

FONA DATI

	Day (12h)	Continuous flow		109.23	15.50	50.00	50.00	57.38
	Night (8h)	Continuous flow		12.44	2.29	50.00	50.00	48.57
	Evening (4h)	Continuous flow		62.64	5.54	50.00	50.00	54.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	77.4	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	74.0	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	68.6	1.00	8.00000	0.00	0.0
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Section profile 0		1	667879.98	242643.30	124.73	0.00
		Section profile 0		2	667887.84	242639.89	124.84	0.00
		Section profile 0		3	667893.28	242637.09	124.91	0.00
		Section profile 0		4	667898.71	242634.28	124.94	0.00
		Section profile 0		5	667904.08	242631.00	124.96	0.00
		Section profile 0		6	667909.46	242627.71	124.98	0.00
		Section profile 0		7	667914.38	242623.90	124.99	0.00
		Section profile 0		8	667919.31	242620.08	125.00	0.00
		Section profile 0		9	667925.37	242613.86	125.00	0.00
		Section profile 0		10	667931.43	242607.64	125.00	0.00
		Section profile 0		11	667937.49	242601.42	125.00	0.00
		Section profile 0		12	667943.56	242595.20	125.00	0.00
		Section profile 0		13	667949.62	242588.98	125.00	0.00
		Section profile 0		14	667955.68	242582.76	125.00	0.00
		Section profile 0		15	667961.74	242576.54	125.00	0.00
		Section profile 0		16	667968.06	242569.81	125.04	0.00
		Section profile 0		17	667974.37	242563.07	125.12	0.00
		Section profile 0		18	667980.68	242556.34	125.20	0.00
		Section profile 0		19	667986.99	242549.60	125.27	0.00
		Section profile 0		20	667993.30	242542.87	125.35	0.00
		Section profile 0		21	667999.61	242536.13	125.43	0.00
		Section profile 0		22	668005.92	242529.40	125.51	0.00
		Section profile 0		23	668010.93	242524.56	125.57	0.00
		Section profile 0		24	668015.94	242519.71	125.62	0.00
		Section profile 0		25	668020.95	242514.87	125.68	0.00
		Section profile 0		26	668027.76	242507.87	125.76	0.00
		Section profile 0		27	668034.57	242500.87	125.86	0.00
		Section profile 0		28	668041.38	242493.87	125.97	0.00
		Section profile 0		29	668048.19	242486.87	126.00	0.00
		Section profile 0		30	668055.00	242479.86	126.00	0.00
		Section profile 0		31	668061.81	242472.86	126.00	0.00
		Section profile 0		32	668068.62	242465.86	126.00	0.00
		Section profile 0		33	668075.43	242458.86	126.00	0.00
		Section profile 0		34	668082.24	242451.86	126.00	0.00
		Section profile 0		35	668089.05	242444.85	126.00	0.00

FONA DATI

		Section profile 0	36	668095.85	242437.85	126.00	0.00
		Section profile 0	37	668102.66	242430.85	126.00	0.00
		Section profile 0	38	668109.47	242423.85	126.00	0.00
		Section profile 0	39	668116.28	242416.84	126.00	0.00
		Section profile 0	40	668123.09	242409.84	126.00	0.00
		Section profile 0	41	668129.90	242402.84	126.00	0.00
		Section profile 0	42	668136.71	242395.84	126.00	0.00
		Section profile 0	43	668143.52	242388.84	126.00	0.00
		Section profile 0	44	668150.33	242381.83	126.00	0.00
		Section profile 0	45	668157.14	242374.83	126.00	0.00
		Section profile 0	46	668163.95	242367.83	126.00	0.00
		Section profile 0	47	668170.76	242360.83	126.00	0.00
		Section profile 0	48	668178.12	242354.09	126.00	0.00
		Section profile 0	49	668185.48	242347.34	126.00	0.00
		Section profile 0	50	668192.84	242340.60	126.00	0.00
		Section profile 0	51	668200.20	242333.86	126.00	0.00
		Section profile 0	52	668207.56	242327.11	126.00	0.00
		Section profile 0	53	668215.40	242322.12	126.00	0.00
		Section profile 0	54	668223.24	242317.13	126.00	0.00
		Section profile 0	55	668231.08	242312.14	126.00	0.00
		Section profile 0	56	668238.92	242307.15	126.00	0.00
		Section profile 0	57	668246.76	242302.15	126.00	0.00
		Section profile 0	58	668254.60	242297.16	126.00	0.00
		Section profile 0	59	668262.44	242292.17	126.00	0.00
		Section profile 0	60	668270.28	242287.18	126.00	0.00
		Section profile 0	61	668278.93	242283.42	126.00	0.00
		Section profile 0	62	668287.58	242279.66	126.00	0.00
		Section profile 0	63	668296.23	242275.90	126.00	0.00
		Section profile 0	64	668304.88	242272.14	126.00	0.00
		Section profile 0	65	668313.53	242268.38	126.00	0.00
		Section profile 0	66	668322.18	242264.61	126.00	0.00
		Section profile 0	67	668330.83	242260.85	126.00	0.00
		Section profile 0	68	668339.48	242257.09	126.00	0.00
		Section profile 0	69	668348.13	242253.33	126.00	0.00
		Section profile 0	70	668356.77	242249.57	126.00	0.00
		Section profile 0	71	668365.42	242245.81	126.00	0.00
		Section profile 0	72	668374.07	242242.05	126.00	0.00
		Section profile 0	73	668382.72	242238.29	126.00	0.00
		Section profile 0	74	668391.37	242234.53	126.00	0.00
		Section profile 0	75	668400.02	242230.77	126.00	0.00
		Section profile 0	76	668408.67	242227.01	126.00	0.00
		Section profile 0	77	668416.97	242224.42	126.00	0.00
		Section profile 0	78	668426.09	242221.34	126.00	0.00
		Section profile 0	79	668435.21	242218.26	126.00	0.00
		Section profile 0	80	668444.34	242215.18	126.00	0.00

FONA DATI

		Section profile 0	81	668453.46	242212.11	126.10	0.00
		Section profile 0	82	668462.58	242209.03	126.20	0.00
		Section profile 0	83	668471.70	242205.95	126.31	0.00
		Section profile 0	84	668480.83	242202.87	126.42	0.00
		Section profile 0	85	668489.95	242199.80	126.53	0.00
		Section profile 0	86	668499.07	242196.72	126.67	0.00
		Section profile 0	87	668508.19	242193.64	126.82	0.00
		Section profile 0	88	668517.32	242190.56	126.97	0.00
		Section profile 0	89	668526.44	242187.49	127.00	0.00
		Section profile 0	90	668535.56	242184.41	127.00	0.00
		Section profile 0	91	668544.69	242181.33	127.00	0.00
		Section profile 0	92	668553.81	242178.26	127.08	0.00
		Section profile 0	93	668561.78	242173.59	127.18	0.00
		Section profile 0	94	668569.75	242168.92	127.29	0.00
		Section profile 0	95	668577.72	242164.25	127.39	0.00
		Section profile 0	96	668585.69	242159.58	127.50	0.00
		Section profile 0	97	668593.66	242154.92	127.60	0.00
		Section profile 0	98	668601.63	242150.25	127.70	0.00
		Section profile 0	99	668609.60	242145.58	127.80	0.00
		Section profile 0	100	668617.57	242140.91	127.90	0.00
		Section profile 0	101	668625.68	242135.19	128.00	0.00
		Section profile 0	102	668633.80	242129.46	128.12	0.00
		Section profile 0	103	668641.92	242123.74	128.26	0.00
		Section profile 0	104	668650.03	242118.02	128.36	0.00
		Section profile 0	105	668658.15	242112.29	128.37	0.00
		Section profile 0	106	668666.26	242106.57	128.38	0.00
		Section profile 0	107	668674.38	242100.84	128.36	0.00
		Section profile 0	108	668682.50	242095.12	128.10	0.00
		Section profile 0	109	668690.86	242089.76	128.00	0.00
		Section profile 0	110	668699.22	242084.40	128.00	0.00
		Section profile 0	111	668707.58	242079.04	128.00	0.00
		Section profile 0	112	668715.94	242073.68	128.00	0.00
		Section profile 0	113	668724.30	242068.32	128.00	0.00
		Section profile 0	114	668732.66	242062.96	128.00	0.00
		Section profile 0	115	668741.02	242057.60	128.00	0.00
		Section profile 0	116	668749.38	242052.24	128.00	0.00
		Section profile 0	117	668757.74	242046.88	128.00	0.00
		Section profile 0	118	668766.10	242041.52	128.00	0.00
		Section profile 0	119	668774.46	242036.16	128.00	0.00
		Section profile 0	120	668782.82	242030.80	128.00	0.00
		Section profile 0	121	668791.18	242025.44	128.00	0.00
		Section profile 0	122	668799.22	242020.06	128.20	0.00
		Section profile 0	123	668807.25	242014.68	128.44	0.00
		Section profile 0	124	668815.28	242009.30	128.68	0.00
		Section profile 0	125	668823.31	242003.92	128.79	0.00

FONA DATI

		Section profile 0	126	668831.35	241998.54	128.90	0.00	
		Section profile 0	127	668839.38	241993.16	129.00	0.00	
		Section profile 0	128	668847.41	241987.78	129.40	0.00	
		Section profile 0	129	668855.45	241982.40	129.74	0.00	
		Section profile 0	130	668863.48	241977.02	130.11	0.00	
		Section profile 0	131	668871.51	241971.64	130.52	0.00	
		Section profile 0	132	668879.54	241966.26	130.98	0.00	
		Section profile 0	133	668887.58	241960.88	131.16	0.00	
		Section profile 0	134	668895.61	241955.50	131.66	0.00	
		Section profile 0	135	668903.64	241950.12	132.00	0.00	
		Section profile 0	136	668911.68	241944.74	132.00	0.00	
		Section profile 0	137	668919.71	241939.36	132.00	0.00	
		Section profile 0	138	668927.74	241933.98	132.00	0.00	
		Section profile 0	139	668935.78	241928.60	132.00	0.00	
		Section profile 0	140	668942.21	241924.82	132.00	0.00	
		Section profile 0	141	668950.46	241919.31	132.00	0.00	
		Section profile 0	142	668958.72	241913.81	132.00	0.00	
		Section profile 0	143	668966.98	241908.30	131.98	0.00	
		Section profile 0	144	668975.23	241902.79	131.96	0.00	
		Section profile 0	145	668983.49	241897.28	131.94	0.00	
		Section profile 0	146	668991.74	241891.78	131.93	0.00	
		-	147	669000.00	241886.27	131.92	0.00	
R96_010	Label	P62		Action radius/m		3000.00		
	Group	Fona celi		Emi. variant		Emission		
	Number of nodes	6				dB(A)		
	Length/ m	36.21		Day (12h)		50.03		
	Length/ m (2D)	36.21		Night (8h)		41.18		
	Area /m²	---		Evening (4h)		46.76		
				Max gradient % (z-coord.)		1.20		
				Driving direction		2 direct./driving on the right		
				Dist.:centreline lane - road /m		3.50		
				Road surface		Asphalt (obsolete)		
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		21.30	2.70	50.00	50.00	50.03
	Night (8h)	Continuous flow		2.40	0.40	50.00	50.00	41.18
	Evening (4h)	Continuous flow		12.20	1.00	50.00	50.00	46.76
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	70.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	66.8	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	61.2	1.00	8.00000	0.00	0.0
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Section profile 0		1	667809.07	242718.00	123.89	0.00
		Section profile 0		2	667812.73	242711.17	123.98	0.00

FONA DATI

			Section profile 0	3	667816.39	242704.34	124.00	0.00
			Section profile 0	4	667818.38	242699.11	124.00	0.00
			Section profile 0	5	667820.37	242693.88	124.00	0.00
			-	6	667824.79	242685.45	124.00	0.00
R96_011	Label	P62			Action radius/m		3000.00	
	Group	Fona celi			Emi. variant		Emission	
	Number of nodes	6					dB(A)	
	Length/ m	35.40			Day (12h)		50.03	
	Length/ m (2D)	35.40			Night (8h)		41.18	
	Area /m²	---			Evening (4h)		46.76	
					Max gradient % (z-coord.)		0.62	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		3.50	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		21.30	2.70	50.00	50.00	50.03
	Night (8h)	Continuous flow		2.40	0.40	50.00	50.00	41.18
	Evening (4h)	Continuous flow		12.20	1.00	50.00	50.00	46.76
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	70.0	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	66.8	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	61.2	1.00	8.00000	0.00	0.0
	Geometry	Section profile			Nr	x/m	y/m	z(abs) /m
		Section profile 0			1	667809.07	242718.00	123.89
		Section profile 0			2	667809.28	242710.80	123.94
		Section profile 0			3	667809.49	242703.60	123.98
		Section profile 0			4	667811.02	242697.33	124.00
		Section profile 0			5	667812.56	242691.07	124.00
		-			6	667813.39	242683.02	124.00
R96_012	Label	P62			Action radius/m		3000.00	
	Group	Fona celi			Emi. variant		Emission	
	Number of nodes	43					dB(A)	
	Length/ m	378.86			Day (12h)		53.06	
	Length/ m (2D)	378.85			Night (8h)		44.24	
	Area /m²	---			Evening (4h)		49.74	
					Max gradient % (z-coord.)		-1.43	
					Driving direction		2 direct./driving on the right	
					Dist.:centreline lane - road /m		3.50	
					Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow		42.54	5.47	50.00	50.00	53.06
	Night (8h)	Continuous flow		4.85	0.81	50.00	50.00	44.24
	Evening (4h)	Continuous flow		24.39	1.96	50.00	50.00	49.74

FONA DATI

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	73.1	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	69.7	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	64.2	1.00	8.00000	0.00	0.0
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Section profile 0		1	667809.07	242718.00	123.89	0.00
		Section profile 0		2	667806.85	242726.55	123.81	0.00
		Section profile 0		3	667805.07	242731.69	123.75	0.00
		Section profile 0		4	667803.29	242736.82	123.70	0.00
		Section profile 0		5	667799.94	242743.18	123.61	0.00
		Section profile 0		6	667796.59	242749.55	123.53	0.00
		Section profile 0		7	667793.44	242753.88	123.46	0.00
		Section profile 0		8	667790.29	242758.22	123.38	0.00
		Section profile 0		9	667786.76	242762.52	123.31	0.00
		Section profile 0		10	667783.23	242766.82	123.23	0.00
		Section profile 0		11	667776.48	242773.85	123.09	0.00
		Section profile 0		12	667769.72	242780.88	123.01	0.00
		Section profile 0		13	667762.96	242787.91	123.06	0.00
		Section profile 0		14	667756.20	242794.94	123.07	0.00
		Section profile 0		15	667749.44	242801.97	123.09	0.00
		Section profile 0		16	667742.68	242809.00	123.11	0.00
		Section profile 0		17	667735.92	242816.03	123.12	0.00
		Section profile 0		18	667729.16	242823.06	123.14	0.00
		Section profile 0		19	667722.40	242830.09	123.15	0.00
		Section profile 0		20	667715.64	242837.12	123.17	0.00
		Section profile 0		21	667708.88	242844.14	123.19	0.00
		Section profile 0		22	667702.12	242851.17	123.18	0.00
		Section profile 0		23	667695.36	242858.20	123.16	0.00
		Section profile 0		24	667688.60	242865.23	123.15	0.00
		Section profile 0		25	667681.84	242872.26	123.13	0.00
		Section profile 0		26	667675.08	242879.29	123.11	0.00
		Section profile 0		27	667668.32	242886.32	123.10	0.00
		Section profile 0		28	667661.56	242893.35	123.09	0.00
		Section profile 0		29	667654.80	242900.38	123.07	0.00
		Section profile 0		30	667648.04	242907.41	123.10	0.00
		Section profile 0		31	667641.29	242914.44	123.06	0.00
		Section profile 0		32	667634.53	242921.47	123.01	0.00
		Section profile 0		33	667627.77	242928.50	123.00	0.00
		Section profile 0		34	667621.01	242935.53	123.00	0.00
		Section profile 0		35	667614.25	242942.56	123.00	0.00
		Section profile 0		36	667607.49	242949.59	123.00	0.00
		Section profile 0		37	667600.73	242956.62	123.00	0.00
		Section profile 0		38	667593.91	242963.85	123.00	0.00

FONA DATI

		Section profile 0	39	667587.10	242971.08	123.00	0.00
		Section profile 0	40	667580.28	242978.31	123.00	0.00
		Section profile 0	41	667573.46	242985.54	123.00	0.00
		Section profile 0	42	667566.65	242992.77	123.00	0.00
		-	43	667559.83	243000.00	123.00	0.00
R96_013	Label	V741		Action radius/m		3000.00	
	Group	Fona celi		Emi. variant		Emission	
	Number of nodes	6				dB(A)	
	Length/ m	37.49		Day (12h)		51.09	
	Length/ m (2D)	37.48		Night (8h)		41.77	
	Area /m²	---		Evening (4h)		47.99	
				Max gradient % (z-coord.)		-2.49	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h
	Day (12h)	Continuous flow		35.50	2.40	50.00	50.00
	Night (8h)	Continuous flow		4.00	0.30	50.00	50.00
	Evening (4h)	Continuous flow		20.30	0.80	50.00	50.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	71.1	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	68.0	1.00	4.00000	0.00
	Night (8h)	8.00	Night	61.8	1.00	8.00000	0.00
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m
		Section profile 0		1	667864.98	242702.16	124.79
		Section profile 0		2	667858.77	242698.62	124.63
		Section profile 0		3	667852.56	242695.09	124.46
		Section profile 0		4	667846.25	242690.63	124.27
		Section profile 0		5	667839.94	242686.17	124.08
		-		6	667833.63	242681.71	124.00
R96_014	Label	V741		Action radius/m		3000.00	
	Group	Fona celi		Emi. variant		Emission	
	Number of nodes	6				dB(A)	
	Length/ m	38.84		Day (12h)		51.09	
	Length/ m (2D)	38.83		Night (8h)		41.77	
	Area /m²	---		Evening (4h)		47.99	
				Max gradient % (z-coord.)		-2.43	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h
	Day (12h)	Continuous flow		35.50	2.40	50.00	50.00
	Night (8h)	Continuous flow		4.00	0.30	50.00	50.00

FONA DATI

	Evening (4h)	Continuous flow			20.30	0.80	50.00	50.00	47.99	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-		0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)		12.00	Day	71.1	1.00	12.00000	0.00	0.0	
	Evening (4h)		4.00	Evening	68.0	1.00	4.00000	0.00	0.0	
	Night (8h)		8.00	Night	61.8	1.00	8.00000	0.00	0.0	
	Geometry		Section profile			Nr	x/m	y/m	z(abs) /m	! z(rel) /m
			Section profile 0			1	667864.98	242702.16	124.79	0.00
			Section profile 0			2	667861.27	242696.69	124.71	0.00
			Section profile 0			3	667857.57	242691.23	124.60	0.00
			Section profile 0			4	667851.59	242685.13	124.40	0.00
			Section profile 0			5	667845.61	242679.03	124.20	0.00
			-			6	667839.63	242672.94	124.03	0.00
R96_015	Label		V741			Action radius/m			3000.00	
	Group		Fona celi			Emi. variant			Emission	
	Number of nodes		47						dB(A)	
	Length/ m		421.95			Day (12h)			54.07	
	Length/ m (2D)		421.94			Night (8h)			45.07	
	Area /m²		---			Evening (4h)			51.06	
						Max gradient % (z-coord.)			-2.34	
						Driving direction			2 direct./driving on the right	
						Dist.:centreline lane - road /m			3.50	
						Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow			Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow			70.92	4.71	50.00	50.00	54.07	
	Night (8h)	Continuous flow			8.08	0.70	50.00	50.00	45.07	
	Evening (4h)	Continuous flow			40.67	1.68	50.00	50.00	51.06	
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-		0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)	
	Day (12h)		12.00	Day	74.1	1.00	12.00000	0.00	0.0	
	Evening (4h)		4.00	Evening	71.1	1.00	4.00000	0.00	0.0	
	Night (8h)		8.00	Night	65.1	1.00	8.00000	0.00	0.0	
	Geometry		Section profile			Nr	x/m	y/m	z(abs) /m	! z(rel) /m
			Section profile 0			1	667864.98	242702.16	124.79	0.00
			Section profile 0			2	667870.54	242708.00	124.93	0.00
			Section profile 0			3	667876.09	242713.83	125.00	0.00
			Section profile 0			4	667881.65	242719.67	125.00	0.00
			Section profile 0			5	667887.20	242725.51	125.00	0.00
			Section profile 0			6	667893.38	242732.63	125.00	0.00
			Section profile 0			7	667899.55	242739.76	125.00	0.00
			Section profile 0			8	667905.72	242746.89	125.00	0.00
			Section profile 0			9	667911.89	242754.02	125.00	0.00
			Section profile 0			10	667918.06	242761.14	125.00	0.00

FONA DATI

		Section profile 0	11	667924.23	242768.27	125.00	0.00
		Section profile 0	12	667930.40	242775.40	125.00	0.00
		Section profile 0	13	667936.57	242782.52	125.00	0.00
		Section profile 0	14	667942.75	242789.65	125.00	0.00
		Section profile 0	15	667948.92	242796.78	125.00	0.00
		Section profile 0	16	667955.09	242803.90	124.88	0.00
		Section profile 0	17	667961.26	242811.03	124.76	0.00
		Section profile 0	18	667967.43	242818.16	124.73	0.00
		Section profile 0	19	667973.60	242825.28	124.75	0.00
		Section profile 0	20	667979.31	242831.77	124.73	0.00
		Section profile 0	21	667985.01	242838.26	124.70	0.00
		Section profile 0	22	667990.71	242844.74	124.58	0.00
		Section profile 0	23	667996.42	242851.23	124.44	0.00
		Section profile 0	24	668002.12	242857.71	124.28	0.00
		Section profile 0	25	668007.86	242864.16	124.08	0.00
		Section profile 0	26	668013.59	242870.60	124.00	0.00
		Section profile 0	27	668019.33	242877.04	124.00	0.00
		Section profile 0	28	668025.06	242883.49	124.00	0.00
		Section profile 0	29	668031.38	242890.45	124.00	0.00
		Section profile 0	30	668037.70	242897.42	124.00	0.00
		Section profile 0	31	668044.01	242904.39	124.00	0.00
		Section profile 0	32	668050.33	242911.35	124.00	0.00
		Section profile 0	33	668056.65	242918.32	124.00	0.00
		Section profile 0	34	668062.97	242925.28	124.00	0.00
		Section profile 0	35	668069.29	242932.25	124.00	0.00
		Section profile 0	36	668075.60	242939.22	124.00	0.00
		Section profile 0	37	668082.74	242945.33	124.00	0.00
		Section profile 0	38	668089.88	242951.45	124.00	0.00
		Section profile 0	39	668097.02	242957.56	124.00	0.00
		Section profile 0	40	668104.16	242963.68	124.00	0.00
		Section profile 0	41	668111.30	242969.79	124.08	0.00
		Section profile 0	42	668119.52	242974.83	124.21	0.00
		Section profile 0	43	668127.73	242979.86	124.35	0.00
		Section profile 0	44	668135.94	242984.90	124.46	0.00
		Section profile 0	45	668144.15	242989.93	124.63	0.00
		Section profile 0	46	668152.36	242994.97	124.69	0.00
		-	47	668160.57	243000.00	124.78	0.00
R96_016	Label	P58	Action radius/m			3000.00	
	Group	Fona celi	Emi. variant			Emission	
	Number of nodes	130				dB(A)	
	Length/ m	1193.45	Day (12h)			60.52	
	Length/ m (2D)	1193.31	Night (8h)			51.36	
	Area /m²	---	Evening (4h)			57.72	
			Max gradient % (z-coord.)			6.31	
			Driving direction			2 direct./driving on the right	

FONA DATI

				Dist.:centreline lane - road /m		3.50			
				Road surface		Asphalt (obsolete)			
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)	
	Day (12h)	Continuous flow		110.08	8.62	90.00	90.00	60.52	
	Night (8h)	Continuous flow		12.54	1.27	90.00	90.00	51.36	
	Evening (4h)	Continuous flow		63.12	3.08	90.00	90.00	57.72	
	Rating method		Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB	
	Lden		-	0.0	0.0	0.0	-	0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)		12.00	Day	80.5	1.00	12.00000	0.00	0.0
	Evening (4h)		4.00	Evening	77.7	1.00	4.00000	0.00	0.0
	Night (8h)		8.00	Night	71.4	1.00	8.00000	0.00	0.0
	Geometry		Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
			Section profile 0		1	668285.15	239000.00	132.00	0.00
			Section profile 0		2	668283.81	239009.25	132.00	0.00
			Section profile 0		3	668282.47	239018.50	132.00	0.00
			Section profile 0		4	668281.12	239027.75	132.00	0.00
			Section profile 0		5	668279.78	239037.00	132.00	0.00
			Section profile 0		6	668278.44	239046.25	132.00	0.00
			Section profile 0		7	668277.09	239055.51	132.00	0.00
			Section profile 0		8	668276.08	239065.44	132.00	0.00
			Section profile 0		9	668275.07	239075.38	132.00	0.00
			Section profile 0		10	668274.06	239085.32	132.00	0.00
			Section profile 0		11	668273.05	239095.25	131.73	0.00
			Section profile 0		12	668272.04	239105.19	131.41	0.00
			Section profile 0		13	668271.03	239115.13	131.25	0.00
			Section profile 0		14	668270.01	239125.06	131.00	0.00
			Section profile 0		15	668269.00	239135.00	131.00	0.00
			Section profile 0		16	668267.99	239144.94	131.00	0.00
			Section profile 0		17	668266.98	239154.87	131.00	0.00
			Section profile 0		18	668265.97	239164.81	131.00	0.00
			Section profile 0		19	668265.80	239174.20	131.00	0.00
			Section profile 0		20	668265.63	239183.59	131.00	0.00
			Section profile 0		21	668265.47	239192.98	131.00	0.00
			Section profile 0		22	668265.30	239202.37	131.00	0.00
			Section profile 0		23	668265.13	239211.77	131.13	0.00
			Section profile 0		24	668264.97	239221.16	131.72	0.00
			Section profile 0		25	668264.80	239230.55	132.00	0.00
			Section profile 0		26	668264.80	239238.53	132.00	0.00
			Section profile 0		27	668264.80	239246.51	132.00	0.00
			Section profile 0		28	668264.80	239254.48	132.00	0.00
			Section profile 0		29	668265.50	239263.04	132.00	0.00
			Section profile 0		30	668266.20	239271.60	132.00	0.00
			Section profile 0		31	668266.91	239280.16	132.00	0.00
			Section profile 0		32	668267.61	239288.71	132.00	0.00

FONA DATI

		Section profile 0	33	668268.31	239297.27	132.00	0.00
		Section profile 0	34	668269.64	239306.50	132.00	0.00
		Section profile 0	35	668270.96	239315.73	132.00	0.00
		Section profile 0	36	668272.28	239324.96	132.00	0.00
		Section profile 0	37	668273.61	239334.19	132.00	0.00
		Section profile 0	38	668274.93	239343.42	132.00	0.00
		Section profile 0	39	668276.26	239352.65	132.00	0.00
		Section profile 0	40	668277.58	239361.89	132.00	0.00
		Section profile 0	41	668278.91	239371.12	132.00	0.00
		Section profile 0	42	668280.22	239380.76	132.00	0.00
		Section profile 0	43	668281.54	239390.40	132.00	0.00
		Section profile 0	44	668282.86	239400.04	132.00	0.00
		Section profile 0	45	668284.18	239409.68	132.00	0.00
		Section profile 0	46	668285.49	239419.32	132.00	0.00
		Section profile 0	47	668286.81	239428.95	132.00	0.00
		Section profile 0	48	668288.13	239438.59	132.00	0.00
		Section profile 0	49	668289.44	239448.23	132.00	0.00
		Section profile 0	50	668290.76	239457.87	131.98	0.00
		Section profile 0	51	668292.08	239467.51	131.93	0.00
		Section profile 0	52	668293.22	239475.77	131.88	0.00
		Section profile 0	53	668294.37	239484.03	131.84	0.00
		Section profile 0	54	668295.51	239492.29	131.80	0.00
		Section profile 0	55	668296.65	239500.55	131.75	0.00
		Section profile 0	56	668297.80	239508.80	131.77	0.00
		Section profile 0	57	668298.94	239517.06	131.80	0.00
		Section profile 0	58	668299.98	239526.03	131.84	0.00
		Section profile 0	59	668301.02	239534.99	131.91	0.00
		Section profile 0	60	668302.06	239543.95	131.97	0.00
		Section profile 0	61	668303.09	239552.91	132.02	0.00
		Section profile 0	62	668303.80	239559.25	132.04	0.00
		Section profile 0	63	668304.50	239565.59	132.05	0.00
		Section profile 0	64	668305.91	239575.11	132.05	0.00
		Section profile 0	65	668307.31	239584.63	132.03	0.00
		Section profile 0	66	668308.72	239594.15	131.99	0.00
		Section profile 0	67	668310.12	239603.67	131.99	0.00
		Section profile 0	68	668311.53	239613.19	132.01	0.00
		Section profile 0	69	668312.94	239622.71	132.04	0.00
		Section profile 0	70	668314.34	239632.23	132.01	0.00
		Section profile 0	71	668315.75	239641.75	132.00	0.00
		Section profile 0	72	668317.15	239651.27	132.00	0.00
		Section profile 0	73	668318.56	239660.79	132.00	0.00
		Section profile 0	74	668319.96	239669.70	131.97	0.00
		Section profile 0	75	668321.37	239678.61	131.98	0.00
		Section profile 0	76	668322.77	239687.52	132.02	0.00
		Section profile 0	77	668324.18	239696.43	132.06	0.00

FONA DATI

		Section profile 0	78	668325.58	239705.35	132.09	0.00
		Section profile 0	79	668326.99	239714.26	132.11	0.00
		Section profile 0	80	668328.39	239723.17	132.12	0.00
		Section profile 0	81	668329.77	239732.68	132.11	0.00
		Section profile 0	82	668331.14	239742.19	132.12	0.00
		Section profile 0	83	668332.52	239751.70	132.16	0.00
		Section profile 0	84	668333.89	239761.21	132.25	0.00
		Section profile 0	85	668335.27	239770.71	132.37	0.00
		Section profile 0	86	668336.64	239780.22	132.50	0.00
		Section profile 0	87	668338.01	239789.73	132.62	0.00
		Section profile 0	88	668339.39	239799.24	132.74	0.00
		Section profile 0	89	668340.76	239808.75	132.86	0.00
		Section profile 0	90	668342.14	239818.26	132.92	0.00
		Section profile 0	91	668343.51	239827.77	132.99	0.00
		Section profile 0	92	668344.89	239837.28	133.00	0.00
		Section profile 0	93	668346.21	239845.65	133.00	0.00
		Section profile 0	94	668347.53	239854.03	133.00	0.00
		Section profile 0	95	668348.85	239862.40	133.00	0.00
		Section profile 0	96	668350.17	239870.77	132.87	0.00
		Section profile 0	97	668351.31	239880.50	132.74	0.00
		Section profile 0	98	668352.46	239890.22	132.60	0.00
		Section profile 0	99	668353.60	239899.94	132.43	0.00
		Section profile 0	100	668354.74	239909.66	132.29	0.00
		Section profile 0	101	668355.89	239919.39	132.35	0.00
		Section profile 0	102	668357.03	239929.11	132.43	0.00
		Section profile 0	103	668358.18	239938.83	132.52	0.00
		Section profile 0	104	668359.32	239948.55	132.53	0.00
		Section profile 0	105	668360.34	239957.47	132.36	0.00
		Section profile 0	106	668361.36	239966.40	132.20	0.00
		Section profile 0	107	668362.38	239975.32	132.07	0.00
		Section profile 0	108	668363.39	239984.24	132.03	0.00
		Section profile 0	109	668364.41	239993.16	132.02	0.00
		Section profile 0	110	668364.88	240002.85	131.80	0.00
		Section profile 0	111	668365.34	240012.54	131.49	0.00
		Section profile 0	112	668365.80	240022.23	131.30	0.00
		Section profile 0	113	668366.27	240031.92	131.00	0.00
		Section profile 0	114	668366.73	240041.61	130.61	0.00
		Section profile 0	115	668367.19	240051.31	130.30	0.00
		Section profile 0	116	668367.66	240061.00	130.37	0.00
		Section profile 0	117	668368.12	240070.69	130.74	0.00
		Section profile 0	118	668368.59	240080.38	131.21	0.00
		Section profile 0	119	668369.05	240090.07	131.62	0.00
		Section profile 0	120	668369.99	240096.96	131.93	0.00
		Section profile 0	121	668370.94	240103.85	132.29	0.00
		Section profile 0	122	668373.14	240112.60	132.65	0.00

FONA DATI

		Section profile 0	123	668375.34	240121.36	132.82	0.00
		Section profile 0	124	668377.54	240130.12	132.93	0.00
		Section profile 0	125	668379.74	240138.87	133.00	0.00
		Section profile 0	126	668381.94	240147.63	133.19	0.00
		Section profile 0	127	668384.14	240156.38	133.26	0.00
		Section profile 0	128	668386.34	240165.14	133.28	0.00
		Section profile 0	129	668388.54	240173.90	133.26	0.00
		-	130	668390.74	240182.65	133.26	0.00
R96_017	Label	V752		Action radius/m		3000.00	
	Group	Fona celi		Emi. variant		Emission	
	Number of nodes	33				dB(A)	
	Length/ m	307.78		Day (12h)		48.32	
	Length/ m (2D)	307.74		Night (8h)		39.35	
	Area /m²	---		Evening (4h)		45.16	
				Max gradient % (z-coord.)		3.56	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h
	Day (12h)	Continuous flow		16.78	1.52	50.00	50.00
	Night (8h)	Continuous flow		1.91	0.22	50.00	50.00
	Evening (4h)	Continuous flow		9.62	0.54	50.00	50.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	68.3	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	65.2	1.00	4.00000	0.00
	Night (8h)	8.00	Night	59.4	1.00	8.00000	0.00
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m
		Section profile 0		1	668171.92	240383.56	126.34
		Section profile 0		2	668176.43	240385.32	126.34
		Section profile 0		3	668185.44	240388.85	126.34
		Section profile 0		4	668194.45	240392.39	126.34
		Section profile 0		5	668203.46	240395.92	126.31
		Section profile 0		6	668212.47	240399.45	126.33
		Section profile 0		7	668221.48	240402.98	126.33
		Section profile 0		8	668230.49	240406.51	126.31
		Section profile 0		9	668239.50	240410.04	126.28
		Section profile 0		10	668248.51	240413.58	126.37
		Section profile 0		11	668257.53	240417.11	126.52
		Section profile 0		12	668266.66	240420.68	126.65
		Section profile 0		13	668275.79	240424.26	126.79
		Section profile 0		14	668284.93	240427.83	126.93
		Section profile 0		15	668294.06	240431.40	127.06
		Section profile 0		16	668303.20	240434.98	127.15

FONA DATI

		Section profile 0	17	668312.33	240438.55	127.25	0.00
		Section profile 0	18	668321.47	240442.13	127.44	0.00
		Section profile 0	19	668330.60	240445.70	127.59	0.00
		Section profile 0	20	668339.74	240449.28	127.73	0.00
		Section profile 0	21	668348.87	240452.85	127.87	0.00
		Section profile 0	22	668358.00	240456.42	128.00	0.00
		Section profile 0	23	668367.14	240460.00	128.30	0.00
		Section profile 0	24	668376.27	240463.57	128.53	0.00
		Section profile 0	25	668385.41	240467.15	128.72	0.00
		Section profile 0	26	668394.54	240470.72	128.98	0.00
		Section profile 0	27	668403.68	240474.30	129.09	0.00
		Section profile 0	28	668412.81	240477.87	129.18	0.00
		Section profile 0	29	668421.94	240481.44	129.40	0.00
		Section profile 0	30	668431.08	240485.02	129.66	0.00
		Section profile 0	31	668440.21	240488.59	130.01	0.00
		Section profile 0	32	668449.35	240492.17	130.15	0.00
		-	33	668458.48	240495.74	130.28	0.00
R96_018	Label	V752	Action radius/m			3000.00	
	Group	Fona celi	Emi. variant			Emission	
	Number of nodes	41				dB(A)	
	Length/ m	383.78	Day (12h)			52.50	
	Length/ m (2D)	383.78	Night (8h)			43.35	
	Area /m²	---	Evening (4h)			49.65	
			Max gradient % (z-coord.)			0.88	
			Driving direction			2 direct./driving on the right	
			Dist.:centreline lane - road /m			3.50	
			Road surface			Asphalt (obsolete)	
	Emiss. variant	Traffic flow	Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h	Leq /dB(A)
	Day (12h)	Continuous flow	16.78	1.52	90.00	90.00	52.50
	Night (8h)	Continuous flow	1.91	0.22	90.00	90.00	43.35
	Evening (4h)	Continuous flow	9.62	0.54	90.00	90.00	49.65
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-	0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	72.5	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	69.6	1.00	4.00000	0.00
	Night (8h)	8.00	Night	63.4	1.00	8.00000	0.00
	Geometry	Section profile	Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Section profile 0	1	667814.70	240243.27	125.18	0.00
		Section profile 0	2	667819.31	240245.09	125.16	0.00
		Section profile 0	3	667828.59	240248.77	125.20	0.00
		Section profile 0	4	667837.87	240252.46	125.29	0.00
		Section profile 0	5	667847.15	240256.14	125.37	0.00
		Section profile 0	6	667856.43	240259.82	125.46	0.00
		Section profile 0	7	667865.71	240263.50	125.55	0.00

FONA DATI

		Section profile 0	8	667874.99	240267.18	125.64	0.00
		Section profile 0	9	667884.27	240270.86	125.73	0.00
		Section profile 0	10	667893.55	240274.55	125.81	0.00
		Section profile 0	11	667902.83	240278.23	125.90	0.00
		Section profile 0	12	667912.11	240281.91	125.99	0.00
		Section profile 0	13	667921.40	240285.59	126.00	0.00
		Section profile 0	14	667930.68	240289.27	126.00	0.00
		Section profile 0	15	667939.96	240292.95	126.00	0.00
		Section profile 0	16	667949.24	240296.64	126.00	0.00
		Section profile 0	17	667958.52	240300.32	126.00	0.00
		Section profile 0	18	667967.80	240304.00	126.00	0.00
		Section profile 0	19	667975.97	240307.06	126.00	0.00
		Section profile 0	20	667984.14	240310.13	126.00	0.00
		Section profile 0	21	667992.32	240313.19	126.00	0.00
		Section profile 0	22	668000.49	240316.25	126.00	0.00
		Section profile 0	23	668009.78	240319.90	126.00	0.00
		Section profile 0	24	668019.07	240323.55	126.00	0.00
		Section profile 0	25	668028.36	240327.20	126.00	0.00
		Section profile 0	26	668037.65	240330.84	126.00	0.00
		Section profile 0	27	668046.94	240334.49	126.04	0.00
		Section profile 0	28	668056.22	240338.14	126.12	0.00
		Section profile 0	29	668065.51	240341.78	126.15	0.00
		Section profile 0	30	668074.80	240345.43	126.16	0.00
		Section profile 0	31	668084.09	240349.08	126.17	0.00
		Section profile 0	32	668093.38	240352.73	126.18	0.00
		Section profile 0	33	668102.67	240356.37	126.19	0.00
		Section profile 0	34	668111.96	240360.02	126.20	0.00
		Section profile 0	35	668121.25	240363.67	126.21	0.00
		Section profile 0	36	668130.54	240367.32	126.22	0.00
		Section profile 0	37	668139.83	240370.96	126.24	0.00
		Section profile 0	38	668149.11	240374.61	126.27	0.00
		Section profile 0	39	668158.40	240378.26	126.32	0.00
		Section profile 0	40	668167.41	240381.79	126.34	0.00
		-	41	668171.92	240383.56	126.34	0.00
R96_020	Label	Rietumu iela*		Action radius/m		3000.00	
	Group	Rietumu iela		Emi. variant		Emission	
	Number of nodes	49				dB(A)	
	Length/ m	1069.98		Day (12h)		54.07	
	Length/ m (2D)	1069.81		Night (8h)		45.07	
	Area /m²	---		Evening (4h)		51.06	
				Max gradient % (z-coord.)		-17.44	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h
							Leq /dB(A)

FONA DATI

	Day (12h)	Continuous flow		70.92	4.71	50.00	50.00	54.07
	Night (8h)	Continuous flow		8.08	0.70	50.00	50.00	45.07
	Evening (4h)	Continuous flow		40.67	1.68	50.00	50.00	51.06
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB
	Lden	-		0.0	0.0	0.0	-	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB	Lw'r /dB(A)
	Day (12h)	12.00	Day	74.1	1.00	12.00000	0.00	0.0
	Evening (4h)	4.00	Evening	71.1	1.00	4.00000	0.00	0.0
	Night (8h)	8.00	Night	65.1	1.00	8.00000	0.00	0.0
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m	! z(rel) /m
		Section profile 0		1	668219.95	240402.38	126.33	0.00
		Section profile 0		2	668197.09	240450.61	125.96	0.00
		Section profile 0		3	668174.53	240501.39	125.17	0.00
		Section profile 0		4	668163.64	240535.24	125.00	0.00
		Section profile 0		5	668152.62	240574.13	125.00	0.00
		Section profile 0		6	668142.86	240610.35	125.00	0.00
		Section profile 0		7	668137.18	240635.49	125.00	0.00
		Section profile 0		8	668133.22	240658.55	125.00	0.00
		Section profile 0		9	668130.64	240683.00	125.00	0.00
		Section profile 0		10	668129.26	240708.65	125.00	0.00
		Section profile 0		11	668128.57	240742.21	125.00	0.00
		Section profile 0		12	668127.88	240774.57	126.00	0.00
		Section profile 0		13	668125.65	240794.89	125.35	0.00
		Section profile 0		14	668122.55	240807.97	125.00	0.00
		Section profile 0		15	668120.48	240814.68	125.00	0.00
		Section profile 0		16	668117.26	240822.90	125.00	0.00
		Section profile 0		17	668111.53	240834.47	125.00	0.00
		Section profile 0		18	668101.62	240850.00	124.61	0.00
		Section profile 0		19	668092.91	240860.69	124.93	0.00
		Section profile 0		20	668083.88	240869.61	124.59	0.00
		Section profile 0		21	668070.99	240879.42	124.09	0.00
		Section profile 0		22	668060.17	240887.01	124.00	0.00
		Section profile 0		23	668052.22	240892.59	124.00	0.00
		Section profile 0		24	668041.62	240900.03	124.00	0.00
		Section profile 0		25	668038.85	240901.97	124.00	0.00
		Section profile 0		26	668035.59	240904.25	124.00	0.00
		Section profile 0		27	668032.40	240906.50	124.00	0.00
		Section profile 0		28	668029.44	240908.57	124.33	0.00
		Section profile 0		29	668026.74	240910.47	124.74	0.00
		Section profile 0		30	668023.78	240912.55	124.69	0.00
		Section profile 0		31	668020.71	240914.70	124.04	0.00
		Section profile 0		32	668018.06	240916.56	124.00	0.00
		Section profile 0		33	668014.38	240919.14	124.00	0.00
		Section profile 0		34	668010.66	240921.76	124.00	0.00
		Section profile 0		35	668007.30	240925.11	124.00	0.00

FONA DATI

		Section profile 0	36	668003.77	240928.64	124.00	0.00
		Section profile 0	37	667996.67	240935.14	124.00	0.00
		Section profile 0	38	667991.55	240939.83	124.00	0.00
		Section profile 0	39	667984.15	240950.33	123.81	0.00
		Section profile 0	40	667975.02	240964.96	123.04	0.00
		Section profile 0	41	667963.15	240986.31	123.00	0.00
		Section profile 0	42	667957.47	240996.12	123.00	0.00
		Section profile 0	43	667948.81	241007.39	123.00	0.00
		Section profile 0	44	667933.74	241024.07	123.00	0.00
		Section profile 0	45	667911.96	241041.29	123.00	0.00
		Section profile 0	46	667871.07	241063.07	123.00	0.00
		Section profile 0	47	667708.03	241146.05	122.45	0.00
		Section profile 0	48	667635.56	241183.24	122.21	0.00
		-	49	667620.28	241191.15	122.15	0.00
R96_019	Label	Rietumu iela		Action radius/m		3000.00	
	Group	Rietumu iela		Emi. variant		Emission	
	Number of nodes	34				dB(A)	
	Length/ m	1651.39		Day (12h)		56.24	
	Length/ m (2D)	1651.38		Night (8h)		47.07	
	Area /m²	---		Evening (4h)		53.48	
				Max gradient % (z-coord.)		1.19	
				Driving direction		2 direct./driving on the right	
				Dist.:centreline lane - road /m		3.50	
				Road surface		Asphalt (obsolete)	
	Emiss. variant	Traffic flow		Q car /vehic/h	Q HGV /vehic/h	v (car) /km/h	v HGV /km/h
	Day (12h)	Continuous flow		70.92	4.71	70.00	70.00
	Night (8h)	Continuous flow		8.08	0.70	70.00	70.00
	Evening (4h)	Continuous flow		40.67	1.68	70.00	70.00
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB	Special correction /dB
	Lden	-		0.0	0.0	0.0	0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw' /dB(A)	n times	Impact time /h	dLi /dB
	Day (12h)	12.00	Day	76.2	1.00	12.00000	0.00
	Evening (4h)	4.00	Evening	73.5	1.00	4.00000	0.00
	Night (8h)	8.00	Night	67.1	1.00	8.00000	0.00
	Geometry	Section profile		Nr	x/m	y/m	z(abs) /m
		Section profile 0		1	667620.28	241191.15	122.15
		Section profile 0		2	667542.93	241231.18	122.00
		Section profile 0		3	667504.47	241251.08	122.00
		Section profile 0		4	667477.30	241266.14	122.00
		Section profile 0		5	667460.63	241275.56	122.00
		Section profile 0		6	667441.80	241288.20	122.00
		Section profile 0		7	667419.87	241305.63	122.00
		Section profile 0		8	667393.53	241329.38	122.00
		Section profile 0		9	667371.16	241352.28	122.00
		Section profile 0		10	667294.13	241446.89	122.00

FONA DATI

		Section profile 0	11	667240.61	241513.06	122.00	0.00
		Section profile 0	12	667211.02	241551.79	122.00	0.00
		Section profile 0	13	667190.04	241586.76	122.00	0.00
		Section profile 0	14	667165.30	241636.51	122.00	0.00
		Section profile 0	15	667151.04	241678.20	122.00	0.00
		Section profile 0	16	667132.52	241750.17	122.00	0.00
		Section profile 0	17	667127.89	241808.59	122.00	0.00
		Section profile 0	18	667127.47	241852.30	122.00	0.00
		Section profile 0	19	667136.72	241929.62	121.12	0.00
		Section profile 0	20	667146.81	241968.29	121.00	0.00
		Section profile 0	21	667171.99	242045.49	121.00	0.00
		Section profile 0	22	667181.63	242078.88	121.00	0.00
		Section profile 0	23	667199.46	242134.65	121.51	0.00
		Section profile 0	24	667225.82	242216.68	121.00	0.00
		Section profile 0	25	667239.80	242261.33	121.00	0.00
		Section profile 0	26	667253.24	242306.28	121.00	0.00
		Section profile 0	27	667257.71	242328.49	121.00	0.00
		Section profile 0	28	667261.67	242352.41	121.00	0.00
		Section profile 0	29	667265.12	242376.17	121.00	0.00
		Section profile 0	30	667265.63	242395.28	121.00	0.00
		Section profile 0	31	667268.26	242473.03	121.00	0.00
		Section profile 0	32	667269.25	242516.81	121.00	0.00
		Section profile 0	33	667267.87	242586.87	121.69	0.00
		-	34	667266.32	242612.64	122.00	0.00

Slope and slope correction for roads										
Element	Name	Section	s /m	ds /m	Gradient /%	Gradient /%	Correction	Correction	Correction	Hint
			m	m	coord.	for calc.	Day (12h)	Night (8h)	Evening	
R96_001	P58	1	0.00	9.95	-0.49	-0.49	0.00	0.00	0.00	
		2	9.95	9.95	-0.10	-0.10	0.00	0.00	0.00	
		3	19.90	9.95	-0.47	-0.47	0.00	0.00	0.00	
		4	29.85	9.95	-1.49	-1.49	0.00	0.00	0.00	
		5	39.80	9.95	-0.02	-0.02	0.00	0.00	0.00	
		6	49.75	9.95	0.00	0.00	0.00	0.00	0.00	
		7	59.70	9.95	0.00	0.00	0.00	0.00	0.00	
		8	69.65	9.95	0.00	0.00	0.00	0.00	0.00	
		9	79.60	9.95	-3.83	-3.83	0.00	0.00	0.00	
		10	89.55	9.95	-4.48	-4.48	0.00	0.00	0.00	
		11	99.50	9.95	-1.74	-1.74	0.00	0.00	0.00	
		12	109.45	9.95	0.00	0.00	0.00	0.00	0.00	
		13	119.40	9.95	-1.22	-1.22	0.00	0.00	0.00	
		14	129.35	9.95	-3.53	-3.53	0.00	0.00	0.00	
		15	139.30	9.95	-2.21	-2.21	0.00	0.00	0.00	
		16	149.25	9.95	-2.24	-2.24	0.00	0.00	0.00	
		17	159.20	9.95	-0.85	-0.85	0.00	0.00	0.00	
		18	169.15	9.95	-1.30	-1.30	0.00	0.00	0.00	
		19	179.10	9.95	-3.46	-3.46	0.00	0.00	0.00	
		20	189.05	9.95	-1.51	-1.51	0.00	0.00	0.00	
		21	199.00	9.95	-1.01	-1.01	0.00	0.00	0.00	
		22	208.95	9.28	-0.47	-0.47	0.00	0.00	0.00	
		23	218.23	9.28	-0.53	-0.53	0.00	0.00	0.00	
		24	227.51	9.28	-0.33	-0.33	0.00	0.00	0.00	

FONA DATI

		25	236.80	9.28	-0.52	-0.52	0.00	0.00	0.00	
		26	246.08	9.28	0.00	0.00	0.00	0.00	0.00	
		27	255.36	9.28	0.03	0.03	0.00	0.00	0.00	
		28	264.64	9.28	0.42	0.42	0.00	0.00	0.00	
		29	273.93	9.28	0.62	0.62	0.00	0.00	0.00	
		30	283.21	9.28	0.84	0.84	0.00	0.00	0.00	
		31	292.49	9.28	0.43	0.43	0.00	0.00	0.00	
		32	301.77	9.28	0.04	0.04	0.00	0.00	0.00	
		33	311.06	9.28	-0.53	-0.53	0.00	0.00	0.00	
		34	320.34	9.19	-0.78	-0.78	0.00	0.00	0.00	
		35	329.53	7.60	-0.60	-0.60	0.00	0.00	0.00	
		36	337.13	7.60	-0.59	-0.59	0.00	0.00	0.00	
		37	344.72	7.60	-1.10	-1.10	0.00	0.00	0.00	
		38	352.32	7.60	-0.44	-0.44	0.00	0.00	0.00	
		39	359.92	9.89	-3.99	-3.99	0.00	0.00	0.00	
		40	369.81	9.89	-1.90	-1.90	0.00	0.00	0.00	
		41	379.69	9.89	-2.23	-2.23	0.00	0.00	0.00	
		42	389.58	9.89	-1.99	-1.99	0.00	0.00	0.00	
		43	399.47	9.89	-3.66	-3.66	0.00	0.00	0.00	
		44	409.36	9.89	-2.87	-2.87	0.00	0.00	0.00	
		45	419.25	9.89	-1.07	-1.07	0.00	0.00	0.00	
		46	429.13	9.89	-1.40	-1.40	0.00	0.00	0.00	
		47	439.02	9.89	-1.76	-1.76	0.00	0.00	0.00	
		48	448.91	9.89	-1.73	-1.73	0.00	0.00	0.00	
		49	458.80	9.89	-1.72	-1.72	0.00	0.00	0.00	
		50	468.69	9.89	-1.67	-1.67	0.00	0.00	0.00	
		51	478.57	9.89	-1.91	-1.91	0.00	0.00	0.00	
		52	488.46	9.89	-1.90	-1.90	0.00	0.00	0.00	
		53	498.35	9.89	-0.72	-0.72	0.00	0.00	0.00	
		54	508.24	9.89	-0.77	-0.77	0.00	0.00	0.00	
		55	518.13	9.89	-0.98	-0.98	0.00	0.00	0.00	
		56	528.01	9.89	1.69	1.69	0.00	0.00	0.00	
		57	537.90	9.89	0.25	0.25	0.00	0.00	0.00	
		58	547.79	9.89	0.00	0.00	0.00	0.00	0.00	
		59	557.68	8.53	0.00	0.00	0.00	0.00	0.00	
		60	566.21	8.53	0.00	0.00	0.00	0.00	0.00	
		61	574.74	8.53	0.00	0.00	0.00	0.00	0.00	
		62	583.27	8.53	0.00	0.00	0.00	0.00	0.00	
		63	591.80	8.53	0.00	0.00	0.00	0.00	0.00	
		64	600.33	8.53	0.00	0.00	0.00	0.00	0.00	
		65	608.86	9.29	0.00	0.00	0.00	0.00	0.00	
		66	618.15	9.29	0.00	0.00	0.00	0.00	0.00	
		67	627.44	9.29	0.00	0.00	0.00	0.00	0.00	
		68	636.73	9.29	2.02	2.02	2.47	2.34	2.68	Max.
		69	646.01	9.29	3.46	3.46	2.47	2.34	2.68	
		70	655.30	9.29	3.46	3.46	2.47	2.34	2.68	
		71	664.59	9.29	1.82	1.82	0.00	0.00	0.00	
		72	673.88	9.29	0.00	0.00	0.00	0.00	0.00	
		73	683.17	9.29	0.00	0.00	0.00	0.00	0.00	
		74	692.45	9.29	0.00	0.00	0.00	0.00	0.00	
		75	701.74	9.29	2.56	2.56	2.47	2.34	2.68	
		76	711.03	9.70	3.78	3.78	2.47	2.34	2.68	
		77	720.73	9.70	3.15	3.15	2.47	2.34	2.68	
		78	730.44	9.70	0.94	0.94	0.00	0.00	0.00	
		79	740.14	9.70	0.00	0.00	0.00	0.00	0.00	
		80	749.85	9.70	0.00	0.00	0.00	0.00	0.00	
		81	759.55	9.70	0.00	0.00	0.00	0.00	0.00	
		82	769.26	9.70	0.00	0.00	0.00	0.00	0.00	
		83	778.96	9.70	0.00	0.00	0.00	0.00	0.00	
		84	788.66	9.70	0.00	0.00	0.00	0.00	0.00	
		85	798.37	9.70	-2.53	-2.53	0.00	0.00	0.00	

FONA DATI

		86	808.07	9.70	-3.50	-3.50	0.00	0.00	0.00	
		87	817.78	9.70	-3.50	-3.50	0.00	0.00	0.00	
		88	827.48	9.70	-0.78	-0.78	0.00	0.00	0.00	
		89	837.19	9.70	0.00	0.00	0.00	0.00	0.00	
		90	846.89	9.70	0.00	0.00	0.00	0.00	0.00	
		91	856.60	9.70	0.00	0.00	0.00	0.00	0.00	
		92	866.30	9.70	0.00	0.00	0.00	0.00	0.00	
		93	876.00	9.70	0.00	0.00	0.00	0.00	0.00	
		94	885.71	9.70	0.00	0.00	0.00	0.00	0.00	
		95	895.41	9.70	0.00	0.00	0.00	0.00	0.00	
		96	905.12	9.70	-0.14	-0.14	0.00	0.00	0.00	
		97	914.82	9.70	-0.20	-0.20	0.00	0.00	0.00	
		98	924.53	9.70	-0.09	-0.09	0.00	0.00	0.00	
		99	934.23	9.70	0.34	0.34	0.00	0.00	0.00	
		100	943.94	9.70	0.09	0.09	0.00	0.00	0.00	
		101	953.64	9.70	0.00	0.00	0.00	0.00	0.00	
		102	963.34	9.70	0.00	0.00	0.00	0.00	0.00	
		103	973.05	9.70	0.00	0.00	0.00	0.00	0.00	
		104	982.75	9.73	0.00	0.00	0.00	0.00	0.00	
		105	992.49	9.73	0.00	0.00	0.00	0.00	0.00	
		106	1002.22	9.73	0.00	0.00	0.00	0.00	0.00	
		107	1011.95	9.73	0.00	0.00	0.00	0.00	0.00	
		108	1021.69	9.73	0.00	0.00	0.00	0.00	0.00	
		109	1031.42	9.73	0.00	0.00	0.00	0.00	0.00	
		110	1041.15	9.73	0.00	0.00	0.00	0.00	0.00	
		111	1050.89	9.73	0.00	0.00	0.00	0.00	0.00	
		112	1060.62	9.73	0.00	0.00	0.00	0.00	0.00	
		113	1070.35	9.73	0.00	0.00	0.00	0.00	0.00	
		114	1080.08	9.73	0.00	0.00	0.00	0.00	0.00	
		115	1089.82	9.73	0.00	0.00	0.00	0.00	0.00	
		116	1099.55	9.73	0.00	0.00	0.00	0.00	0.00	
		117	1109.28	9.73	0.00	0.00	0.00	0.00	0.00	
		118	1119.02	9.73	0.00	0.00	0.00	0.00	0.00	
		119	1128.75	9.73	0.00	0.00	0.00	0.00	0.00	
		120	1138.48	9.73	0.00	0.00	0.00	0.00	0.00	
		121	1148.22	9.73	0.00	0.00	0.00	0.00	0.00	
		122	1157.95	9.73	0.00	0.00	0.00	0.00	0.00	
		123	1167.68	9.73	0.00	0.00	0.00	0.00	0.00	
		124	1177.42	9.73	0.00	0.00	0.00	0.00	0.00	
		125	1187.15	9.73	0.00	0.00	0.00	0.00	0.00	
		126	1196.88	9.73	0.00	0.00	0.00	0.00	0.00	
		127	1206.62	9.73	0.00	0.00	0.00	0.00	0.00	
		128	1216.35	9.73	0.00	0.00	0.00	0.00	0.00	
		129	1226.08	9.73	-0.08	-0.08	0.00	0.00	0.00	
		130	1235.82	9.73	-2.12	-2.12	0.00	0.00	0.00	
		131	1245.55	9.73	-2.56	-2.56	0.00	0.00	0.00	
		132	1255.28	9.73	-2.52	-2.52	0.00	0.00	0.00	
		133	1265.02	8.68	-1.97	-1.97	0.00	0.00	0.00	
		134	1273.70	8.68	-1.38	-1.38	0.00	0.00	0.00	
		135	1282.38	8.68	0.00	0.00	0.00	0.00	0.00	
		136	1291.06	8.68	0.00	0.00	0.00	0.00	0.00	
		137	1299.75	9.28	-1.62	-1.62	0.00	0.00	0.00	
		138	1309.03	9.28	-0.94	-0.94	0.00	0.00	0.00	
		139	1318.31	9.28	-1.60	-1.60	0.00	0.00	0.00	
		140	1327.59	9.28	-1.73	-1.73	0.00	0.00	0.00	
		141	1336.87	9.28	-1.23	-1.23	0.00	0.00	0.00	
		142	1346.15	9.28	-0.34	-0.34	0.00	0.00	0.00	
		143	1355.43	9.28	-0.11	-0.11	0.00	0.00	0.00	
		144	1364.71	9.28	0.42	0.42	0.00	0.00	0.00	
		145	1373.99	9.28	1.86	1.86	0.00	0.00	0.00	
		146	1383.27	9.28	1.96	1.96	0.00	0.00	0.00	

FONA DATI

		147	1392.56	9.28	2.40	2.40	2.47	2.34	2.68	
		148	1401.84	9.28	0.93	0.93	0.00	0.00	0.00	
		149	1411.12	9.84	0.00	0.00	0.00	0.00	0.00	
		150	1420.96	9.84	0.00	0.00	0.00	0.00	0.00	
		151	1430.79	9.84	0.00	0.00	0.00	0.00	0.00	
		152	1440.63	9.84	0.00	0.00	0.00	0.00	0.00	
		153	1450.47	9.84	0.00	0.00	0.00	0.00	0.00	
		154	1460.31	9.84	0.52	0.52	0.00	0.00	0.00	
		155	1470.15	9.84	0.29	0.29	0.00	0.00	0.00	
		156	1479.98	9.84	-0.06	-0.06	0.00	0.00	0.00	
		157	1489.82	9.84	0.00	0.00	0.00	0.00	0.00	
		158	1499.66	9.84	-0.77	-0.77	0.00	0.00	0.00	
		159	1509.50	9.84	0.00	0.00	0.00	0.00	0.00	
		160	1519.34	9.43	0.00	0.00	0.00	0.00	0.00	
		161	1528.76	9.43	0.00	0.00	0.00	0.00	0.00	
		162	1538.19	9.43	0.00	0.00	0.00	0.00	0.00	
		163	1547.62	9.43	-3.06	-3.06	0.00	0.00	0.00	
		164	1557.05	9.43	-2.51	-2.51	0.00	0.00	0.00	
		165	1566.47	9.43	-0.79	-0.79	0.00	0.00	0.00	
		166	1575.90	9.43	0.37	0.37	0.00	0.00	0.00	
		167	1585.33	9.43	1.30	1.30	0.00	0.00	0.00	
		168	1594.75	9.43	1.35	1.35	0.00	0.00	0.00	
		169	1604.18	9.43	1.35	1.35	0.00	0.00	0.00	
		170	1613.61	9.99	1.80	1.80	0.00	0.00	0.00	
		171	1623.60	9.99	1.36	1.36	0.00	0.00	0.00	
		172	1633.59	9.99	1.71	1.71	0.00	0.00	0.00	
		173	1643.59	9.99	1.48	1.48	0.00	0.00	0.00	
		174	1653.58	9.99	0.34	0.34	0.00	0.00	0.00	
		175	1663.58	9.99	-0.05	-0.05	0.00	0.00	0.00	
		176	1673.57	9.99	-0.05	-0.05	0.00	0.00	0.00	
		177	1683.56	9.99	-0.05	-0.05	0.00	0.00	0.00	
		178	1693.56	9.99	-0.05	-0.05	0.00	0.00	0.00	
		179	1703.55	9.99	-0.05	-0.05	0.00	0.00	0.00	
		180	1713.54	9.99	-0.05	-0.05	0.00	0.00	0.00	
		181	1723.54	9.99	-0.11	-0.11	0.00	0.00	0.00	
		182	1733.53	9.99	-0.38	-0.38	0.00	0.00	0.00	
		183	1743.52	9.99	-0.27	-0.27	0.00	0.00	0.00	
		184	1753.52	9.99	-0.25	-0.25	0.00	0.00	0.00	
		185	1763.51	9.99	-0.68	-0.68	0.00	0.00	0.00	
		186	1773.50	9.99	-0.73	-0.73	0.00	0.00	0.00	
		187	1783.50	9.99	-0.42	-0.42	0.00	0.00	0.00	
		188	1793.49	9.99	-0.21	-0.21	0.00	0.00	0.00	
		189	1803.49	9.99	-0.43	-0.43	0.00	0.00	0.00	
		190	1813.48	9.99	0.00	0.00	0.00	0.00	0.00	
		191	1823.47	9.99	0.00	0.00	0.00	0.00	0.00	
		192	1833.47	9.99	-0.04	-0.04	0.00	0.00	0.00	
		193	1843.46	9.99	-0.05	-0.05	0.00	0.00	0.00	
		194	1853.45	9.99	0.00	0.00	0.00	0.00	0.00	
		195	1863.45	9.99	0.66	0.66	0.00	0.00	0.00	
		196	1873.44	9.99	0.64	0.64	0.00	0.00	0.00	
		197	1883.43	9.99	-0.04	-0.04	0.00	0.00	0.00	
		198	1893.43	9.99	0.53	0.53	0.00	0.00	0.00	
		199	1903.42	9.99	0.18	0.18	0.00	0.00	0.00	
		200	1913.42	8.49	0.98	0.98	0.00	0.00	0.00	
		201	1921.91	8.49	1.76	1.76	0.00	0.00	0.00	
		202	1930.40	8.49	1.11	1.11	0.00	0.00	0.00	
		203	1938.90	8.49	0.16	0.16	0.00	0.00	0.00	
		204	1947.39	8.49	0.30	0.30	0.00	0.00	0.00	
		205	1955.89	8.49	0.30	0.30	0.00	0.00	0.00	
		206	1964.38	9.92	0.89	0.89	0.00	0.00	0.00	
		207	1974.30	9.92	0.71	0.71	0.00	0.00	0.00	

FONA DATI

		208	1984.22	9.92	0.56	0.56	0.00	0.00	0.00	
		209	1994.14	9.64	0.18	0.18	0.00	0.00	0.00	
		210	2003.77	9.64	-0.08	-0.08	0.00	0.00	0.00	
		211	2013.41	9.64	-0.14	-0.14	0.00	0.00	0.00	
		212	2023.05	9.64	-0.35	-0.35	0.00	0.00	0.00	
		213	2032.69	9.64	-1.13	-1.13	0.00	0.00	0.00	
		214	2042.33	9.64	-0.98	-0.98	0.00	0.00	0.00	
		215	2051.97	9.64	-0.66	-0.66	0.00	0.00	0.00	
		216	2061.61	9.64	-0.88	-0.88	0.00	0.00	0.00	
		217	2071.25	9.64	-1.34	-1.34	0.00	0.00	0.00	
		218	2080.89	9.64	-1.13	-1.13	0.00	0.00	0.00	
		219	2090.52	9.64	-1.18	-1.18	0.00	0.00	0.00	
		220	2100.16	9.64	-1.23	-1.23	0.00	0.00	0.00	
		221	2109.80	9.64	-0.54	-0.54	0.00	0.00	0.00	
		222	2119.44	9.64	-0.71	-0.71	0.00	0.00	0.00	
		223	2129.08	9.64	-0.50	-0.50	0.00	0.00	0.00	
		224	2138.72	9.64	0.87	0.87	0.00	0.00	0.00	
		225	2148.36	9.64	0.49	0.49	0.00	0.00	0.00	
		226	2158.00	9.64	0.00	0.00	0.00	0.00	0.00	
		227	2167.64	9.78	0.00	0.00	0.00	0.00	0.00	
		228	2177.41	9.78	0.21	0.21	0.00	0.00	0.00	
		229	2187.19	9.78	2.97	2.97	2.47	2.34	2.68	
		230	2196.96	9.78	2.97	2.97	2.47	2.34	2.68	
		231	2206.74	9.78	3.15	3.15	2.47	2.34	2.68	
		232	2216.52	9.78	0.93	0.93	0.00	0.00	0.00	
		233	2226.29	9.78	0.00	0.00	0.00	0.00	0.00	
		234	2236.07	9.78	0.00	0.00	0.00	0.00	0.00	
		235	2245.85	9.78	1.64	1.64	0.00	0.00	0.00	
		236	2255.62	9.78	5.44	5.44	2.47	2.34	2.68	
		237	2265.40	9.78	3.15	3.15	2.47	2.34	2.68	
		238	2275.17	9.94	0.00	0.00	0.00	0.00	0.00	
		239	2285.11	9.94	0.00	0.00	0.00	0.00	0.00	
		240	2295.05	9.94	0.00	0.00	0.00	0.00	0.00	
		241	2304.98	9.94	0.00	0.00	0.00	0.00	0.00	
		242	2314.92	9.94	0.27	0.27	0.00	0.00	0.00	
		243	2324.86	9.94	3.85	3.85	2.47	2.34	2.68	
		244	2334.79	9.94	3.86	3.86	2.47	2.34	2.68	
		245	2344.73	9.94	2.09	2.09	2.47	2.34	2.68	
		246	2354.66	9.94	0.00	0.00	0.00	0.00	0.00	
		247	2364.60	9.94	0.00	0.00	0.00	0.00	0.00	
		248	2374.54	9.94	0.00	0.00	0.00	0.00	0.00	
		249	2384.47	9.94	0.00	0.00	0.00	0.00	0.00	
		250	2394.41	9.94	0.00	0.00	0.00	0.00	0.00	
		251	2404.34	9.94	0.00	0.00	0.00	0.00	0.00	
		252	2414.28	9.94	0.33	0.33	0.00	0.00	0.00	
		253	2424.22	9.94	1.53	1.53	0.00	0.00	0.00	
		254	2434.15	9.94	1.53	1.53	0.00	0.00	0.00	
		255	2444.09	9.94	1.53	1.53	0.00	0.00	0.00	
		256	2454.02	9.94	1.53	1.53	0.00	0.00	0.00	
		257	2463.96	9.94	1.53	1.53	0.00	0.00	0.00	
		258	2473.90	9.94	1.53	1.53	0.00	0.00	0.00	
		259	2483.83	9.94	0.58	0.58	0.00	0.00	0.00	
		260	2493.77	9.94	0.00	0.00	0.00	0.00	0.00	
		261	2503.70	9.94	0.00	0.00	0.00	0.00	0.00	
		262	2513.64	9.94	0.00	0.00	0.00	0.00	0.00	
		263	2523.58	9.94	0.00	0.00	0.00	0.00	0.00	
		264	2533.51	9.94	0.00	0.00	0.00	0.00	0.00	
		265	2543.45	9.94	0.00	0.00	0.00	0.00	0.00	
		266	2553.38	9.94	0.00	0.00	0.00	0.00	0.00	
		267	2563.32	9.94	0.00	0.00	0.00	0.00	0.00	
		268	2573.26	9.94	0.00	0.00	0.00	0.00	0.00	

FONA DATI

		269	2583.19	9.94	0.00	0.00	0.00	0.00	0.00	
		270	2593.13	9.94	0.00	0.00	0.00	0.00	0.00	
		271	2603.06	9.94	0.00	0.00	0.00	0.00	0.00	
		272	2613.00	9.94	0.00	0.00	0.00	0.00	0.00	
		273	2622.94	9.94	0.00	0.00	0.00	0.00	0.00	
		274	2632.87	9.94	0.00	0.00	0.00	0.00	0.00	
		275	2642.81	9.94	0.00	0.00	0.00	0.00	0.00	
		276	2652.74	9.94	0.00	0.00	0.00	0.00	0.00	
		277	2662.68	9.94	0.00	0.00	0.00	0.00	0.00	
		278	2672.62	9.94	0.00	0.00	0.00	0.00	0.00	
		279	2682.55	9.94	0.00	0.00	0.00	0.00	0.00	
		280	2692.49	9.94	0.00	0.00	0.00	0.00	0.00	
		281	2702.42	9.94	0.00	0.00	0.00	0.00	0.00	
		282	2712.36	9.94	0.00	0.00	0.00	0.00	0.00	
		283	2722.30	5.30	0.00	0.00	0.00	0.00	0.00	
		284	2727.59	5.30	0.00	0.00	0.00	0.00	0.00	
		285	2732.89	9.26	0.00	0.00	0.00	0.00	0.00	
		286	2742.15	9.26	0.00	0.00	0.00	0.00	0.00	
		287	2751.41	9.26	0.00	0.00	0.00	0.00	0.00	
		288	2760.67	9.26	0.00	0.00	0.00	0.00	0.00	
		289	2769.93	9.26	0.00	0.00	0.00	0.00	0.00	
		290	2779.19	9.26	0.00	0.00	0.00	0.00	0.00	
		291	2788.45	9.26	0.00	0.00	0.00	0.00	0.00	
R96_002	V752	1	0.00	9.28	-0.13	-0.13	0.00	0.00	0.00	
		2	9.28	9.28	-0.15	-0.15	0.00	0.00	0.00	
		3	18.57	9.28	-2.99	-2.99	0.00	0.00	0.00	
		4	27.85	9.28	-3.65	-3.65	0.00	0.00	0.00	
		5	37.14	8.65	-3.40	-3.40	0.00	0.00	0.00	
		6	45.79	8.65	-4.46	-4.46	0.00	0.00	0.00	
		7	54.44	8.65	-4.71	-4.71	0.00	0.00	0.00	
		8	63.09	8.65	-5.66	-5.66	0.00	0.00	0.00	
		9	71.74	8.65	-3.38	-3.38	0.00	0.00	0.00	
		10	80.39	8.24	-2.95	-2.95	0.00	0.00	0.00	
		11	88.64	8.24	-1.42	-1.42	0.00	0.00	0.00	
		12	96.88	8.24	-2.60	-2.60	0.00	0.00	0.00	
		13	105.12	8.01	-3.27	-3.27	0.00	0.00	0.00	
		14	113.13	8.01	-1.39	-1.39	0.00	0.00	0.00	
		15	121.14	8.01	-0.37	-0.37	0.00	0.00	0.00	
		16	129.14	8.01	-0.73	-0.73	0.00	0.00	0.00	
		17	137.15	8.29	-0.07	-0.07	0.00	0.00	0.00	
		18	145.45	8.29	0.81	0.81	0.00	0.00	0.00	
		19	153.74	8.29	0.24	0.24	0.00	0.00	0.00	
		20	162.03	8.29	-1.15	-1.15	0.00	0.00	0.00	
		21	170.33	8.29	-1.34	-1.34	0.00	0.00	0.00	
		22	178.62	8.13	-0.90	-0.90	0.00	0.00	0.00	
		23	186.75	8.13	-2.17	-2.17	0.00	0.00	0.00	
		24	194.89	8.13	-1.27	-1.27	0.00	0.00	0.00	
		25	203.02	9.77	-3.19	-3.19	0.00	0.00	0.00	
		26	212.80	9.77	-4.14	-4.14	0.00	0.00	0.00	
		27	222.57	9.77	-2.90	-2.90	0.00	0.00	0.00	
		28	232.34	9.77	0.00	0.00	0.00	0.00	0.00	
		29	242.11	9.77	0.00	0.00	0.00	0.00	0.00	
		30	251.89	9.77	0.18	0.18	0.00	0.00	0.00	
		31	261.66	9.99	3.62	3.62	0.04	0.03	0.04	Max.
		32	271.64	9.99	3.62	3.62	0.04	0.03	0.04	
		33	281.63	9.99	2.60	2.60	0.04	0.03	0.04	
		34	291.62	9.99	0.54	0.54	0.00	0.00	0.00	
		35	301.60	9.81	2.24	2.24	0.04	0.03	0.04	
		36	311.41	9.81	1.39	1.39	0.00	0.00	0.00	
		37	321.21	9.81	1.41	1.41	0.00	0.00	0.00	
		38	331.02	9.81	1.47	1.47	0.00	0.00	0.00	

FONA DATI

		39	340.82	9.81	1.35	1.35	0.00	0.00	0.00	
		40	350.63	9.81	1.23	1.23	0.00	0.00	0.00	
		41	360.44	9.81	0.56	0.56	0.00	0.00	0.00	
		42	370.24	9.81	0.00	0.00	0.00	0.00	0.00	
		43	380.05	9.81	0.00	0.00	0.00	0.00	0.00	
		44	389.85	9.81	0.00	0.00	0.00	0.00	0.00	
		45	399.66	9.81	0.00	0.00	0.00	0.00	0.00	
		46	409.47	9.81	0.00	0.00	0.00	0.00	0.00	
		47	419.27	9.81	0.00	0.00	0.00	0.00	0.00	
		48	429.08	9.81	0.00	0.00	0.00	0.00	0.00	
		49	438.88	9.81	0.00	0.00	0.00	0.00	0.00	
		50	448.69	9.81	0.00	0.00	0.00	0.00	0.00	
		51	458.49	9.42	0.00	0.00	0.00	0.00	0.00	
		52	467.91	9.42	0.00	0.00	0.00	0.00	0.00	
		53	477.33	9.42	0.00	0.00	0.00	0.00	0.00	
		54	486.75	9.42	0.75	0.75	0.00	0.00	0.00	
		55	496.17	9.42	0.92	0.92	0.00	0.00	0.00	
		56	505.59	9.42	0.92	0.92	0.00	0.00	0.00	
		57	515.01	9.42	0.92	0.92	0.00	0.00	0.00	
		58	524.42	9.42	0.92	0.92	0.00	0.00	0.00	
		59	533.84	9.42	0.92	0.92	0.00	0.00	0.00	
		60	543.26	9.42	0.92	0.92	0.00	0.00	0.00	
		61	552.68	9.42	0.92	0.92	0.00	0.00	0.00	
		62	562.10	9.42	0.92	0.92	0.00	0.00	0.00	
		63	571.52	9.42	0.92	0.92	0.00	0.00	0.00	
		64	580.94	9.42	0.92	0.92	0.00	0.00	0.00	
		65	590.36	9.42	0.69	0.69	0.00	0.00	0.00	
		66	599.77	9.42	0.00	0.00	0.00	0.00	0.00	
		67	609.19	7.99	0.00	0.00	0.00	0.00	0.00	
		68	617.19	7.99	0.00	0.00	0.00	0.00	0.00	
		69	625.18	7.99	0.00	0.00	0.00	0.00	0.00	
		70	633.17	8.88	0.00	0.00	0.00	0.00	0.00	
		71	642.05	8.88	0.00	0.00	0.00	0.00	0.00	
		72	650.94	6.90	0.00	0.00	0.00	0.00	0.00	
		73	657.83	6.90	0.00	0.00	0.00	0.00	0.00	
		74	664.73	6.90	0.00	0.00	0.00	0.00	0.00	
		75	671.62	9.35	0.00	0.00	0.00	0.00	0.00	
		76	680.97	9.35	0.00	0.00	0.00	0.00	0.00	
		77	690.32	9.35	0.00	0.00	0.00	0.00	0.00	
		78	699.66	9.35	0.00	0.00	0.00	0.00	0.00	
		79	709.01	9.35	0.00	0.00	0.00	0.00	0.00	
		80	718.35	8.90	0.00	0.00	0.00	0.00	0.00	
		81	727.26	8.90	0.00	0.00	0.00	0.00	0.00	
		82	736.16	8.90	0.00	0.00	0.00	0.00	0.00	
		83	745.06	8.90	0.00	0.00	0.00	0.00	0.00	
		84	753.97	8.90	0.00	0.00	0.00	0.00	0.00	
		85	762.87	8.90	0.00	0.00	0.00	0.00	0.00	
		86	771.78	8.90	0.00	0.00	0.00	0.00	0.00	
		87	780.68	8.90	0.00	0.00	0.00	0.00	0.00	
		88	789.58	8.90	0.00	0.00	0.00	0.00	0.00	
		89	798.49	9.39	0.00	0.00	0.00	0.00	0.00	
		90	807.88	9.39	0.00	0.00	0.00	0.00	0.00	
		91	817.27	9.39	0.00	0.00	0.00	0.00	0.00	
		92	826.66	9.39	0.00	0.00	0.00	0.00	0.00	
		93	836.05	9.39	0.00	0.00	0.00	0.00	0.00	
		94	845.44	9.39	0.00	0.00	0.00	0.00	0.00	
		95	854.83	9.39	0.00	0.00	0.00	0.00	0.00	
		96	864.22	9.39	0.00	0.00	0.00	0.00	0.00	
		97	873.61	9.39	0.00	0.00	0.00	0.00	0.00	
		98	883.00	9.79	0.00	0.00	0.00	0.00	0.00	
		99	892.79	9.79	0.00	0.00	0.00	0.00	0.00	

FONA DATI

		100	902.58	9.79	0.00	0.00	0.00	0.00	0.00	
		101	912.38	9.79	0.00	0.00	0.00	0.00	0.00	
		102	922.17	9.79	0.00	0.00	0.00	0.00	0.00	
		103	931.96	9.79	0.00	0.00	0.00	0.00	0.00	
		104	941.76	9.79	0.44	0.44	0.00	0.00	0.00	
		105	951.55	9.79	0.67	0.67	0.00	0.00	0.00	
		106	961.34	9.79	0.67	0.67	0.00	0.00	0.00	
		107	971.14	9.79	0.67	0.67	0.00	0.00	0.00	
		108	980.93	9.79	0.67	0.67	0.00	0.00	0.00	
		109	990.72	9.79	0.67	0.67	0.00	0.00	0.00	
		110	1000.52	9.79	0.67	0.67	0.00	0.00	0.00	
		111	1010.31	9.79	0.67	0.67	0.00	0.00	0.00	
		112	1020.10	9.79	0.67	0.67	0.00	0.00	0.00	
		113	1029.90	9.79	0.67	0.67	0.00	0.00	0.00	
		114	1039.69	9.79	0.24	0.24	0.00	0.00	0.00	
		115	1049.48	8.98	0.05	0.05	0.00	0.00	0.00	
		116	1058.46	10.90	0.32	0.32	0.00	0.00	0.00	
		117	1069.36	9.79	0.22	0.22	0.00	0.00	0.00	
		118	1079.15	9.79	0.08	0.08	0.00	0.00	0.00	
		119	1088.95	9.79	0.92	0.92	0.00	0.00	0.00	
		120	1098.74	9.79	0.92	0.92	0.00	0.00	0.00	
		121	1108.53	9.79	0.92	0.92	0.00	0.00	0.00	
		122	1118.33	9.79	0.06	0.06	0.00	0.00	0.00	
		123	1128.12	9.79	0.00	0.00	0.00	0.00	0.00	
		124	1137.91	9.20	2.44	2.44	0.04	0.03	0.04	
		125	1147.12	9.20	1.36	1.36	0.00	0.00	0.00	
		126	1156.32	9.20	1.41	1.41	0.00	0.00	0.00	
		127	1165.53	9.20	1.06	1.06	0.00	0.00	0.00	
		128	1174.73	9.20	2.51	2.51	0.04	0.03	0.04	
		129	1183.94	9.20	2.08	2.08	0.04	0.03	0.04	
		130	1193.14	9.20	0.00	0.00	0.00	0.00	0.00	
		131	1202.35	9.20	1.89	1.89	0.00	0.00	0.00	
		132	1211.55	9.20	3.76	3.76	0.04	0.03	0.04	
		133	1220.76	9.20	3.76	3.76	0.04	0.03	0.04	
		134	1229.96	9.53	1.40	1.40	0.00	0.00	0.00	
		135	1239.49	9.53	0.00	0.00	0.00	0.00	0.00	
		136	1249.03	9.53	0.00	0.00	0.00	0.00	0.00	
		137	1258.56	9.53	0.00	0.00	0.00	0.00	0.00	
		138	1268.09	9.53	0.00	0.00	0.00	0.00	0.00	
		139	1277.62	9.53	0.00	0.00	0.00	0.00	0.00	
		140	1287.15	9.53	0.00	0.00	0.00	0.00	0.00	
		141	1296.68	9.53	0.00	0.00	0.00	0.00	0.00	
		142	1306.21	9.14	0.00	0.00	0.00	0.00	0.00	
		143	1315.36	9.14	-0.41	-0.41	0.00	0.00	0.00	
		144	1324.50	9.14	0.03	0.03	0.00	0.00	0.00	
		145	1333.64	9.14	0.12	0.12	0.00	0.00	0.00	
		146	1342.78	9.49	-0.24	-0.24	0.00	0.00	0.00	
		147	1352.27	9.49	-0.24	-0.24	0.00	0.00	0.00	
		148	1361.76	7.76	-0.39	-0.39	0.00	0.00	0.00	
		149	1369.53	7.76	-0.07	-0.07	0.00	0.00	0.00	
		150	1377.29	8.35	0.51	0.51	0.00	0.00	0.00	
		151	1385.64	8.35	0.40	0.40	0.00	0.00	0.00	
		152	1393.99	8.35	0.29	0.29	0.00	0.00	0.00	
		153	1402.34	8.35	0.06	0.06	0.00	0.00	0.00	
		154	1410.69	8.35	1.72	1.72	0.00	0.00	0.00	
		155	1419.04	8.35	1.56	1.56	0.00	0.00	0.00	
		156	1427.38	8.70	1.92	1.92	0.00	0.00	0.00	
		157	1436.08	8.70	1.98	1.98	0.00	0.00	0.00	
		158	1444.78	8.70	3.15	3.15	0.04	0.03	0.04	
		159	1453.48	8.70	1.86	1.86	0.00	0.00	0.00	
		160	1462.18	8.70	2.05	2.05	0.04	0.03	0.04	

FONA DATI

		161	1470.88	9.39	2.03	2.03	0.04	0.03	0.04	
		162	1480.27	9.39	2.06	2.06	0.04	0.03	0.04	
		163	1489.65	9.74	2.04	2.04	0.04	0.03	0.04	
		164	1499.39	9.74	1.84	1.84	0.00	0.00	0.00	
		165	1509.13	9.74	0.11	0.11	0.00	0.00	0.00	
		166	1518.87	9.74	0.00	0.00	0.00	0.00	0.00	
		167	1528.61	9.74	0.00	0.00	0.00	0.00	0.00	
		168	1538.35	9.74	1.33	1.33	0.00	0.00	0.00	
		169	1548.09	9.74	4.18	4.18	0.04	0.03	0.04	
		170	1557.82	9.74	4.75	4.75	0.04	0.03	0.04	
		171	1567.56	9.74	0.01	0.01	0.00	0.00	0.00	
		172	1577.30	9.74	0.00	0.00	0.00	0.00	0.00	
		173	1587.04	9.74	0.00	0.00	0.00	0.00	0.00	
		174	1596.78	9.74	0.00	0.00	0.00	0.00	0.00	
		175	1606.52	9.48	-0.23	-0.23	0.00	0.00	0.00	
		176	1615.99	9.48	-2.41	-2.41	0.00	0.00	0.00	
		177	1625.47	9.48	-5.01	-5.01	0.00	0.00	0.00	
		178	1634.95	9.48	-2.91	-2.91	0.00	0.00	0.00	
		179	1644.42	9.48	0.00	0.00	0.00	0.00	0.00	
		180	1653.90	9.48	0.00	0.00	0.00	0.00	0.00	
		181	1663.38	9.48	0.00	0.00	0.00	0.00	0.00	
		182	1672.85	9.48	0.00	0.00	0.00	0.00	0.00	
		183	1682.33	9.48	-1.69	-1.69	0.00	0.00	0.00	
		184	1691.81	9.48	-0.87	-0.87	0.00	0.00	0.00	
		185	1701.28	9.48	-0.89	-0.89	0.00	0.00	0.00	
		186	1710.76	9.91	-1.91	-1.91	0.00	0.00	0.00	
		187	1720.67	9.91	-2.00	-2.00	0.00	0.00	0.00	
		188	1730.58	9.91	-2.00	-2.00	0.00	0.00	0.00	
		189	1740.49	9.91	-0.88	-0.88	0.00	0.00	0.00	
		190	1750.40	9.91	0.00	0.00	0.00	0.00	0.00	
		191	1760.31	9.91	0.00	0.00	0.00	0.00	0.00	
		192	1770.22	9.91	0.00	0.00	0.00	0.00	0.00	
		193	1780.13	9.91	0.00	0.00	0.00	0.00	0.00	
		194	1790.03	9.91	0.00	0.00	0.00	0.00	0.00	
		195	1799.94	9.91	0.00	0.00	0.00	0.00	0.00	
		196	1809.85	9.91	0.12	0.12	0.00	0.00	0.00	
		197	1819.76	9.91	0.71	0.71	0.00	0.00	0.00	
		198	1829.67	9.91	0.50	0.50	0.00	0.00	0.00	
		199	1839.58	9.91	0.45	0.45	0.00	0.00	0.00	
		200	1849.49	9.91	0.45	0.45	0.00	0.00	0.00	
		201	1859.40	9.91	0.45	0.45	0.00	0.00	0.00	
		202	1869.31	9.91	0.43	0.43	0.00	0.00	0.00	
		203	1879.22	9.91	-0.07	-0.07	0.00	0.00	0.00	
		204	1889.13	9.91	-0.09	-0.09	0.00	0.00	0.00	
		205	1899.04	9.91	-0.09	-0.09	0.00	0.00	0.00	
		206	1908.95	9.91	-0.09	-0.09	0.00	0.00	0.00	
		207	1918.85	9.91	-0.15	-0.15	0.00	0.00	0.00	
		208	1928.76	9.91	-0.33	-0.33	0.00	0.00	0.00	
		209	1938.67	9.91	-0.35	-0.35	0.00	0.00	0.00	
		210	1948.58	4.95	-0.29	-0.29	0.00	0.00	0.00	
R96_003	P63	1	0.00	9.77	1.24	1.24	0.00	0.00	0.00	
		2	9.77	5.63	1.33	1.33	0.00	0.00	0.00	Max.
		3	15.41	5.63	1.30	1.30	0.00	0.00	0.00	
		4	21.04	8.66	0.11	0.11	0.00	0.00	0.00	
		5	29.70	6.66	0.00	0.00	0.00	0.00	0.00	
		6	36.36	6.66	0.00	0.00	0.00	0.00	0.00	
R96_004	P63	1	0.00	5.88	1.54	1.54	0.00	0.00	0.00	
		2	5.88	5.88	0.81	0.81	0.00	0.00	0.00	
		3	11.77	8.03	1.75	1.75	0.00	0.00	0.00	Max.
		4	19.80	5.87	0.00	0.00	0.00	0.00	0.00	
		5	25.67	5.87	0.00	0.00	0.00	0.00	0.00	

FONA DATI

		6	31.54	7.63	0.00	0.00	0.00	0.00	0.00	
		7	39.17	7.63	0.00	0.00	0.00	0.00	0.00	
R96_005	P63	1	0.00	8.49	0.00	0.00	0.00	0.00	0.00	
		2	8.49	8.49	0.00	0.00	0.00	0.00	0.00	
		3	16.98	8.49	0.00	0.00	0.00	0.00	0.00	
		4	25.47	8.49	0.00	0.00	0.00	0.00	0.00	
		5	33.96	8.49	0.00	0.00	0.00	0.00	0.00	
		6	42.45	9.79	0.00	0.00	0.00	0.00	0.00	
		7	52.23	9.79	2.03	2.03	0.03	0.03	0.03	Max.
		8	62.02	9.79	1.12	1.12	0.00	0.00	0.00	
		9	71.80	9.79	2.65	2.65	0.03	0.03	0.03	
		10	81.59	9.79	2.94	2.94	0.03	0.03	0.03	
		11	91.37	9.79	1.49	1.49	0.00	0.00	0.00	
		12	101.16	9.79	0.00	0.00	0.00	0.00	0.00	
		13	110.94	9.79	0.00	0.00	0.00	0.00	0.00	
		14	120.73	9.79	0.11	0.11	0.00	0.00	0.00	
		15	130.51	9.79	3.39	3.39	0.03	0.03	0.03	
		16	140.30	9.79	3.43	3.43	0.03	0.03	0.03	
		17	150.08	9.79	2.27	2.27	0.03	0.03	0.03	
		18	159.87	9.79	1.02	1.02	0.00	0.00	0.00	
		19	169.65	9.79	1.42	1.42	0.00	0.00	0.00	
		20	179.44	9.79	2.60	2.60	0.03	0.03	0.03	
		21	189.22	9.79	2.60	2.60	0.03	0.03	0.03	
		22	199.01	9.79	2.55	2.55	0.03	0.03	0.03	
		23	208.79	9.79	1.05	1.05	0.00	0.00	0.00	
		24	218.58	9.79	1.49	1.49	0.00	0.00	0.00	
		25	228.36	9.79	2.31	2.31	0.03	0.03	0.03	
		26	238.15	9.79	1.88	1.88	0.00	0.00	0.00	
		27	247.93	9.79	3.13	3.13	0.03	0.03	0.03	
		28	257.72	9.79	1.42	1.42	0.00	0.00	0.00	
		29	267.50	9.79	0.00	0.00	0.00	0.00	0.00	
		30	277.29	9.79	0.00	0.00	0.00	0.00	0.00	
		31	287.07	9.79	0.00	0.00	0.00	0.00	0.00	
		32	296.86	9.79	0.00	0.00	0.00	0.00	0.00	
		33	306.64	9.79	0.00	0.00	0.00	0.00	0.00	
		34	316.43	9.82	0.00	0.00	0.00	0.00	0.00	
		35	326.25	9.82	0.00	0.00	0.00	0.00	0.00	
		36	336.06	9.82	0.00	0.00	0.00	0.00	0.00	
		37	345.88	9.82	0.00	0.00	0.00	0.00	0.00	
		38	355.70	9.82	0.00	0.00	0.00	0.00	0.00	
		39	365.51	9.82	0.00	0.00	0.00	0.00	0.00	
		40	375.33	9.82	0.00	0.00	0.00	0.00	0.00	
		41	385.15	9.82	0.00	0.00	0.00	0.00	0.00	
		42	394.96	9.82	0.00	0.00	0.00	0.00	0.00	
		43	404.78	9.82	0.00	0.00	0.00	0.00	0.00	
		44	414.60	9.82	0.00	0.00	0.00	0.00	0.00	
		45	424.41	9.82	0.00	0.00	0.00	0.00	0.00	
		46	434.23	9.82	-0.54	-0.54	0.00	0.00	0.00	
		47	444.05	9.82	-1.34	-1.34	0.00	0.00	0.00	
		48	453.86	9.82	-1.34	-1.34	0.00	0.00	0.00	
		49	463.68	9.82	-1.34	-1.34	0.00	0.00	0.00	
		50	473.50	9.81	-1.34	-1.34	0.00	0.00	0.00	
		51	483.31	9.81	-1.34	-1.34	0.00	0.00	0.00	
		52	493.12	9.81	-2.13	-2.13	0.00	0.00	0.00	
		53	502.93	9.81	-0.83	-0.83	0.00	0.00	0.00	
		54	512.73	9.81	-2.68	-2.68	0.00	0.00	0.00	
		55	522.54	9.81	-2.40	-2.40	0.00	0.00	0.00	
		56	532.35	9.81	-2.06	-2.06	0.00	0.00	0.00	
		57	542.16	9.81	-2.35	-2.35	0.00	0.00	0.00	
		58	551.97	9.81	-0.70	-0.70	0.00	0.00	0.00	
		59	561.78	9.81	0.00	0.00	0.00	0.00	0.00	

FONA DATI

		60	571.59	9.81	0.00	0.00	0.00	0.00	0.00	
		61	581.40	9.81	0.00	0.00	0.00	0.00	0.00	
		62	591.21	9.81	0.00	0.00	0.00	0.00	0.00	
		63	601.02	9.81	-0.74	-0.74	0.00	0.00	0.00	
		64	610.83	9.81	-2.63	-2.63	0.00	0.00	0.00	
		65	620.64	9.81	-2.67	-2.67	0.00	0.00	0.00	
		66	630.45	9.81	-2.67	-2.67	0.00	0.00	0.00	
		67	640.26	9.81	-1.48	-1.48	0.00	0.00	0.00	
		68	650.06	9.81	0.00	0.00	0.00	0.00	0.00	
		69	659.87	9.81	0.00	0.00	0.00	0.00	0.00	
		70	669.68	9.81	-1.05	-1.05	0.00	0.00	0.00	
		71	679.49	9.81	-3.40	-3.40	0.00	0.00	0.00	
		72	689.30	9.81	-3.28	-3.28	0.00	0.00	0.00	
		73	699.11	9.81	-2.30	-2.30	0.00	0.00	0.00	
		74	708.92	9.81	1.61	1.61	0.00	0.00	0.00	
		75	718.73	9.81	1.62	1.62	0.00	0.00	0.00	
		76	728.54	9.81	-0.03	-0.03	0.00	0.00	0.00	
		77	738.35	9.81	-1.13	-1.13	0.00	0.00	0.00	
		78	748.16	9.81	-0.62	-0.62	0.00	0.00	0.00	
		79	757.97	9.81	-0.76	-0.76	0.00	0.00	0.00	
		80	767.78	9.81	-0.85	-0.85	0.00	0.00	0.00	
		81	777.59	9.81	0.00	0.00	0.00	0.00	0.00	
		82	787.39	9.81	0.00	0.00	0.00	0.00	0.00	
		83	797.20	9.81	0.00	0.00	0.00	0.00	0.00	
		84	807.01	9.81	0.00	0.00	0.00	0.00	0.00	
		85	816.82	9.81	0.00	0.00	0.00	0.00	0.00	
		86	826.63	9.81	0.00	0.00	0.00	0.00	0.00	
		87	836.44	9.81	0.00	0.00	0.00	0.00	0.00	
		88	846.25	9.81	0.00	0.00	0.00	0.00	0.00	
		89	856.06	9.81	-0.82	-0.82	0.00	0.00	0.00	
		90	865.87	9.81	-2.17	-2.17	0.00	0.00	0.00	
		91	875.68	9.81	-2.11	-2.11	0.00	0.00	0.00	
		92	885.49	9.86	-0.75	-0.75	0.00	0.00	0.00	
		93	895.35	9.86	-0.91	-0.91	0.00	0.00	0.00	
		94	905.21	9.86	-1.33	-1.33	0.00	0.00	0.00	
		95	915.08	9.86	-1.27	-1.27	0.00	0.00	0.00	
		96	924.94	9.86	-0.82	-0.82	0.00	0.00	0.00	
		97	934.80	9.86	0.00	0.00	0.00	0.00	0.00	
		98	944.67	9.86	0.00	0.00	0.00	0.00	0.00	
		99	954.53	9.86	0.00	0.00	0.00	0.00	0.00	
		100	964.39	9.86	0.00	0.00	0.00	0.00	0.00	
		101	974.26	9.86	0.00	0.00	0.00	0.00	0.00	
		102	984.12	9.86	0.00	0.00	0.00	0.00	0.00	
		103	993.98	9.86	0.00	0.00	0.00	0.00	0.00	
		104	1003.85	9.86	0.00	0.00	0.00	0.00	0.00	
		105	1013.71	9.86	0.00	0.00	0.00	0.00	0.00	
		106	1023.58	9.86	0.00	0.00	0.00	0.00	0.00	
		107	1033.44	9.86	0.00	0.00	0.00	0.00	0.00	
		108	1043.30	9.86	0.00	0.00	0.00	0.00	0.00	
		109	1053.17	9.86	0.00	0.00	0.00	0.00	0.00	
		110	1063.03	9.86	0.00	0.00	0.00	0.00	0.00	
		111	1072.89	9.86	0.00	0.00	0.00	0.00	0.00	
		112	1082.76	9.86	0.00	0.00	0.00	0.00	0.00	
		113	1092.62	9.86	0.00	0.00	0.00	0.00	0.00	
		114	1102.48	9.86	0.00	0.00	0.00	0.00	0.00	
		115	1112.35	9.86	0.00	0.00	0.00	0.00	0.00	
		116	1122.21	9.86	0.00	0.00	0.00	0.00	0.00	
		117	1132.07	9.86	0.00	0.00	0.00	0.00	0.00	
		118	1141.94	9.86	0.00	0.00	0.00	0.00	0.00	
		119	1151.80	9.86	0.00	0.00	0.00	0.00	0.00	
		120	1161.66	0.09	0.00	0.00	0.00	0.00	0.00	

FONA DATI

R96_006	P63	1	0.00	9.31	0.00	0.00	0.00	0.00	0.00	
		2	9.31	9.39	0.00	0.00	0.00	0.00	0.00	
		3	18.70	9.39	0.00	0.00	0.00	0.00	0.00	
		4	28.10	9.39	0.00	0.00	0.00	0.00	0.00	
		5	37.49	9.39	0.00	0.00	0.00	0.00	0.00	
		6	46.88	9.39	-0.06	-0.06	0.00	0.00	0.00	
		7	56.28	9.39	-0.08	-0.08	0.00	0.00	0.00	
		8	65.67	9.39	0.15	0.15	0.00	0.00	0.00	
		9	75.07	9.39	0.00	0.00	0.00	0.00	0.00	
		10	84.46	9.39	0.00	0.00	0.00	0.00	0.00	
		11	93.85	9.39	0.00	0.00	0.00	0.00	0.00	
		12	103.25	9.39	0.00	0.00	0.00	0.00	0.00	
		13	112.64	9.39	0.00	0.00	0.00	0.00	0.00	
		14	122.04	9.39	0.00	0.00	0.00	0.00	0.00	
		15	131.43	9.39	0.00	0.00	0.00	0.00	0.00	
		16	140.82	9.39	0.00	0.00	0.00	0.00	0.00	
		17	150.22	9.78	0.00	0.00	0.00	0.00	0.00	
		18	160.00	9.78	0.00	0.00	0.00	0.00	0.00	
		19	169.77	9.78	0.00	0.00	0.00	0.00	0.00	
		20	179.55	9.78	0.00	0.00	0.00	0.00	0.00	
		21	189.33	9.78	0.00	0.00	0.00	0.00	0.00	
		22	199.11	9.78	0.00	0.00	0.00	0.00	0.00	
		23	208.89	9.78	0.00	0.00	0.00	0.00	0.00	
		24	218.66	9.78	0.23	0.23	0.00	0.00	0.00	
		25	228.44	9.78	1.97	1.97	0.00	0.00	0.00	
		26	238.22	9.78	1.97	1.97	0.00	0.00	0.00	Max.
		27	248.00	9.78	1.97	1.97	0.00	0.00	0.00	
		28	257.77	9.78	1.97	1.97	0.00	0.00	0.00	
		29	267.55	9.78	1.56	1.56	0.00	0.00	0.00	
		30	277.33	9.78	0.56	0.56	0.00	0.00	0.00	
		31	287.11	9.78	0.00	0.00	0.00	0.00	0.00	
		32	296.88	9.78	0.00	0.00	0.00	0.00	0.00	
		33	306.66	9.78	0.00	0.00	0.00	0.00	0.00	
		34	316.44	9.78	0.00	0.00	0.00	0.00	0.00	
		35	326.22	9.78	0.00	0.00	0.00	0.00	0.00	
		36	336.00	9.78	0.00	0.00	0.00	0.00	0.00	
		37	345.77	9.78	0.00	0.00	0.00	0.00	0.00	
		38	355.55	9.78	0.00	0.00	0.00	0.00	0.00	
		39	365.33	9.78	0.05	0.05	0.00	0.00	0.00	
		40	375.11	9.78	0.14	0.14	0.00	0.00	0.00	
		41	384.88	9.78	0.14	0.14	0.00	0.00	0.00	
		42	394.66	9.78	0.08	0.08	0.00	0.00	0.00	
		43	404.44	9.78	0.08	0.08	0.00	0.00	0.00	
		44	414.22	9.78	0.07	0.07	0.00	0.00	0.00	
		45	424.00	9.78	0.02	0.02	0.00	0.00	0.00	
		46	433.77	9.78	0.02	0.02	0.00	0.00	0.00	
		47	443.55	9.85	0.02	0.02	0.00	0.00	0.00	
		48	453.40	9.85	0.02	0.02	0.00	0.00	0.00	
		49	463.26	9.85	-0.06	-0.06	0.00	0.00	0.00	
		50	473.11	9.85	-0.02	-0.02	0.00	0.00	0.00	
		51	482.96	9.85	0.02	0.02	0.00	0.00	0.00	
		52	492.81	9.85	-0.02	-0.02	0.00	0.00	0.00	
		53	502.67	9.85	-0.09	-0.09	0.00	0.00	0.00	
		54	512.52	9.85	-0.46	-0.46	0.00	0.00	0.00	
		55	522.37	9.85	0.00	0.00	0.00	0.00	0.00	
		56	532.22	9.85	0.00	0.00	0.00	0.00	0.00	
		57	542.08	9.85	0.00	0.00	0.00	0.00	0.00	
		58	551.93	9.85	0.00	0.00	0.00	0.00	0.00	
		59	561.78	9.85	1.46	1.46	0.00	0.00	0.00	
		60	571.63	9.51	1.52	1.52	0.00	0.00	0.00	
		61	581.14	9.51	1.52	1.52	0.00	0.00	0.00	

FONA DATI

		62	590.64	9.51	1.52	1.52	0.00	0.00	0.00	
		63	600.15	9.51	1.52	1.52	0.00	0.00	0.00	
R96_007	P62	1	0.00	9.89	-0.86	-0.86	0.00	0.00	0.00	
		2	9.89	9.89	-1.32	-1.32	0.00	0.00	0.00	
		3	19.77	8.48	-1.99	-1.99	0.00	0.00	0.00	
		4	28.26	8.48	-1.99	-1.99	0.00	0.00	0.00	
		5	36.74	8.48	-1.99	-1.99	0.00	0.00	0.00	Max.
R96_008	P62	1	0.00	6.88	-1.67	-1.67	0.00	0.00	0.00	
		2	6.88	6.88	-1.36	-1.36	0.00	0.00	0.00	
		3	13.76	9.53	-1.71	-1.71	0.00	0.00	0.00	
		4	23.29	9.53	-2.09	-2.09	0.00	0.00	0.00	
		5	32.81	6.55	-2.18	-2.18	0.00	0.00	0.00	Max.
		6	39.37	6.55	-0.26	-0.26	0.00	0.00	0.00	
R96_009	P62	1	0.00	8.57	1.28	1.28	0.00	0.00	0.00	
		2	8.57	6.12	1.15	1.15	0.00	0.00	0.00	
		3	14.69	6.12	0.41	0.41	0.00	0.00	0.00	
		4	20.80	6.30	0.35	0.35	0.00	0.00	0.00	
		5	27.10	6.30	0.37	0.37	0.00	0.00	0.00	
		6	33.40	6.23	0.16	0.16	0.00	0.00	0.00	
		7	39.63	6.23	0.16	0.16	0.00	0.00	0.00	
		8	45.85	8.69	0.00	0.00	0.00	0.00	0.00	
		9	54.54	8.69	0.00	0.00	0.00	0.00	0.00	
		10	63.23	8.69	0.00	0.00	0.00	0.00	0.00	
		11	71.91	8.69	0.00	0.00	0.00	0.00	0.00	
		12	80.60	8.69	0.00	0.00	0.00	0.00	0.00	
		13	89.28	8.69	0.00	0.00	0.00	0.00	0.00	
		14	97.97	8.69	0.00	0.00	0.00	0.00	0.00	
		15	106.65	9.23	0.47	0.47	0.00	0.00	0.00	
		16	115.88	9.23	0.84	0.84	0.00	0.00	0.00	
		17	125.11	9.23	0.84	0.84	0.00	0.00	0.00	
		18	134.34	9.23	0.84	0.84	0.00	0.00	0.00	
		19	143.57	9.23	0.84	0.84	0.00	0.00	0.00	
		20	152.80	9.23	0.84	0.84	0.00	0.00	0.00	
		21	162.03	9.23	0.84	0.84	0.00	0.00	0.00	
		22	171.26	6.97	0.85	0.85	0.00	0.00	0.00	
		23	178.23	6.97	0.85	0.85	0.00	0.00	0.00	
		24	185.20	6.97	0.85	0.85	0.00	0.00	0.00	
		25	192.17	9.77	0.74	0.74	0.00	0.00	0.00	
		26	201.93	9.77	1.08	1.08	0.00	0.00	0.00	
		27	211.70	9.77	1.12	1.12	0.00	0.00	0.00	
		28	221.47	9.77	0.30	0.30	0.00	0.00	0.00	
		29	231.23	9.77	0.00	0.00	0.00	0.00	0.00	
		30	241.00	9.77	0.00	0.00	0.00	0.00	0.00	
		31	250.77	9.77	0.00	0.00	0.00	0.00	0.00	
		32	260.53	9.77	0.00	0.00	0.00	0.00	0.00	
		33	270.30	9.77	0.00	0.00	0.00	0.00	0.00	
		34	280.07	9.77	0.00	0.00	0.00	0.00	0.00	
		35	289.84	9.77	0.00	0.00	0.00	0.00	0.00	
		36	299.60	9.77	0.00	0.00	0.00	0.00	0.00	
		37	309.37	9.77	0.00	0.00	0.00	0.00	0.00	
		38	319.14	9.77	0.00	0.00	0.00	0.00	0.00	
		39	328.90	9.77	0.00	0.00	0.00	0.00	0.00	
		40	338.67	9.77	0.00	0.00	0.00	0.00	0.00	
		41	348.44	9.77	0.00	0.00	0.00	0.00	0.00	
		42	358.20	9.77	0.00	0.00	0.00	0.00	0.00	
		43	367.97	9.77	0.00	0.00	0.00	0.00	0.00	
		44	377.74	9.77	0.00	0.00	0.00	0.00	0.00	
		45	387.50	9.77	0.00	0.00	0.00	0.00	0.00	
		46	397.27	9.77	0.00	0.00	0.00	0.00	0.00	
		47	407.04	9.98	0.00	0.00	0.00	0.00	0.00	
		48	417.02	9.98	0.00	0.00	0.00	0.00	0.00	

FONA DATI

		49	427.00	9.98	0.00	0.00	0.00	0.00	0.00
		50	436.99	9.98	0.00	0.00	0.00	0.00	0.00
		51	446.97	9.98	0.00	0.00	0.00	0.00	0.00
		52	456.95	9.29	0.00	0.00	0.00	0.00	0.00
		53	466.24	9.29	0.00	0.00	0.00	0.00	0.00
		54	475.54	9.29	0.00	0.00	0.00	0.00	0.00
		55	484.83	9.29	0.00	0.00	0.00	0.00	0.00
		56	494.13	9.29	0.00	0.00	0.00	0.00	0.00
		57	503.42	9.29	0.00	0.00	0.00	0.00	0.00
		58	512.72	9.29	0.00	0.00	0.00	0.00	0.00
		59	522.01	9.29	0.00	0.00	0.00	0.00	0.00
		60	531.31	9.43	0.00	0.00	0.00	0.00	0.00
		61	540.74	9.43	0.00	0.00	0.00	0.00	0.00
		62	550.17	9.43	0.00	0.00	0.00	0.00	0.00
		63	559.60	9.43	0.00	0.00	0.00	0.00	0.00
		64	569.03	9.43	0.00	0.00	0.00	0.00	0.00
		65	578.46	9.43	0.00	0.00	0.00	0.00	0.00
		66	587.90	9.43	0.00	0.00	0.00	0.00	0.00
		67	597.33	9.43	0.00	0.00	0.00	0.00	0.00
		68	606.76	9.43	0.00	0.00	0.00	0.00	0.00
		69	616.19	9.43	0.00	0.00	0.00	0.00	0.00
		70	625.62	9.43	0.00	0.00	0.00	0.00	0.00
		71	635.05	9.43	0.00	0.00	0.00	0.00	0.00
		72	644.49	9.43	0.00	0.00	0.00	0.00	0.00
		73	653.92	9.43	0.00	0.00	0.00	0.00	0.00
		74	663.35	9.43	0.00	0.00	0.00	0.00	0.00
		75	672.78	9.43	0.00	0.00	0.00	0.00	0.00
		76	682.21	8.69	0.00	0.00	0.00	0.00	0.00
		77	690.90	9.63	0.00	0.00	0.00	0.00	0.00
		78	700.53	9.63	0.00	0.00	0.00	0.00	0.00
		79	710.16	9.63	0.00	0.00	0.00	0.00	0.00
		80	719.79	9.63	0.99	0.99	0.00	0.00	0.00
		81	729.41	9.63	1.13	1.13	0.00	0.00	0.00
		82	739.04	9.63	1.13	1.13	0.00	0.00	0.00
		83	748.67	9.63	1.13	1.13	0.00	0.00	0.00
		84	758.30	9.63	1.13	1.13	0.00	0.00	0.00
		85	767.93	9.63	1.47	1.47	0.00	0.00	0.00
		86	777.55	9.63	1.55	1.55	0.00	0.00	0.00
		87	787.18	9.63	1.55	1.55	0.00	0.00	0.00
		88	796.81	9.63	0.30	0.30	0.00	0.00	0.00
		89	806.44	9.63	0.00	0.00	0.00	0.00	0.00
		90	816.07	9.63	0.00	0.00	0.00	0.00	0.00
		91	825.69	9.63	0.78	0.78	0.00	0.00	0.00
		92	835.32	9.24	1.15	1.15	0.00	0.00	0.00
		93	844.56	9.24	1.15	1.15	0.00	0.00	0.00
		94	853.79	9.24	1.15	1.15	0.00	0.00	0.00
		95	863.03	9.24	1.13	1.13	0.00	0.00	0.00
		96	872.27	9.24	1.08	1.08	0.00	0.00	0.00
		97	881.50	9.24	1.08	1.08	0.00	0.00	0.00
		98	890.74	9.24	1.08	1.08	0.00	0.00	0.00
		99	899.97	9.24	1.08	1.08	0.00	0.00	0.00
		100	909.21	9.93	1.01	1.01	0.00	0.00	0.00
		101	919.14	9.93	1.30	1.30	0.00	0.00	0.00
		102	929.07	9.93	1.38	1.38	0.00	0.00	0.00
		103	939.01	9.93	0.96	0.96	0.00	0.00	0.00
		104	948.94	9.93	0.13	0.13	0.00	0.00	0.00
		105	958.87	9.93	0.13	0.13	0.00	0.00	0.00
		106	968.80	9.93	-0.24	-0.24	0.00	0.00	0.00
		107	978.73	9.93	-2.58	-2.58	0.00	0.00	0.00
		108	988.66	9.93	-1.03	-1.03	0.00	0.00	0.00
		109	998.60	9.93	0.00	0.00	0.00	0.00	0.00

FONA DATI

		110	1008.53	9.93	0.00	0.00	0.00	0.00	0.00	
		111	1018.46	9.93	0.00	0.00	0.00	0.00	0.00	
		112	1028.39	9.93	0.00	0.00	0.00	0.00	0.00	
		113	1038.32	9.93	0.00	0.00	0.00	0.00	0.00	
		114	1048.25	9.93	0.00	0.00	0.00	0.00	0.00	
		115	1058.18	9.93	0.00	0.00	0.00	0.00	0.00	
		116	1068.11	9.93	0.00	0.00	0.00	0.00	0.00	
		117	1078.04	9.93	0.00	0.00	0.00	0.00	0.00	
		118	1087.98	9.93	0.00	0.00	0.00	0.00	0.00	
		119	1097.91	9.93	0.00	0.00	0.00	0.00	0.00	
		120	1107.84	9.93	0.00	0.00	0.00	0.00	0.00	
		121	1117.77	9.67	2.11	2.11	2.16	2.02	2.41	Max.
		122	1127.44	9.67	2.47	2.47	2.16	2.02	2.41	
		123	1137.10	9.67	2.41	2.41	2.16	2.02	2.41	
		124	1146.77	9.67	1.19	1.19	0.00	0.00	0.00	
		125	1156.44	9.67	1.14	1.14	0.00	0.00	0.00	
		126	1166.11	9.67	1.02	1.02	0.00	0.00	0.00	
		127	1175.78	9.67	4.13	4.13	2.16	2.02	2.41	
		128	1185.44	9.67	3.55	3.55	2.16	2.02	2.41	
		129	1195.11	9.67	3.75	3.75	2.16	2.02	2.41	
		130	1204.78	9.67	4.34	4.34	2.16	2.02	2.41	
		131	1214.45	9.67	4.67	4.67	2.16	2.02	2.41	
		132	1224.12	9.67	1.88	1.88	0.00	0.00	0.00	
		133	1233.78	9.67	5.17	5.17	2.16	2.02	2.41	
		134	1243.45	9.67	3.54	3.54	2.16	2.02	2.41	
		135	1253.12	9.67	0.00	0.00	0.00	0.00	0.00	
		136	1262.79	9.67	0.00	0.00	0.00	0.00	0.00	
		137	1272.46	9.67	0.00	0.00	0.00	0.00	0.00	
		138	1282.12	9.67	0.00	0.00	0.00	0.00	0.00	
		139	1291.79	7.46	0.00	0.00	0.00	0.00	0.00	
		140	1299.25	9.92	0.00	0.00	0.00	0.00	0.00	
		141	1309.18	9.92	0.00	0.00	0.00	0.00	0.00	
		142	1319.10	9.92	-0.16	-0.16	0.00	0.00	0.00	
		143	1329.03	9.92	-0.22	-0.22	0.00	0.00	0.00	
		144	1338.95	9.92	-0.21	-0.21	0.00	0.00	0.00	
		145	1348.88	9.92	-0.13	-0.13	0.00	0.00	0.00	
		146	1358.80	9.92	-0.07	-0.07	0.00	0.00	0.00	
R96_010	P62	1	0.00	7.75	1.20	1.20	0.00	0.00	0.00	Max.
		2	7.75	7.75	0.22	0.22	0.00	0.00	0.00	
		3	15.50	5.60	0.00	0.00	0.00	0.00	0.00	
		4	21.10	5.60	0.00	0.00	0.00	0.00	0.00	
		5	26.69	9.52	0.00	0.00	0.00	0.00	0.00	
R96_011	P62	1	0.00	7.21	0.62	0.62	0.00	0.00	0.00	Max.
		2	7.21	7.21	0.62	0.62	0.00	0.00	0.00	
		3	14.41	6.45	0.31	0.31	0.00	0.00	0.00	
		4	20.86	6.45	0.00	0.00	0.00	0.00	0.00	
		5	27.31	8.09	0.00	0.00	0.00	0.00	0.00	
R96_012	P62	1	0.00	8.83	-0.93	-0.93	0.00	0.00	0.00	
		2	8.83	5.43	-1.02	-1.02	0.00	0.00	0.00	
		3	14.27	5.43	-1.02	-1.02	0.00	0.00	0.00	
		4	19.70	7.19	-1.19	-1.19	0.00	0.00	0.00	
		5	26.89	7.19	-1.19	-1.19	0.00	0.00	0.00	
		6	34.09	5.36	-1.32	-1.32	0.00	0.00	0.00	
		7	39.44	5.36	-1.32	-1.32	0.00	0.00	0.00	
		8	44.80	5.56	-1.37	-1.37	0.00	0.00	0.00	
		9	50.36	5.56	-1.37	-1.37	0.00	0.00	0.00	
		10	55.93	9.75	-1.43	-1.43	0.00	0.00	0.00	Max.
		11	65.68	9.75	-0.83	-0.83	0.00	0.00	0.00	
		12	75.43	9.75	0.46	0.46	0.00	0.00	0.00	
		13	85.18	9.75	0.17	0.17	0.00	0.00	0.00	
		14	94.93	9.75	0.17	0.17	0.00	0.00	0.00	

FONA DATI

		15	104.69	9.75	0.17	0.17	0.00	0.00	0.00	
		16	114.44	9.75	0.17	0.17	0.00	0.00	0.00	
		17	124.19	9.75	0.17	0.17	0.00	0.00	0.00	
		18	133.94	9.75	0.17	0.17	0.00	0.00	0.00	
		19	143.70	9.75	0.17	0.17	0.00	0.00	0.00	
		20	153.45	9.75	0.17	0.17	0.00	0.00	0.00	
		21	163.20	9.75	-0.09	-0.09	0.00	0.00	0.00	
		22	172.95	9.75	-0.15	-0.15	0.00	0.00	0.00	
		23	182.70	9.75	-0.15	-0.15	0.00	0.00	0.00	
		24	192.46	9.75	-0.15	-0.15	0.00	0.00	0.00	
		25	202.21	9.75	-0.19	-0.19	0.00	0.00	0.00	
		26	211.96	9.75	-0.14	-0.14	0.00	0.00	0.00	
		27	221.71	9.75	-0.13	-0.13	0.00	0.00	0.00	
		28	231.46	9.75	-0.16	-0.16	0.00	0.00	0.00	
		29	241.22	9.75	0.31	0.31	0.00	0.00	0.00	
		30	250.97	9.75	-0.49	-0.49	0.00	0.00	0.00	
		31	260.72	9.75	-0.49	-0.49	0.00	0.00	0.00	
		32	270.47	9.75	-0.08	-0.08	0.00	0.00	0.00	
		33	280.23	9.75	0.00	0.00	0.00	0.00	0.00	
		34	289.98	9.75	0.00	0.00	0.00	0.00	0.00	
		35	299.73	9.75	0.00	0.00	0.00	0.00	0.00	
		36	309.48	9.75	0.00	0.00	0.00	0.00	0.00	
		37	319.23	9.94	0.00	0.00	0.00	0.00	0.00	
		38	329.17	9.94	0.00	0.00	0.00	0.00	0.00	
		39	339.11	9.94	0.00	0.00	0.00	0.00	0.00	
		40	349.04	9.94	0.00	0.00	0.00	0.00	0.00	
		41	358.98	9.94	0.00	0.00	0.00	0.00	0.00	
		42	368.92	9.94	0.00	0.00	0.00	0.00	0.00	
R96_013	V741	1	0.00	7.15	-2.26	-2.26	0.00	0.00	0.00	
		2	7.15	7.15	-2.34	-2.34	0.00	0.00	0.00	
		3	14.30	7.73	-2.49	-2.49	0.00	0.00	0.00	
		4	22.02	7.73	-2.49	-2.49	0.00	0.00	0.00	Max.
		5	29.75	7.73	-0.98	-0.98	0.00	0.00	0.00	
R96_014	V741	1	0.00	6.61	-1.20	-1.20	0.00	0.00	0.00	
		2	6.61	6.61	-1.71	-1.71	0.00	0.00	0.00	
		3	13.21	8.54	-2.25	-2.25	0.00	0.00	0.00	
		4	21.75	8.54	-2.43	-2.43	0.00	0.00	0.00	Max.
		5	30.29	8.54	-1.94	-1.94	0.00	0.00	0.00	
R96_015	V741	1	0.00	8.06	1.77	1.77	0.00	0.00	0.00	
		2	8.06	8.06	0.84	0.84	0.00	0.00	0.00	
		3	16.12	8.06	0.00	0.00	0.00	0.00	0.00	
		4	24.17	8.06	0.00	0.00	0.00	0.00	0.00	
		5	32.23	9.43	0.00	0.00	0.00	0.00	0.00	
		6	41.66	9.43	0.00	0.00	0.00	0.00	0.00	
		7	51.09	9.43	0.00	0.00	0.00	0.00	0.00	
		8	60.51	9.43	0.00	0.00	0.00	0.00	0.00	
		9	69.94	9.43	0.00	0.00	0.00	0.00	0.00	
		10	79.37	9.43	0.00	0.00	0.00	0.00	0.00	
		11	88.80	9.43	0.00	0.00	0.00	0.00	0.00	
		12	98.22	9.43	0.00	0.00	0.00	0.00	0.00	
		13	107.65	9.43	0.00	0.00	0.00	0.00	0.00	
		14	117.08	9.43	0.00	0.00	0.00	0.00	0.00	
		15	126.51	9.43	-1.24	-1.24	0.00	0.00	0.00	
		16	135.93	9.43	-1.31	-1.31	0.00	0.00	0.00	
		17	145.36	9.43	-0.28	-0.28	0.00	0.00	0.00	
		18	154.79	9.43	0.17	0.17	0.00	0.00	0.00	
		19	164.22	8.64	-0.16	-0.16	0.00	0.00	0.00	
		20	172.85	8.64	-0.36	-0.36	0.00	0.00	0.00	
		21	181.49	8.64	-1.43	-1.43	0.00	0.00	0.00	
		22	190.13	8.64	-1.66	-1.66	0.00	0.00	0.00	
		23	198.76	8.64	-1.78	-1.78	0.00	0.00	0.00	

FONA DATI

		24	207.40	8.63	-2.34	-2.34	0.00	0.00	0.00	Max.
		25	216.03	8.63	-0.95	-0.95	0.00	0.00	0.00	
		26	224.65	8.63	0.00	0.00	0.00	0.00	0.00	
		27	233.28	8.63	0.00	0.00	0.00	0.00	0.00	
		28	241.91	9.40	0.00	0.00	0.00	0.00	0.00	
		29	251.31	9.40	0.00	0.00	0.00	0.00	0.00	
		30	260.72	9.40	0.00	0.00	0.00	0.00	0.00	
		31	270.12	9.40	0.00	0.00	0.00	0.00	0.00	
		32	279.52	9.40	0.00	0.00	0.00	0.00	0.00	
		33	288.93	9.40	0.00	0.00	0.00	0.00	0.00	
		34	298.33	9.40	0.00	0.00	0.00	0.00	0.00	
		35	307.74	9.40	0.00	0.00	0.00	0.00	0.00	
		36	317.14	9.40	0.00	0.00	0.00	0.00	0.00	
		37	326.54	9.40	0.00	0.00	0.00	0.00	0.00	
		38	335.94	9.40	0.00	0.00	0.00	0.00	0.00	
		39	345.34	9.40	0.00	0.00	0.00	0.00	0.00	
		40	354.74	9.40	0.88	0.88	0.00	0.00	0.00	
		41	364.15	9.63	1.37	1.37	0.00	0.00	0.00	
		42	373.78	9.63	1.37	1.37	0.00	0.00	0.00	
		43	383.41	9.63	1.23	1.23	0.00	0.00	0.00	
		44	393.04	9.63	1.70	1.70	0.00	0.00	0.00	
		45	402.67	9.63	0.67	0.67	0.00	0.00	0.00	
		46	412.30	9.63	0.89	0.89	0.00	0.00	0.00	
R96_016	P58	1	0.00	9.35	0.00	0.00	0.00	0.00	0.00	
		2	9.35	9.35	0.00	0.00	0.00	0.00	0.00	
		3	18.70	9.35	0.00	0.00	0.00	0.00	0.00	
		4	28.04	9.35	0.00	0.00	0.00	0.00	0.00	
		5	37.39	9.35	0.00	0.00	0.00	0.00	0.00	
		6	46.74	9.35	0.00	0.00	0.00	0.00	0.00	
		7	56.09	9.99	0.00	0.00	0.00	0.00	0.00	
		8	66.08	9.99	0.00	0.00	0.00	0.00	0.00	
		9	76.06	9.99	0.00	0.00	0.00	0.00	0.00	
		10	86.05	9.99	-2.66	-2.66	0.00	0.00	0.00	
		11	96.04	9.99	-3.28	-3.28	0.00	0.00	0.00	
		12	106.03	9.99	-1.58	-1.58	0.00	0.00	0.00	
		13	116.02	9.99	-2.50	-2.50	0.00	0.00	0.00	
		14	126.00	9.99	0.00	0.00	0.00	0.00	0.00	
		15	135.99	9.99	0.00	0.00	0.00	0.00	0.00	
		16	145.98	9.99	0.00	0.00	0.00	0.00	0.00	
		17	155.97	9.99	0.00	0.00	0.00	0.00	0.00	
		18	165.96	9.39	0.00	0.00	0.00	0.00	0.00	
		19	175.35	9.39	0.00	0.00	0.00	0.00	0.00	
		20	184.74	9.39	0.00	0.00	0.00	0.00	0.00	
		21	194.13	9.39	0.00	0.00	0.00	0.00	0.00	
		22	203.53	9.39	1.37	1.37	0.00	0.00	0.00	
		23	212.92	9.39	6.31	6.31	0.04	0.04	0.04	Max.
		24	222.31	9.39	2.96	2.96	0.04	0.04	0.04	
		25	231.70	7.98	0.00	0.00	0.00	0.00	0.00	
		26	239.68	7.98	0.00	0.00	0.00	0.00	0.00	
		27	247.66	7.98	0.00	0.00	0.00	0.00	0.00	
		28	255.64	8.59	0.00	0.00	0.00	0.00	0.00	
		29	264.23	8.59	0.00	0.00	0.00	0.00	0.00	
		30	272.81	8.59	0.00	0.00	0.00	0.00	0.00	
		31	281.40	8.59	0.00	0.00	0.00	0.00	0.00	
		32	289.99	8.59	0.00	0.00	0.00	0.00	0.00	
		33	298.57	9.33	0.00	0.00	0.00	0.00	0.00	
		34	307.90	9.33	0.00	0.00	0.00	0.00	0.00	
		35	317.22	9.33	0.00	0.00	0.00	0.00	0.00	
		36	326.55	9.33	0.00	0.00	0.00	0.00	0.00	
		37	335.87	9.33	0.00	0.00	0.00	0.00	0.00	
		38	345.20	9.33	0.00	0.00	0.00	0.00	0.00	

FONA DATI

		39	354.52	9.33	0.00	0.00	0.00	0.00	0.00	
		40	363.85	9.33	0.00	0.00	0.00	0.00	0.00	
		41	373.17	9.73	0.00	0.00	0.00	0.00	0.00	
		42	382.90	9.73	0.00	0.00	0.00	0.00	0.00	
		43	392.63	9.73	0.00	0.00	0.00	0.00	0.00	
		44	402.36	9.73	0.00	0.00	0.00	0.00	0.00	
		45	412.09	9.73	0.00	0.00	0.00	0.00	0.00	
		46	421.82	9.73	0.00	0.00	0.00	0.00	0.00	
		47	431.55	9.73	0.00	0.00	0.00	0.00	0.00	
		48	441.28	9.73	0.00	0.00	0.00	0.00	0.00	
		49	451.01	9.73	-0.24	-0.24	0.00	0.00	0.00	
		50	460.74	9.73	-0.52	-0.52	0.00	0.00	0.00	
		51	470.47	8.34	-0.52	-0.52	0.00	0.00	0.00	
		52	478.80	8.34	-0.52	-0.52	0.00	0.00	0.00	
		53	487.14	8.34	-0.52	-0.52	0.00	0.00	0.00	
		54	495.48	8.34	-0.52	-0.52	0.00	0.00	0.00	
		55	503.81	8.34	0.18	0.18	0.00	0.00	0.00	
		56	512.15	8.34	0.44	0.44	0.00	0.00	0.00	
		57	520.49	9.02	0.41	0.41	0.00	0.00	0.00	
		58	529.51	9.02	0.73	0.73	0.00	0.00	0.00	
		59	538.53	9.02	0.75	0.75	0.00	0.00	0.00	
		60	547.56	9.02	0.49	0.49	0.00	0.00	0.00	
		61	556.58	6.38	0.27	0.27	0.00	0.00	0.00	
		62	562.96	6.38	0.22	0.22	0.00	0.00	0.00	
		63	569.34	9.62	0.05	0.05	0.00	0.00	0.00	
		64	578.96	9.62	-0.30	-0.30	0.00	0.00	0.00	
		65	588.58	9.62	-0.35	-0.35	0.00	0.00	0.00	
		66	598.20	9.62	-0.04	-0.04	0.00	0.00	0.00	
		67	607.83	9.62	0.26	0.26	0.00	0.00	0.00	
		68	617.45	9.62	0.26	0.26	0.00	0.00	0.00	
		69	627.07	9.62	-0.27	-0.27	0.00	0.00	0.00	
		70	636.69	9.62	-0.12	-0.12	0.00	0.00	0.00	
		71	646.32	9.62	0.00	0.00	0.00	0.00	0.00	
		72	655.94	9.62	-0.03	-0.03	0.00	0.00	0.00	
		73	665.56	9.02	-0.29	-0.29	0.00	0.00	0.00	
		74	674.58	9.02	0.11	0.11	0.00	0.00	0.00	
		75	683.61	9.02	0.45	0.45	0.00	0.00	0.00	
		76	692.63	9.02	0.45	0.45	0.00	0.00	0.00	
		77	701.65	9.02	0.33	0.33	0.00	0.00	0.00	
		78	710.67	9.02	0.21	0.21	0.00	0.00	0.00	
		79	719.69	9.02	0.09	0.09	0.00	0.00	0.00	
		80	728.72	9.61	-0.05	-0.05	0.00	0.00	0.00	
		81	738.32	9.61	0.04	0.04	0.00	0.00	0.00	
		82	747.93	9.61	0.41	0.41	0.00	0.00	0.00	
		83	757.54	9.61	0.95	0.95	0.00	0.00	0.00	
		84	767.15	9.61	1.29	1.29	0.00	0.00	0.00	
		85	776.76	9.61	1.29	1.29	0.00	0.00	0.00	
		86	786.36	9.61	1.29	1.29	0.00	0.00	0.00	
		87	795.97	9.61	1.29	1.29	0.00	0.00	0.00	
		88	805.58	9.61	1.19	1.19	0.00	0.00	0.00	
		89	815.19	9.61	0.65	0.65	0.00	0.00	0.00	
		90	824.79	9.61	0.71	0.71	0.00	0.00	0.00	
		91	834.40	9.61	0.11	0.11	0.00	0.00	0.00	
		92	844.01	8.48	0.00	0.00	0.00	0.00	0.00	
		93	852.49	8.48	0.00	0.00	0.00	0.00	0.00	
		94	860.97	8.48	0.00	0.00	0.00	0.00	0.00	
		95	869.44	8.48	-1.54	-1.54	0.00	0.00	0.00	
		96	877.92	9.79	-1.35	-1.35	0.00	0.00	0.00	
		97	887.71	9.79	-1.40	-1.40	0.00	0.00	0.00	
		98	897.50	9.79	-1.73	-1.73	0.00	0.00	0.00	
		99	907.29	9.79	-1.45	-1.45	0.00	0.00	0.00	

FONA DATI

		100	917.08	9.79	0.59	0.59	0.00	0.00	0.00	
		101	926.87	9.79	0.82	0.82	0.00	0.00	0.00	
		102	936.66	9.79	0.91	0.91	0.00	0.00	0.00	
		103	946.45	9.79	0.19	0.19	0.00	0.00	0.00	
		104	956.23	8.98	-1.92	-1.92	0.00	0.00	0.00	
		105	965.21	8.98	-1.81	-1.81	0.00	0.00	0.00	
		106	974.19	8.98	-1.41	-1.41	0.00	0.00	0.00	
		107	983.17	8.98	-0.49	-0.49	0.00	0.00	0.00	
		108	992.15	8.98	-0.14	-0.14	0.00	0.00	0.00	
		109	1001.13	9.70	-2.22	-2.22	0.00	0.00	0.00	
		110	1010.84	9.70	-3.23	-3.23	0.00	0.00	0.00	
		111	1020.54	9.70	-1.91	-1.91	0.00	0.00	0.00	
		112	1030.24	9.70	-3.12	-3.12	0.00	0.00	0.00	
		113	1039.94	9.70	-4.07	-4.07	0.00	0.00	0.00	
		114	1049.64	9.70	-3.19	-3.19	0.00	0.00	0.00	
		115	1059.34	9.70	0.79	0.79	0.00	0.00	0.00	
		116	1069.05	9.70	3.75	3.75	0.04	0.04	0.04	
		117	1078.75	9.70	4.87	4.87	0.04	0.04	0.04	
		118	1088.45	9.70	4.25	4.25	0.04	0.04	0.04	
		119	1098.15	6.95	4.43	4.43	0.04	0.04	0.04	
		120	1105.10	6.95	5.12	5.12	0.04	0.04	0.04	
		121	1112.06	9.03	4.08	4.08	0.04	0.04	0.04	
		122	1121.09	9.03	1.83	1.83	0.00	0.00	0.00	
		123	1130.12	9.03	1.27	1.27	0.00	0.00	0.00	
		124	1139.14	9.03	0.74	0.74	0.00	0.00	0.00	
		125	1148.17	9.03	2.08	2.08	0.04	0.04	0.04	
		126	1157.20	9.03	0.74	0.74	0.00	0.00	0.00	
		127	1166.23	9.03	0.33	0.33	0.00	0.00	0.00	
		128	1175.26	9.03	-0.23	-0.23	0.00	0.00	0.00	
		129	1184.28	9.03	-0.09	-0.09	0.00	0.00	0.00	
R96_017	V752	1	0.00	4.84	0.03	0.03	0.00	0.00	0.00	
		2	4.84	9.68	0.03	0.03	0.00	0.00	0.00	
		3	14.52	9.68	-0.05	-0.05	0.00	0.00	0.00	
		4	24.20	9.68	-0.24	-0.24	0.00	0.00	0.00	
		5	33.87	9.68	0.23	0.23	0.00	0.00	0.00	
		6	43.55	9.68	-0.07	-0.07	0.00	0.00	0.00	
		7	53.23	9.68	-0.19	-0.19	0.00	0.00	0.00	
		8	62.91	9.68	-0.34	-0.34	0.00	0.00	0.00	
		9	72.59	9.68	0.97	0.97	0.00	0.00	0.00	
		10	82.27	9.68	1.51	1.51	0.00	0.00	0.00	
		11	91.95	9.81	1.41	1.41	0.00	0.00	0.00	
		12	101.76	9.81	1.40	1.40	0.00	0.00	0.00	
		13	111.56	9.81	1.41	1.41	0.00	0.00	0.00	
		14	121.37	9.81	1.30	1.30	0.00	0.00	0.00	
		15	131.18	9.81	0.97	0.97	0.00	0.00	0.00	
		16	140.99	9.81	0.95	0.95	0.00	0.00	0.00	
		17	150.80	9.81	2.00	2.00	0.00	0.00	0.00	
		18	160.61	9.81	1.48	1.48	0.00	0.00	0.00	
		19	170.42	9.81	1.44	1.44	0.00	0.00	0.00	
		20	180.23	9.81	1.44	1.44	0.00	0.00	0.00	
		21	190.03	9.81	1.32	1.32	0.00	0.00	0.00	
		22	199.84	9.81	3.03	3.03	2.40	2.27	2.62	Max.
		23	209.65	9.81	2.32	2.32	2.40	2.27	2.62	
		24	219.46	9.81	1.94	1.94	0.00	0.00	0.00	
		25	229.27	9.81	2.67	2.67	2.40	2.27	2.62	
		26	239.08	9.81	1.15	1.15	0.00	0.00	0.00	
		27	248.89	9.81	0.89	0.89	0.00	0.00	0.00	
		28	258.70	9.81	2.31	2.31	2.40	2.27	2.62	
		29	268.50	9.81	2.59	2.59	2.40	2.27	2.62	
		30	278.31	9.81	3.56	3.56	2.40	2.27	2.62	
		31	288.12	9.81	1.44	1.44	0.00	0.00	0.00	

FONA DATI

		32	297.93	9.81	1.32	1.32	0.00	0.00	0.00	
R96_018	V752	1	0.00	4.95	-0.36	-0.36	0.00	0.00	0.00	
		2	4.95	9.98	0.37	0.37	0.00	0.00	0.00	
		3	14.94	9.98	0.88	0.88	0.00	0.00	0.00	
		4	24.92	9.98	0.88	0.88	0.00	0.00	0.00	
		5	34.91	9.98	0.88	0.88	0.00	0.00	0.00	Max.
		6	44.89	9.98	0.88	0.88	0.00	0.00	0.00	
		7	54.87	9.98	0.88	0.88	0.00	0.00	0.00	
		8	64.86	9.98	0.88	0.88	0.00	0.00	0.00	
		9	74.84	9.98	0.88	0.88	0.00	0.00	0.00	
		10	84.83	9.98	0.88	0.88	0.00	0.00	0.00	
		11	94.81	9.98	0.88	0.88	0.00	0.00	0.00	
		12	104.79	9.98	0.11	0.11	0.00	0.00	0.00	
		13	114.78	9.98	0.00	0.00	0.00	0.00	0.00	
		14	124.76	9.98	0.00	0.00	0.00	0.00	0.00	
		15	134.75	9.98	0.00	0.00	0.00	0.00	0.00	
		16	144.73	9.98	0.00	0.00	0.00	0.00	0.00	
		17	154.71	9.98	0.00	0.00	0.00	0.00	0.00	
		18	164.70	8.73	0.00	0.00	0.00	0.00	0.00	
		19	173.43	8.73	0.00	0.00	0.00	0.00	0.00	
		20	182.16	8.73	0.00	0.00	0.00	0.00	0.00	
		21	190.88	8.73	0.00	0.00	0.00	0.00	0.00	
		22	199.61	9.98	0.00	0.00	0.00	0.00	0.00	
		23	209.59	9.98	0.00	0.00	0.00	0.00	0.00	
		24	219.57	9.98	0.00	0.00	0.00	0.00	0.00	
		25	229.55	9.98	0.00	0.00	0.00	0.00	0.00	
		26	239.53	9.98	0.41	0.41	0.00	0.00	0.00	
		27	249.51	9.98	0.80	0.80	0.00	0.00	0.00	
		28	259.49	9.98	0.30	0.30	0.00	0.00	0.00	
		29	269.47	9.98	0.10	0.10	0.00	0.00	0.00	
		30	279.45	9.98	0.10	0.10	0.00	0.00	0.00	
		31	289.43	9.98	0.10	0.10	0.00	0.00	0.00	
		32	299.41	9.98	0.10	0.10	0.00	0.00	0.00	
		33	309.39	9.98	0.10	0.10	0.00	0.00	0.00	
		34	319.37	9.98	0.10	0.10	0.00	0.00	0.00	
		35	329.35	9.98	0.10	0.10	0.00	0.00	0.00	
		36	339.32	9.98	0.22	0.22	0.00	0.00	0.00	
		37	349.30	9.98	0.31	0.31	0.00	0.00	0.00	
		38	359.28	9.98	0.50	0.50	0.00	0.00	0.00	
		39	369.26	9.68	0.13	0.13	0.00	0.00	0.00	
		40	378.94	4.84	0.03	0.03	0.00	0.00	0.00	
R96_020	Rietumu iela*	1	0.00	53.37	-0.68	-0.68	0.00	0.00	0.00	
		2	53.37	55.56	-1.42	-1.42	0.00	0.00	0.00	
		3	108.93	35.57	-0.49	-0.49	0.00	0.00	0.00	
		4	144.50	40.42	0.00	0.00	0.00	0.00	0.00	
		5	184.92	37.51	0.00	0.00	0.00	0.00	0.00	
		6	222.43	25.77	0.00	0.00	0.00	0.00	0.00	
		7	248.20	23.40	0.00	0.00	0.00	0.00	0.00	
		8	271.60	24.58	0.00	0.00	0.00	0.00	0.00	
		9	296.18	25.69	0.00	0.00	0.00	0.00	0.00	
		10	321.87	33.57	0.00	0.00	0.00	0.00	0.00	
		11	355.44	32.37	3.09	3.09	2.55	2.42	2.74	Max.
		12	387.81	20.44	-3.18	-3.18	0.00	0.00	0.00	
		13	408.25	13.44	-2.61	-2.61	0.00	0.00	0.00	
		14	421.69	7.02	0.00	0.00	0.00	0.00	0.00	
		15	428.72	8.82	0.00	0.00	0.00	0.00	0.00	
		16	437.54	12.91	0.00	0.00	0.00	0.00	0.00	
		17	450.45	18.43	-2.12	-2.12	0.00	0.00	0.00	
		18	468.88	13.78	2.29	2.29	2.55	2.42	2.74	
		19	482.66	12.70	-2.66	-2.66	0.00	0.00	0.00	
		20	495.36	16.20	-3.07	-3.07	0.00	0.00	0.00	

FONA DATI

		21	511.55	13.22	-0.69	-0.69	0.00	0.00	0.00	
		22	524.77	9.72	0.00	0.00	0.00	0.00	0.00	
		23	534.49	12.95	0.00	0.00	0.00	0.00	0.00	
		24	547.44	3.37	0.00	0.00	0.00	0.00	0.00	
		25	550.81	3.98	0.00	0.00	0.00	0.00	0.00	
		26	554.79	3.90	0.00	0.00	0.00	0.00	0.00	
		27	558.70	3.61	9.17	9.17	2.55	2.42	2.74	
		28	562.31	3.30	12.29	12.29	2.55	2.42	2.74	
		29	565.61	3.62	-1.20	-1.20	0.00	0.00	0.00	
		30	569.23	3.74	-17.44	-17.44	0.00	0.00	0.00	
		31	572.98	3.24	-1.27	-1.27	0.00	0.00	0.00	
		32	576.22	4.49	0.00	0.00	0.00	0.00	0.00	
		33	580.71	4.55	0.00	0.00	0.00	0.00	0.00	
		34	585.26	4.75	0.00	0.00	0.00	0.00	0.00	
		35	590.01	4.99	0.00	0.00	0.00	0.00	0.00	
		36	595.00	9.63	0.00	0.00	0.00	0.00	0.00	
		37	604.63	6.94	0.00	0.00	0.00	0.00	0.00	
		38	611.57	12.85	-1.50	-1.50	0.00	0.00	0.00	
		39	624.42	17.24	-4.43	-4.43	0.00	0.00	0.00	
		40	641.66	24.43	-0.18	-0.18	0.00	0.00	0.00	
		41	666.09	11.34	0.00	0.00	0.00	0.00	0.00	
		42	677.42	14.22	0.00	0.00	0.00	0.00	0.00	
		43	691.64	22.47	0.00	0.00	0.00	0.00	0.00	
		44	714.11	27.77	0.00	0.00	0.00	0.00	0.00	
		45	741.88	46.33	0.00	0.00	0.00	0.00	0.00	
		46	788.21	182.94	-0.30	-0.30	0.00	0.00	0.00	
		47	971.15	81.45	-0.30	-0.30	0.00	0.00	0.00	
		48	1052.60	17.21	-0.33	-0.33	0.00	0.00	0.00	
R96_019	Rietumu iela	1	0.00	87.09	-0.17	-0.17	0.00	0.00	0.00	
		2	87.09	43.31	0.00	0.00	0.00	0.00	0.00	
		3	130.40	31.06	0.00	0.00	0.00	0.00	0.00	
		4	161.46	19.15	0.00	0.00	0.00	0.00	0.00	
		5	180.61	22.68	0.00	0.00	0.00	0.00	0.00	
		6	203.29	28.01	0.00	0.00	0.00	0.00	0.00	
		7	231.30	35.47	0.00	0.00	0.00	0.00	0.00	
		8	266.77	32.01	0.00	0.00	0.00	0.00	0.00	
		9	298.78	122.00	0.00	0.00	0.00	0.00	0.00	
		10	420.78	85.11	0.00	0.00	0.00	0.00	0.00	
		11	505.89	48.74	0.00	0.00	0.00	0.00	0.00	
		12	554.63	40.78	0.00	0.00	0.00	0.00	0.00	
		13	595.41	55.57	0.00	0.00	0.00	0.00	0.00	
		14	650.98	44.06	0.00	0.00	0.00	0.00	0.00	
		15	695.04	74.31	0.00	0.00	0.00	0.00	0.00	
		16	769.35	58.60	0.00	0.00	0.00	0.00	0.00	
		17	827.95	43.71	0.00	0.00	0.00	0.00	0.00	
		18	871.66	77.88	-1.12	-1.12	0.00	0.00	0.00	
		19	949.54	39.96	-0.31	-0.31	0.00	0.00	0.00	
		20	989.50	81.20	0.00	0.00	0.00	0.00	0.00	
		21	1070.70	34.76	0.00	0.00	0.00	0.00	0.00	
		22	1105.46	58.54	0.87	0.87	0.00	0.00	0.00	
		23	1164.00	86.17	-0.59	-0.59	0.00	0.00	0.00	
		24	1250.17	46.79	-0.00	-0.00	0.00	0.00	0.00	
		25	1296.96	46.92	0.00	0.00	0.00	0.00	0.00	
		26	1343.87	22.65	0.00	0.00	0.00	0.00	0.00	
		27	1366.53	24.25	0.00	0.00	0.00	0.00	0.00	
		28	1390.78	24.00	0.00	0.00	0.00	0.00	0.00	
		29	1414.78	19.11	0.00	0.00	0.00	0.00	0.00	
		30	1433.90	77.79	0.00	0.00	0.00	0.00	0.00	
		31	1511.69	43.79	0.00	0.00	0.00	0.00	0.00	
		32	1555.48	70.07	0.99	0.99	0.00	0.00	0.00	
		33	1625.56	25.82	1.19	1.19	0.00	0.00	0.00	Max.

