

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

Point source /CNOSSO (72)													Variant 0		
EQCN001	Label		O2				Action radius/m				3000.00				
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE										
Night (8h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE											
Evening (4h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
Evening (4h)			4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
Night (8h)			8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m
							Geometry:		655899.72		249092.09		283.27		179.00
EQCN002	Label		O3				Action radius/m				3000.00				
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE										
Night (8h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE											
Evening (4h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
Evening (4h)			4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
Night (8h)			8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m
							Geometry:		656055.72		248760.81		283.00		179.00
EQCN003	Label		O5				Action radius/m				3000.00				
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE										
Night (8h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE											
Evening (4h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
Evening (4h)			4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
Night (8h)			8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
Geometry							Nr		x/m		y/m		z(abs) /m		! z(rel) /m

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

				Geometry:		656292.16		247880.94		283.00		179.00															
EQCN004		Label		O4		Action radius/m						3000.00															
		Group		4.6 m/s		Lw (Day (12h)) /dB(A)						96.22															
		Number of nodes		1		Lw (Night (8h)) /dB(A)						96.22															
		Length/ m		---		Lw (Evening (4h)) /dB(A)						96.22															
		Length/ m (2D)		---		Emission is						Sound power level (Lw)															
		Area /m²		---																							
		Emiss. variant		Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz			
		Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE																					
		Day (12h)		Lw /dB (A)		96.2		53.2		64.5		69.6		78.2		83.8		85.0		85.8		85.3		77.4		61.9	
								57.8		66.4		73.9		80.8		84.3		84.8		85.8		83.9		73.1		54.2	
								61.1		67.6		76.6		82.8		85.1		85.1		86.0		80.7		69.0		44.8	
		Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE																					
		Night (8h)		Lw /dB (A)		96.2		53.2		64.5		69.6		78.2		83.8		85.0		85.8		85.3		77.4		61.9	
								57.8		66.4		73.9		80.8		84.3		84.8		85.8		83.9		73.1		54.2	
								61.1		67.6		76.6		82.8		85.1		85.1		86.0		80.7		69.0		44.8	
		Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE																					
		Evening (4h)		Lw /dB (A)		96.2		53.2		64.5		69.6		78.2		83.8		85.0		85.8		85.3		77.4		61.9	
								57.8		66.4		73.9		80.8		84.3		84.8		85.8		83.9		73.1		54.2	
								61.1		67.6		76.6		82.8		85.1		85.1		86.0		80.7		69.0		44.8	
		Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB						Special correction /dB											
		Lden		-		0.0		0.0		0.0						-		0.0									
		Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)											
		Day (12h)		12.00		Day		96.2		1.00		1.87730		-8.06		-8.1											
		Evening (4h)		4.00		Evening		96.2		1.00		0.42470		-9.74		-9.7											
		Night (8h)		8.00		Night		96.2		1.00		0.81000		-9.95		-9.9											
		Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m													
						Geometry:		655674.43		248309.07		282.00		179.00													
EQCN005		Label		DD1		Action radius/m								3000.00													
		Group		4.6 m/s		Lw (Day (12h)) /dB(A)								96.22													
		Number of nodes		1		Lw (Night (8h)) /dB(A)								96.22													
		Length/ m		---		Lw (Evening (4h)) /dB(A)								96.22													
		Length/ m (2D)		---		Emission is								Sound power level (Lw)													
		Area /m²		---																							
		Emiss. variant		Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz			
		Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE																					
		Day (12h)		Lw /dB (A)		96.2		53.2		64.5		69.6		78.2		83.8		85.0		85.8		85.3		77.4		61.9	
								57.8		66.4		73.9		80.8		84.3		84.8		85.8		83.9		73.1		54.2	
								61.1		67.6		76.6		82.8		85.1		85.1		86.0		80.7		69.0		44.8	
		Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE																					
		Night (8h)		Lw /dB (A)		96.2		53.2		64.5		69.6		78.2		83.8		85.0		85.8		85.3		77.4		61.9	
								57.8		66.4		73.9		80.8		84.3		84.8		85.8		83.9		73.1		54.2	
								61.1		67.6		76.6		82.8		85.1		85.1		86.0		80.7		69.0		44.8	
		Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE																					
		Evening (4h)		Lw /dB (A)		96.2		53.2		64.5		69.6		78.2		83.8		85.0		85.8		85.3		77.4		61.9	
								57.8		66.4		73.9		80.8		84.3		84.8		85.8		83.9		73.1		54.2	
								61.1		67.6		76.6		82.8		85.1		85.1		86.0		80.7		69.0		44.8	
		Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB						Special correction /dB											
		Lden		-		0.0		0.0		0.0						-		0.0									
		Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)											
		Day (12h)		12.00		Day		96.2		1.00		1.87730		-8.06		-8.1											
		Evening (4h)		4.00		Evening		96.2		1.00		0.42470		-9.74		-9.7											
		Night (8h)		8.00		Night		96.2		1.00		0.81000		-9.95		-9.9											
		Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m													
						Geometry:		656226.07		248421.71		282.00		179.00													
EQCN006		Label		DD3		Action radius/m								3000.00													
		Group		4.6 m/s		Lw (Day (12h)) /dB(A)								96.22													
		Number of nodes		1		Lw (Night (8h)) /dB(A)								96.22													
		Length/ m		---		Lw (Evening (4h)) /dB(A)								96.22													
		Length/ m (2D)		---		Emission is								Sound power level (Lw)													
		Area /m²		---																							
		Emiss. variant		Sum		16 Hz		31.5 Hz		63 Hz		125 Hz		250 Hz		500 Hz		1000 Hz		2000 Hz		4000 Hz		8000 Hz			
		Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE																					
		Day (12h)		Lw /dB (A)		96.2		53.2		64.5		69.6		78.2		83.8		85.0		85.8		85.3		77.4		61.9	
								57.8		66.4		73.9		80.8		84.3		84.8		85.8		83.9		73.1		54.2	
								61.1		67.6		76.6		82.8		85.1		85.1		86.0		80.7		69.0		44.8	
		Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE																					
		Night (8h)		Lw /dB (A)		96.2		53.2		64.5		69.6		78.2		83.8		85.0		85.8		85.3		77.4		61.9	
								57.8		66.4		73.9		80.8		84.3		84.8		85.8		83.9		73.1		54.2	
								61.1		67.6		76.6		82.8		85.1		85.1		86.0		80.7		69.0		44.8	
		Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE																					
		Evening (4h)		Lw /dB (A)		96.2		53.2		64.5		69.6		78.2		83.8		85.0		85.8		85.3		77.4		61.9	
								57.8		66.4		73.9		80.8		84.3		84.8		85.8		83.9		73.1		54.2	
								61.1		67.6		76.6		82.8		85.1		85.1		86.0		80.7		69.0		44.8	
		Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB						Special correction /dB											
		Lden		-		0.0		0.0		0.0						-		0.0									
		Rating period / Period		Duration /h		Emiss. variant		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)											
		Day (12h)		12.00		Day		96.2		1.00		1.87730		-8.06		-8.1											
		Evening (4h)		4.00		Evening		96.2		1.00		0.42470		-9.74		-9.7											
		Night (8h)		8.00		Night		96.2		1.00		0.81000		-9.95		-9.9											
		Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m													
						Geometry:		656792.54		248209.39		283.20		179.00													
EQCN007		Label		O1 b		Action radius/m								3000.00													

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22			
Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22			
Length/ m		----				Lw (Evening (4h)) /dB(A)				96.22			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		655628.52		247870.27		282.00	
EQCN008		Label		JV1		Action radius/m				3000.00			
Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22			
Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22			
Length/ m		----				Lw (Evening (4h)) /dB(A)				96.22			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		656086.43		247254.47		283.00	
EQCN009		Label		Pr12		Action radius/m				3000.00			
Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22			
Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22			
Length/ m		----				Lw (Evening (4h)) /dB(A)				96.22			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		659850.41		255599.51		285.00	
EQCN010		Label		O6		Action radius/m				3000.00			
Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22			
Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22			

	Length/ m		---			Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---			Emission is				Sound power level (Lw)				
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
	Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
	Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659724.06		256257.39		282.09		179.00	
EQCN011	Label		Pr11				Action radius/m						3000.00	
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)						96.22	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						96.22	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						96.22	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission	Reference: Nordex N175 4.6 m/s STE										
Night (8h)		Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)		Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)		Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
	Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
	Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		660296.51		255945.28		283.00		179.00	
EQCN012	Label		AP2				Action radius/m						3000.00</	

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661549.21		255141.18		286.00		179.00	
EQCN014		Label		JU1		Action radius/m						3000.00	
		Group		4.6 m/s		Lw (Day (12h)) /dB(A)						96.22	
		Number of nodes		1		Lw (Night (8h)) /dB(A)						96.22	
		Length/ m		---		Lw (Evening (4h)) /dB(A)						96.22	
		Length/ m (2D)		---		Emission is						Sound power level (Lw)	
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661068.17		255365.14		285.00		179.00	
EQCN015		Label		Pr25		Action radius/m						3000.00	
		Group		4.6 m/s		Lw (Day (12h)) /dB(A)						96.22	
		Number of nodes		1		Lw (Night (8h)) /dB(A)						96.22	
		Length/ m		---		Lw (Evening (4h)) /dB(A)						96.22	
		Length/ m (2D)		---		Emission is						Sound power level (Lw)	
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		662047.55		256166.20		287.00		179.00	
EQCN016		Label		PrRR3		Action radius/m						3000.00	
		Group		4.6 m/s		Lw (Day (12h)) /dB(A)						96.22	
		Number of nodes		1		Lw (Night (8h)) /dB(A)						96.22	
		Length/ m		---		Lw (Evening (4h)) /dB(A)						96.22	
		Length/ m (2D)		---		Emission is						Sound power level (Lw)	
		Area /m²		---									
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

	Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE												
	Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 84.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8		
	Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE												
	Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 84.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8		
	Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE												
	Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 84.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8		
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0	0.0		0.0				0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	96.2	1.00		1.87730				-8.1			
	Evening (4h)		4.00	Evening	96.2	1.00		0.42470				-9.7			
	Night (8h)		8.00	Night	96.2	1.00		0.81000				-9.95			
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		662676.13		256121.38		288.00		179.00		
EQCN017	Label		P19.2b		Action radius/m								3000.00		
	Group		4.6 m/s		Lw (Day (12h)) /dB(A)								96.22		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								96.22		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								96.22		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 84.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Night (8h)		Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)		Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 84.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8		
Evening (4h)		Emission	Reference: Nordex N175 4.6 m/s STE												
Evening (4h)		Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 84.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8		
	Rating method		Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0	0.0		0.0				0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	96.2	1.00		1.87730				-8.1			
	Evening (4h)		4.00	Evening	96.2	1.00		0.42470				-9.7			
	Night (8h)		8.00	Night	96.2	1.00		0.81000				-9.95			
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		656671.82		247343.93		284.00		179.00		
EQCN018	Label		Pr3b		Action radius/m								3000.00		
	Group		4.6 m/s		Lw (Day (12h)) /dB(A)								96.22		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								96.22		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								96.22		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

				62.0 65.3	70.6 71.8	78.1 80.8	85.0 87.0	88.5 89.3	89.0 89.3	90.0 90.2	88.1 84.9	77.3 73.2	58.4 49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.4	1.00		2.16860		-7.43		-7.4	
	Evening (4h)		4.00	Evening	100.4	1.00		0.59670		-8.26		-8.3	
	Night (8h)		8.00	Night	100.4	1.00		1.10000		-8.62		-8.6	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		655899.72		249092.09		283.27		179.00		
EQCN092	Label		O3*		Action radius/m		3000.00						
	Group		6.2 m/s		Lw (Day (12h)) /dB(A)		100.42						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.42						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.42						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 6.2 m/s STE									
	Day (12h)		Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2
	Night (8h)		Emission	Reference: Nordex N175 6.2 m/s STE									
	Night (8h)		Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2
	Evening (4h)		Emission	Reference: Nordex N175 6.2 m/s STE									
	Evening (4h)		Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.4	1.00		2.16860		-7.43		-7.4	
	Evening (4h)		4.00	Evening	100.4	1.00		0.59670		-8.26		-8.3	
	Night (8h)		8.00	Night	100.4	1.00		1.10000		-8.62		-8.6	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		656055.72		248760.81		283.00		179.00		
EQCN093	Label		O5*		Action radius/m		3000.00						
	Group		6.2 m/s		Lw (Day (12h)) /dB(A)		100.42						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.42						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.42						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 6.2 m/s STE									
	Day (12h)		Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2
	Night (8h)		Emission	Reference: Nordex N175 6.2 m/s STE									
	Night (8h)		Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2
	Evening (4h)		Emission	Reference: Nordex N175 6.2 m/s STE									
	Evening (4h)		Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.4	1.00		2.16860		-7.43		-7.4	
	Evening (4h)		4.00	Evening	100.4	1.00		0.59670		-8.26		-8.3	
	Night (8h)		8.00	Night	100.4	1.00		1.10000		-8.62		-8.6	
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		656292.16		247880.94		283.00		179.00		
EQCN094	Label		O4*		Action radius/m		3000.00						
	Group		6.2 m/s		Lw (Day (12h)) /dB(A)		100.42						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.42						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.42						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Nordex N175 6.2 m/s STE									
	Day (12h)		Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.4		1.00		2.16860		-7.43		-7.4
	Evening (4h)		4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3
	Night (8h)		8.00	Night	100.4		1.00		1.10000		-8.62		-8.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		655674.43		248309.07		282.00		179.00
EQCN095	Label		DD1*		Action radius/m								3000.00
	Group		6.2 m/s		Lw (Day (12h)) /dB(A)								100.42
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.42
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.42
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.4		1.00		2.16860		-7.43		-7.4
	Evening (4h)		4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3
	Night (8h)		8.00	Night	100.4		1.00		1.10000		-8.62		-8.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656226.07		248421.71		282.00		179.00
EQCN096	Label		DD3*		Action radius/m								3000.00
	Group		6.2 m/s		Lw (Day (12h)) /dB(A)								100.42
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.42
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.42
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.4		1.00		2.16860		-7.43		-7.4
	Evening (4h)		4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3
	Night (8h)		8.00	Night	100.4		1.00		1.10000		-8.62		-8.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656792.54		248209.39		283.20		179.00
EQCN097	Label		O1.b*		Action radius/m								3000.00
	Group		6.2 m/s		Lw (Day (12h)) /dB(A)								100.42
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.42
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.42
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

				62.0 65.3	70.6 71.8	78.1 80.8	85.0 87.0	88.5 89.3	89.0 89.3	90.0 90.2	88.1 84.9	77.3 73.2	58.4 49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		655628.52		247870.27		282.00		179.00	
EQCN098	Label	JV1*		Action radius/m								3000.00	
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)								100.42	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								100.42	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								100.42	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656086.43		247254.47		283.00		179.00	
EQCN099	Label	Pr12*		Action radius/m								3000.00	
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)								100.42	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								100.42	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								100.42	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		659850.41		255599.51		285.00		179.00	
EQCN100	Label	O6*		Action radius/m								3000.00	
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)								100.42	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								100.42	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								100.42	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry			 Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		659724.06		256257.39		282.09		179.00	
EQCN101	Label	Pr11*		Action radius/m								3000.00	
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)								100.42	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								100.42	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								100.42	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry			 Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		660296.51		255945.28		283.00		179.00	
EQCN102	Label	AP2*		Action radius/m								3000.00	
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)								100.42	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								100.42	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								100.42	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry			 Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661860.19		254894.20		286.00		179.00	
EQCN103	Label	AP6.1*		Action radius/m								3000.00	
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)								100.42	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								100.42	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								100.42	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

				62.0 65.3	70.6 71.8	78.1 80.8	85.0 87.0	88.5 89.3	89.0 89.3	90.0 90.2	88.1 84.9	77.3 73.2	58.4 49.0
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0	0.0		0.0		0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry	Nr		x/m		y/m		z(abs) /m		t z(rel) /m			
		Geometry:		661549.21		255141.18		286.00		179.00			
EQCN104	Label	JU1*		Action radius/m				3000.00					
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)				100.42					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				100.42					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				100.42					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0	0.0		0.0		0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry	Nr		x/m		y/m		z(abs) /m		t z(rel) /m			
		Geometry:		661068.17		255365.14		285.00		179.00			
EQCN105	Label	Pr25*		Action radius/m				3000.00					
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)				100.42					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				100.42					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				100.42					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB					
	Lden	-	0.0	0.0		0.0		0.0		0.0			
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry	Nr		x/m		y/m		z(abs) /m		t z(rel) /m			
		Geometry:		662047.55		256166.20		287.00		179.00			
EQCN106	Label	PrRR3*		Action radius/m				3000.00					
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)				100.42					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				100.42					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				100.42					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB					
	Lden	-		0.0	0.0	0.0	-	0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	100.4	1.00	2.16860	-7.43	-7.4					
	Evening (4h)	4.00	Evening	100.4	1.00	0.59670	-8.26	-8.3					
	Night (8h)	8.00	Night	100.4	1.00	1.10000	-8.62	-8.6					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662676.13	256121.38	288.00	179.00					
EQCN107	Label	P19.2b*			Action radius/m			3000.00					
	Group	6.2 m/s			Lw (Day (12h)) /dB(A)			100.42					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.42					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.42					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB					
	Lden	-		0.0	0.0	0.0	-	0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	100.4	1.00	2.16860	-7.43	-7.4					
	Evening (4h)	4.00	Evening	100.4	1.00	0.59670	-8.26	-8.3					
	Night (8h)	8.00	Night	100.4	1.00	1.10000	-8.62	-8.6					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			656671.82	247343.93	284.00	179.00					
EQCN108	Label	Pr3b*			Action radius/m			3000.00					
	Group	6.2 m/s			Lw (Day (12h)) /dB(A)			100.42					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.42					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.42					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB					
	Lden	-		0.0	0.0	0.0	-	0.0					
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	100.4	1.00	2.16860	-7.43	-7.4					
	Evening (4h)	4.00	Evening	100.4	1.00	0.59670	-8.26	-8.3					
	Night (8h)	8.00	Night	100.4	1.00	1.10000	-8.62	-8.6					
	Geometry	Nr			x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662489.40	255686.03	288.00	179.00					
EQCN109	Label	O2**			Action radius/m			3000.00					
	Group	7.7 m/s			Lw (Day (12h)) /dB(A)			105.32					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.32					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.32					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB		Special correction /dB					

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0					
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9					
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		655899.72	249092.09	283.27	179.00						
EQCN110	Label	O3**		Action radius/m		3000.00							
	Group	7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0					
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9					
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		656055.72	248760.81	283.00	179.00						
EQCN111	Label	O5**		Action radius/m		3000.00							
	Group	7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0					
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9					
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		656292.16	247880.94	283.00	179.00						
EQCN112	Label	O4**		Action radius/m		3000.00							
	Group	7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h			dLi /dB	Lwr /dB(A)			
	Day (12h)		12.00	Day	105.3		1.00			1.90410	-7.99 -8.0			
	Evening (4h)		4.00	Evening	105.3		1.00			0.64490	-7.93 -7.9			
	Night (8h)		8.00	Night	105.3		1.00			1.29000	-7.93 -7.9			
	Geometry				Nr	x/m	y/m			z(abs) /m		! z(rel) /m		
					Geometry:		655674.43	248309.07			282.00		179.00	
EQCN113	Label		DD1**		Action radius/m		3000.00							
	Group		7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 7.7 m/s STE										
Day (12h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)		Emission		Reference: Nordex N175 7.7 m/s STE										
Night (8h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)		Emission		Reference: Nordex N175 7.7 m/s STE										
Evening (4h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
Day (12h)			12.00	Day	105.3		1.00		1.90410		-7.99 -8.0			
Evening (4h)			4.00	Evening	105.3		1.00		0.64490		-7.93 -7.9			
Night (8h)			8.00	Night	105.3		1.00		1.29000		-7.93 -7.9			
Geometry				Nr	x/m	y/m			z(abs) /m		! z(rel) /m			
				Geometry:		656226.07	248421.71			282.00		179.00		
EQCN114	Label		DD3**		Action radius/m		3000.00							
	Group		7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 7.7 m/s STE										
Day (12h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)		Emission		Reference: Nordex N175 7.7 m/s STE										
Night (8h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)		Emission		Reference: Nordex N175 7.7 m/s STE										
Evening (4h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
Day (12h)			12.00	Day	105.3		1.00		1.90410		-7.99 -8.0			
Evening (4h)			4.00	Evening	105.3		1.00		0.64490		-7.93 -7.9			
Night (8h)			8.00	Night	105.3		1.00		1.29000		-7.93 -7.9			
Geometry				Nr	x/m	y/m			z(abs) /m		! z(rel) /m			
				Geometry:		656792.54	248209.39			283.20		179.00		
EQCN115	Label		O1.b**		Action radius/m		3000.00							
	Group		7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)		Emission		Reference: Nordex N175 7.7 m/s STE										
Day (12h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)		Emission		Reference: Nordex N175 7.7 m/s STE										
Night (8h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)		Emission		Reference: Nordex N175 7.7 m/s STE										
Evening (4h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0						
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9						
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	655628.52	247870.27	282.00		179.00						
EQCN116	Label	JV1**			Action radius/m			3000.00						
	Group	7.7 m/s			Lw (Day (12h)) /dB(A)			105.32						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.32						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.32						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.3		1.00		1.90410		-7.99		-8.0		
	Evening (4h)	4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9		
	Night (8h)	8.00	Night	105.3		1.00		1.29000		-7.93		-7.9		
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	656086.43	247254.47	283.00								
EQCN117	Label	Pr12**			Action radius/m									
	Group	7.7 m/s			Lw (Day (12h)) /dB(A)									
	Number of nodes	1			Lw (Night (8h)) /dB(A)									
	Length/ m	---			Lw (Evening (4h)) /dB(A)									
	Length/ m (2D)	---			Emission is									
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.3		1.00		1.90410		-7.99		-8.0		
	Evening (4h)	4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9		
	Night (8h)	8.00	Night	105.3		1.00		1.29000		-7.93		-7.9		
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	659850.41	255599.51	285.00								
EQCN118	Label	O6**			Action radius/m									
	Group	7.7 m/s			Lw (Day (12h)) /dB(A)									
	Number of nodes	1			Lw (Night (8h)) /dB(A)									
	Length/ m	---			Lw (Evening (4h)) /dB(A)									
	Length/ m (2D)	---			Emission is									
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.3		1.00		1.90410		-7.99		-8.0		
	Evening (4h)	4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9		

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Night (8h)		8.00	Night		105.3		1.00		1.29000		-7.93		-7.9
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659724.06		256257.39		282.09		179.00	
EQCN119	Label		Pr11**				Action radius/m						3000.00	
	Group		7.7 m/s				Lw (Day (12h)) /dB(A)						105.32	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						105.32	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						105.32	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
	Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
	Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		660296.51		255945.28		283.00		179.00	
EQCN120	Label		AP2**				Action radius/m						3000.00	
	Group		7.7 m/s				Lw (Day (12h)) /dB(A)						105.32	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						105.32	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						105.32	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
	Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
	Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661860.19		254894.20		286.00		179.00	
EQCN121	Label		AP6.1**				Action radius/m						3000.00	
	Group		7.7 m/s				Lw (Day (12h)) /dB(A)						105.32	
	Number of nodes		1				Lw (Night (8h)) /dB(A)						105.32	
	Length/ m		---				Lw (Evening (4h)) /dB(A)						105.32	
	Length/ m (2D)		---				Emission is						Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
	Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
	Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661860.19		254894.20		286.00		179.00	

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

			Geometry:				661549.21		255141.18		286.00		179.00			
EQCN122	Label		JU1**				Action radius/m				3000.00					
	Group		7.7 m/s				Lw (Day (12h)) /dB(A)				105.32					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.32					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.32					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 7.7 m/s STE											
	Day (12h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Night (8h)		Emission		Reference: Nordex N175 7.7 m/s STE											
Night (8h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9		
Evening (4h)		Emission		Reference: Nordex N175 7.7 m/s STE												
Evening (4h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	105.3		1.00		1.90410		-7.99		-8.0			
Evening (4h)			4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9			
Night (8h)			8.00	Night	105.3		1.00		1.29000		-7.93		-7.9			
Geometry			Nr				x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				661068.17		255365.14		285.00		179.00			
EQCN123	Label		Pr25**				Action radius/m				3000.00					
	Group		7.7 m/s				Lw (Day (12h)) /dB(A)				105.32					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.32					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.32					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 7.7 m/s STE											
	Day (12h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Night (8h)		Emission		Reference: Nordex N175 7.7 m/s STE											
Night (8h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9		
Evening (4h)		Emission		Reference: Nordex N175 7.7 m/s STE												
Evening (4h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	105.3		1.00		1.90410		-7.99		-8.0			
Evening (4h)			4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9			
Night (8h)			8.00	Night	105.3		1.00		1.29000		-7.93		-7.9			
Geometry			Nr				x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				662047.55		256166.20		287.00		179.00			
EQCN124	Label		PrRR3**				Action radius/m				3000.00					
	Group		7.7 m/s				Lw (Day (12h)) /dB(A)				105.32					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.32					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.32					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Nordex N175 7.7 m/s STE											
	Day (12h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Night (8h)		Emission		Reference: Nordex N175 7.7 m/s STE											
Night (8h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9		
Evening (4h)		Emission		Reference: Nordex N175 7.7 m/s STE												
Evening (4h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9		
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	105.3		1.00		1.90410		-7.99		-8.0			
Evening (4h)			4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9			
Night (8h)			8.00	Night	105.3		1.00		1.29000		-7.93		-7.9			
Geometry			Nr				x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:				662676.13		256121.38		288.00		179.00			
EQCN125	Label		P19.2b**				Action radius/m				3000.00					

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

Group		7.7 m/s				Lw (Day (12h)) /dB(A)				105.32			
Number of nodes		1				Lw (Night (8h)) /dB(A)				105.32			
Length/ m		----				Lw (Evening (4h)) /dB(A)				105.32			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		656671.82		247343.93		284.00	
EQCN126		Label				Pr3b**				Action radius/m			
Group		7.7 m/s				Lw (Day (12h)) /dB(A)				105.32			
Number of nodes		1				Lw (Night (8h)) /dB(A)				105.32			
Length/ m		----				Lw (Evening (4h)) /dB(A)				105.32			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		662489.40		255686.03		288.00	
EQCN127		Label				O2***				Action radius/m			
Group		9.3 m/s				Lw (Day (12h)) /dB(A)				106.92			
Number of nodes		1				Lw (Night (8h)) /dB(A)				106.92			
Length/ m		----				Lw (Evening (4h)) /dB(A)				106.92			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1	
Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9	
Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		655899.72		249092.09		283.27	
EQCN128		Label				O3***				Action radius/m			
Group		9.3 m/s				Lw (Day (12h)) /dB(A)				106.92			
Number of nodes		1				Lw (Night (8h)) /dB(A)				106.92			

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Length/ m	---					Lw (Evening (4h)) /dB(A)				106.92			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	106.9		1.00		4.64572		-4.12		-4.1		
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9		
	Night (8h)	8.00	Night	106.9		1.00		4.25000		-2.75		-2.7		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		656055.72		248760.81		283.00		179.00		
EQCN129	Label	O5***				Action radius/m				3000.00				
	Group	9.3 m/s				Lw (Day (12h)) /dB(A)				106.92				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				106.92				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				106.92				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	106.9		1.00		4.64572		-4.12		-4.1		
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9		
	Night (8h)	8.00	Night	106.9		1.00		4.25000		-2.75		-2.7		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		656292.16		247880.94		283.00		179.00		
EQCN130	Label	O4***				Action radius/m				3000.00				
	Group	9.3 m/s				Lw (Day (12h)) /dB(A)				106.92				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				106.92				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				106.92				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	106.9		1.00		4.64572		-4.12		-4.1		
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9		
	Night (8h)	8.00	Night	106.9		1.00		4.25000		-2.75		-2.7		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		655674.43		248309.07		282.00		179.00		
EQCN131	Label	DD1***				Action radius/m				3000.00				
	Group	9.3 m/s				Lw (Day (12h)) /dB(A)				106.92				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				106.92				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				106.92				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				

Vēja parks "Prikulī" B alternatīva - Nordex N175 - 6.8 MW STE

Area /m²		---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden		-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1
Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:	656226.07		248421.71		282.00		179.00
EQCN132		Label		DD3***		Action radius/m						3000.00
		Group		9.3 m/s		Lw (Day (12h)) /dB(A)						106.92
		Number of nodes		1		Lw (Night (8h)) /dB(A)						106.92
		Length/ m		---		Lw (Evening (4h)) /dB(A)						106.92
		Length/ m (2D)		---		Emission is						Sound power level (Lw)
		Area /m²		---								
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden		-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1
Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:	656792.54		248209.39		283.20		179.00
EQCN133		Label		O1.b***		Action radius/m						3000.00
		Group		9.3 m/s		Lw (Day (12h)) /dB(A)						106.92
		Number of nodes		1		Lw (Night (8h)) /dB(A)						106.92
		Length/ m		---		Lw (Evening (4h)) /dB(A)						106.92
		Length/ m (2D)		---		Emission is						Sound power level (Lw)
		Area /m²		---								
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden		-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1
Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:	655628.52		247870.27		282.00		179.00
EQCN134		Label		JV1***		Action radius/m						3000.00
		Group		9.3 m/s		Lw (Day (12h)) /dB(A)						106.92
		Number of nodes		1		Lw (Night (8h)) /dB(A)						106.92
		Length/ m		---		Lw (Evening (4h)) /dB(A)						106.92
		Length/ m (2D)		---		Emission is						Sound power level (Lw)
		Area /m²		---								
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1	
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9	
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656086.43		247254.47		283.00		179.00	
EQCN135	Label		Pr12***		Action radius/m								3000.00	
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)								106.92	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								106.92	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								106.92	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 >=9.3 m/s STE									
	Day (12h)		Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 >=9.3 m/s STE									
	Night (8h)		Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 >=9.3 m/s STE									
	Evening (4h)		Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1	
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9	
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659850.41		255599.51		285.00		179.00	
EQCN136	Label		O6***		Action radius/m								3000.00	
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)								106.92	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								106.92	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								106.92	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 >=9.3 m/s STE									
	Day (12h)		Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 >=9.3 m/s STE									
	Night (8h)		Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 >=9.3 m/s STE									
	Evening (4h)		Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1	
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9	
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659724.06		256257.39		282.09		179.00	
EQCN137	Label		Pr11***		Action radius/m								3000.00	
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)								106.92	
	Number of nodes		1		Lw (Night (8h)) /dB(A)								106.92	
	Length/ m		---		Lw (Evening (4h)) /dB(A)								106.92	
	Length/ m (2D)		---		Emission is								Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 >=9.3 m/s STE									
	Day (12h)		Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6
	Night (8h)		Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

				68.5 71.8	77.1 78.3	84.6 87.3	91.5 93.5	95.0 95.8	95.5 95.8	96.5 96.7	94.6 91.4	83.8 79.7	64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		660296.51		255945.28		283.00		179.00		
EQCN138	Label		AP2***		Action radius/m		3000.00						
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)		106.92						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		106.92						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		106.92						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		661860.19		254894.20		286.00		179.00		
EQCN139	Label		AP6.1***		Action radius/m		3000.00						
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)		106.92						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		106.92						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		106.92						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		661549.21		255141.18		286.00		179.00		
EQCN140	Label		JU1***		Action radius/m		3000.00						
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)		106.92						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		106.92						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		106.92						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		661068.17		255365.14		285.00		179.00
EQCN141	Label		Pr25***				Action radius/m						3000.00
	Group		9.3 m/s				Lw (Day (12h)) /dB(A)						106.92
	Number of nodes		1				Lw (Night (8h)) /dB(A)						106.92
	Length/ m		---				Lw (Evening (4h)) /dB(A)						106.92
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		662047.55		256166.20		287.00		179.00
EQCN142	Label		PrRR3***				Action radius/m						3000.00
	Group		9.3 m/s				Lw (Day (12h)) /dB(A)						106.92
	Number of nodes		1				Lw (Night (8h)) /dB(A)						106.92
	Length/ m		---				Lw (Evening (4h)) /dB(A)						106.92
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64572		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		662047.55		256166.20		287.00		179.00
EQCN143	Label		P19.2b***				Action radius/m						3000.00
	Group		9.3 m/s				Lw (Day (12h)) /dB(A)						106.92
	Number of nodes		1				Lw (Night (8h)) /dB(A)						106.92
	Length/ m		---				Lw (Evening (4h)) /dB(A)						106.92
	Length/ m (2D)		---				Emission is						Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5

Vēja parks "Prikuļi" B alternatīva - Nordex N175 - 6.8 MW STE

				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Evening (4h)	Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6	
				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	106.9		1.00		4.64572				-4.1		
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420				-2.9		
	Night (8h)	8.00	Night	106.9		1.00		4.25000				-2.7		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		656671.82		247343.93		284.00		179.00		
EQCN144	Label	Pr3b***					Action radius/m					3000.00		
	Group	9.3 m/s					Lw (Day (12h)) /dB(A)					106.92		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					106.92		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					106.92		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE												
	Day (12h)	Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6	
				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Night (8h)	Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6	
				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Evening (4h)	Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6	
				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	106.9		1.00		4.64572				-4.1		
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420				-2.9		
	Night (8h)	8.00	Night	106.9		1.00		4.25000				-2.7		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		662489.40		255686.03		288.00		179.00		