

Vēja parks "Priekuli" B alternatīva - Vestas V172 - 7.2 MW

Point source /CNOSSO (234)													Variant 0			
EQCN001	Label		O2				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)		100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s											
Night (8h)		Lw /dB (A)		100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s												
Evening (4h)		Lw /dB (A)		100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
Rating method			Peak level		Corr. for Lden/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden			-		0.0		0.0		0.0				0.0			
Rating period / Period			Duration		Emiss. /dB		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00		Day		100.8		1.00		0.95750		-10.98		-11.0	
Evening (4h)			4.00		Evening		100.8		1.00		0.19480		-13.12		-13.1	
Night (8h)			8.00		Night		100.8		1.00		0.35530		-13.52		-13.5	
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		655899.72		249092.09		279.27		175.00			
EQCN002	Label		O3				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)		100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s											
Night (8h)		Lw /dB (A)		100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s												
Evening (4h)		Lw /dB (A)		100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
Rating method			Peak level		Corr. for Lden/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden			-		0.0		0.0		0.0				0.0			
Rating period / Period			Duration		Emiss. /dB		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00		Day		100.8		1.00		0.95750		-10.98		-11.0	
Evening (4h)			4.00		Evening		100.8		1.00		0.19480		-13.12		-13.1	
Night (8h)			8.00		Night		100.8		1.00		0.35530		-13.52		-13.5	
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		656055.72		248760.81		279.00		175.00			
EQCN003	Label		O5				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s											

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN004	Label		O4				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655674.43		248309.07		278.00		175.00	
EQCN005	Label		DD1				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden				-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h	dLi /dB			Lwr /dB(A)		
	Day (12h)	12.00	Day		100.8		1.00		0.95750			-10.98		-11.0	
	Evening (4h)	4.00	Evening		100.8		1.00		0.19480			-13.12		-13.1	
	Night (8h)	8.00	Night		100.8		1.00		0.35530			-13.52		-13.5	
	Geometry				Nr		x/m		y/m			z(abs) /m		! z(rel) /m	
					Geometry:		656226.07		248421.71			278.00		175.00	
EQCN006	Label	DD3				Action radius/m				3000.00					
	Group	3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h	dLi /dB			Lwr /dB(A)		
	Day (12h)	12.00	Day		100.8		1.00		0.95750			-10.98		-11.0	
	Evening (4h)	4.00	Evening		100.8		1.00		0.19480			-13.12		-13.1	
	Night (8h)	8.00	Night		100.8		1.00		0.35530			-13.52		-13.5	
	Geometry				Nr		x/m		y/m			z(abs) /m		! z(rel) /m	
					Geometry:		656792.54		248209.39			279.20		175.00	
EQCN007	Label	O1.b				Action radius/m				3000.00					
	Group	3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h	dLi /dB			Lwr /dB(A)		
	Day (12h)	12.00	Day		100.8		1.00		0.95750			-10.98		-11.0	
	Evening (4h)	4.00	Evening		100.8		1.00		0.19480			-13.12		-13.1	
	Night (8h)	8.00	Night		100.8		1.00		0.35530			-13.52		-13.5	
	Geometry				Nr		x/m		y/m			z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27			278.00		175.00	
EQCN008	Label	JV1				Action radius/m				3000.00					
	Group	3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.80					

Length/ m (2D)		---				Emission is				Sound power level (Lw)						
Area /m²		---														
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s														
Day (12h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3				
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0				
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6				
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s														
Night (8h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3				
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0				
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6				
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s														
Evening (4h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3				
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0				
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6				
Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB				
Lden		-		0.0		0.0		0.0				-		0.0		
Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	100.8		1.00		0.95750				-10.98		-11.0		
Evening (4h)		4.00	Evening	100.8		1.00		0.19480				-13.12		-13.1		
Night (8h)		8.00	Night	100.8		1.00		0.35530				-13.52		-13.5		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		656086.43		247254.47		279.00		175.00			
EQCN009	Label	Pr12				Action radius/m				3000.00						
	Group	3 m/s				Lw (Day (12h)) /dB(A)				100.80						
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.80						
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.80						
	Length/ m (2D)	---				Emission is				Sound power level (Lw)						
Area /m²		---														
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s														
Day (12h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3				
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0				
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6				
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s														
Night (8h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3				
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0				
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6				
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s														
Evening (4h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3				
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0				
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6				
Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB				
Lden		-		0.0		0.0		0.0				-		0.0		
Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	100.8		1.00		0.95750				-10.98		-11.0		
Evening (4h)		4.00	Evening	100.8		1.00		0.19480				-13.12		-13.1		
Night (8h)		8.00	Night	100.8		1.00		0.35530				-13.52		-13.5		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		659850.41		255599.51		281.00		175.00			
EQCN010	Label	O6				Action radius/m				3000.00						
	Group	3 m/s				Lw (Day (12h)) /dB(A)				100.80						
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.80						
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.80						
	Length/ m (2D)	---				Emission is				Sound power level (Lw)						
Area /m²		---														
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s														
Day (12h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3				
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0				
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6				
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s														
Night (8h)	Lw /dB (A)	100.8	45.7	62.2	78.8	86.6	89.4	89.4	88.6	87.4	84.8	77.3				
			50.9	67.4	84.5	87.7	91.0	87.8	89.0	86.6	84.0	74.0				
			56.2	71.5	85.5	87.1	90.6	88.2	88.2	85.7	80.6	70.6				
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s														

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Rating method		Peak level		Corr. for <small>frequency/dB</small>		Corr. for tonality <small>/dB</small>		Corr. for inform. <small>corrected/dB</small>				Special correction <small>/dB</small>
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98	-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12	-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52	-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		659724.06		256257.39		278.09		175.00		
EQCN011	Label		Pr11		Action radius/m								3000.00
	Group		3 m/s		Lw (Day (12h)) /dB(A)								100.80
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.80
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.80
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Rating method		Peak level		Corr. for <small>frequency/dB</small>		Corr. for tonality <small>/dB</small>		Corr. for inform. <small>corrected/dB</small>				Special correction <small>/dB</small>
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98	-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12	-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52	-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		660296.51		255945.28		279.00		175.00		
EQCN012	Label		AP2		Action radius/m								3000.00
	Group		3 m/s		Lw (Day (12h)) /dB(A)								100.80
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.80
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.80
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Rating method		Peak level		Corr. for <small>frequency/dB</small>		Corr. for tonality <small>/dB</small>		Corr. for inform. <small>corrected/dB</small>				Special correction <small>/dB</small>
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98	-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12	-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52	-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		661860.19		254894.20		282.00		175.00		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

EQCN013	Label		AP6.1				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for insulatio n /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1			
Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		661549.21		255141.18		282.00		175.00		
EQCN014	Label		JU1				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for insulatio n /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1			
Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		661068.17		255365.14		281.00		175.00		
EQCN015	Label		Pr25				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662047.55		256166.20		283.00		175.00	
EQCN016	Label		PrRR3				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662676.13		256121.38		284.00		175.00	
EQCN017	Label		P19.2b				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)		4.00		Evening		100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00		Night		100.8		1.00		0.35530		-13.52		-13.5	
	Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		656671.82		247343.93		280.00		175.00	
EQCN018	Label		Pr3b						Action radius/m				3000.00			
	Group		3 m/s						Lw (Day (12h)) /dB(A)				100.80			
	Number of nodes		1						Lw (Night (8h)) /dB(A)				100.80			
	Length/ m		---						Lw (Evening (4h)) /dB(A)				100.80			
	Length/ m (2D)		---						Emission is				Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)		100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)		Lw /dB (A)		100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)		Lw /dB (A)		100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for length/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration		Emiss. /h		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00		Day		100.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00		Evening		100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00		Night		100.8		1.00		0.35530		-13.52		-13.5	
	Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		662489.40		255686.03		284.00		175.00	
EQCN091	Label		O2*						Action radius/m				3000.00			
	Group		4 m/s						Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1						Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---						Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---						Emission is				Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)		Lw /dB (A)		100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)		Lw /dB (A)		100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)		Lw /dB (A)		100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for length/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration		Emiss. /h		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00		Day		100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00		Evening		100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00		Night		100.8		1.00		0.51780		-11.89		-11.9	
	Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		655899.72		249092.09		279.27		175.00	
EQCN092	Label		O3*						Action radius/m				3000.00			
	Group		4 m/s						Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1						Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---						Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---						Emission is				Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN093	Label		O5*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN094	Label		O4*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. constant/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. constant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
	Geometry:						655674.43		248309.07		278.00		175.00	
EQCN095	Label		DD1*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)		Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)		Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)		Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. constant/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. constant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
	Geometry:						656226.07		248421.71		278.00		175.00	
EQCN096	Label		DD3*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)		Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)		Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)		Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. constant/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. constant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
	Geometry:						656792.54		248209.39		279.20		175.00	
EQCN097	Label		O1.b*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)				100.81					
	Length/ m (2D)	---					Emission is				Sound power level (Lw)					
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s													
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s													
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s													
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6			
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4			
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8			
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:	655628.52		247870.27		278.00		175.00			
EQCN098	Label		JV1*					Action radius/m					3000.00			
	Group		4 m/s					Lw (Day (12h)) /dB(A)					100.81			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					100.81			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					100.81			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s													
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s													
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s													
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6			
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4			
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8			
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:	656086.43		247254.47		279.00		175.00			
EQCN099	Label		Pr12*					Action radius/m					3000.00			
	Group		4 m/s					Lw (Day (12h)) /dB(A)					100.81			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					100.81			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					100.81			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s													
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s													
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6			

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659850.41		255599.51		281.00		175.00	
EQCN100	Label		O6*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659724.06		256257.39		278.09		175.00	
EQCN101	Label		Pr11*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

[illegible]

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661068.17		255365.14		281.00		175.00	
EQCN105	Label		Pr25*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662047.55		256166.20		283.00		175.00	
EQCN106	Label		PrRR3*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	100.8	1.00	1.10470	-10.36	-10.4					
	Evening (4h)	4.00	Evening	100.8	1.00	0.26680	-11.76	-11.8					
	Night (8h)	8.00	Night	100.8	1.00	0.51780	-11.89	-11.9					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662676.13	256121.38	284.00	175.00					
EQCN107	Label	P19.2b*			Action radius/m			3000.00					
	Group	4 m/s			Lw (Day (12h)) /dB(A)			100.81					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.81					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.81					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method	Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	100.8	1.00	1.10470	-10.36	-10.4					
	Evening (4h)	4.00	Evening	100.8	1.00	0.26680	-11.76	-11.8					
	Night (8h)	8.00	Night	100.8	1.00	0.51780	-11.89	-11.9					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			656671.82	247343.93	280.00	175.00					
EQCN108	Label	Pr3b*			Action radius/m			3000.00					
	Group	4 m/s			Lw (Day (12h)) /dB(A)			100.81					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.81					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.81					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method	Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	100.8	1.00	1.10470	-10.36	-10.4					
	Evening (4h)	4.00	Evening	100.8	1.00	0.26680	-11.76	-11.8					
	Night (8h)	8.00	Night	100.8	1.00	0.51780	-11.89	-11.9					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662489.40	255686.03	284.00	175.00					
EQCN109	Label	O2**			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.89					

Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s												
Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s												
Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s												
Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3		
Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655899.72		249092.09		279.27		175.00	
EQCN110	Label	O3**				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.89				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s												
Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s												
Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s												
Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3		
Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN111	Label	O5**				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.89				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s												
Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s												
Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s												

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656292.16		247880.94		279.00		175.00		
EQCN112	Label		O4**		Action radius/m		3000.00						
	Group		5 m/s		Lw (Day (12h)) /dB(A)		100.89						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.89						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.89						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		655674.43		248309.07		278.00		175.00		
EQCN113	Label		DD1**		Action radius/m		3000.00						
	Group		5 m/s		Lw (Day (12h)) /dB(A)		100.89						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.89						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.89						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656226.07		248421.71		278.00		175.00		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

EQCN114	Label		DD3**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level		Corr. for insulatio n/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6			
Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6			
Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656792.54		248209.39		279.20		175.00		
EQCN115	Label		O1.b**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level		Corr. for insulatio n/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6			
Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6			
Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		655628.52		247870.27		278.00		175.00		
EQCN116	Label		JV1**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. corrected/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656086.43		247254.47		279.00		175.00
EQCN117	Label		Pr12**				Action radius/m				3000.00		
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. corrected/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		659850.41		255599.51		281.00		175.00
EQCN118	Label		O6**				Action radius/m				3000.00		
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. corrected/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	100.9	1.00	0.34710	-10.62	-10.6						
	Night (8h)	8.00	Night	100.9	1.00	0.63860	-10.98	-11.0						
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	659724.06	256257.39	278.09	175.00						
EQCN119	Label	Pr11**			Action radius/m			3000.00						
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.89						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
	Evening (4h)	4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
	Night (8h)	8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
					Geometry:	660296.51	255945.28	279.00	175.00					
EQCN120	Label	AP2**			Action radius/m			3000.00						
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.89						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
	Evening (4h)	4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
	Night (8h)	8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
					Geometry:	661860.19	254894.20	282.00	175.00					
EQCN121	Label	AP6.1**			Action radius/m			3000.00						
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.89						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		661549.21		255141.18		282.00		175.00
EQCN122	Label		JU1**				Action radius/m				3000.00		
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		661068.17		255365.14		281.00		175.00
EQCN123	Label		Pr25**				Action radius/m				3000.00		
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	662047.55		256166.20		283.00		175.00		
EQCN124	Label		PrRR3**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	662676.13		256121.38		284.00		175.00		
EQCN125	Label		P19.2b**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)		Lw /dB (A)		100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	656671.82		247343.93		280.00		175.00		
EQCN126	Label		Pr3b**				Action radius/m				3000.00				
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89				

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)				100.89			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9	1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	100.9	1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	100.9	1.00		0.63860		-10.98		-11.0		
	Geometry		Nr			x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			662489.40		255686.03		284.00		175.00		
EQCN127	Label		O2***					Action radius/m				3000.00		
	Group		6 m/s					Lw (Day (12h)) /dB(A)				102.70		
	Number of nodes		1					Lw (Night (8h)) /dB(A)				102.70		
	Length/ m		---					Lw (Evening (4h)) /dB(A)				102.70		
	Length/ m (2D)		---					Emission is				Sound power level (Lw)		
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	102.7	1.00		1.36470		-9.44		-9.4		
	Evening (4h)		4.00	Evening	102.7	1.00		0.40880		-9.91		-9.9		
	Night (8h)		8.00	Night	102.7	1.00		0.75370		-10.26		-10.3		
	Geometry		Nr			x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			655899.72		249092.09		279.27		175.00		
EQCN128	Label		O3***					Action radius/m				3000.00		
	Group		6 m/s					Lw (Day (12h)) /dB(A)				102.70		
	Number of nodes		1					Lw (Night (8h)) /dB(A)				102.70		
	Length/ m		---					Lw (Evening (4h)) /dB(A)				102.70		
	Length/ m (2D)		---					Emission is				Sound power level (Lw)		
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN129	Label		O5***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN130	Label		O4***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

[illegible]

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27		278.00		175.00	
EQCN134	Label		JV1***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656086.43		247254.47		279.00		175.00	
EQCN135	Label		Pr12***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	102.7	1.00	1.36470	-9.44	-9.4					
	Evening (4h)	4.00	Evening	102.7	1.00	0.40880	-9.91	-9.9					
	Night (8h)	8.00	Night	102.7	1.00	0.75370	-10.26	-10.3					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			659850.41	255599.51	281.00	175.00					
EQCN136	Label	O6***			Action radius/m			3000.00					
	Group	6 m/s			Lw (Day (12h)) /dB(A)			102.70					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			102.70					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			102.70					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	102.7	1.00	1.36470	-9.44	-9.4					
	Evening (4h)	4.00	Evening	102.7	1.00	0.40880	-9.91	-9.9					
	Night (8h)	8.00	Night	102.7	1.00	0.75370	-10.26	-10.3					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			659724.06	256257.39	278.09	175.00					
EQCN137	Label	Pr11***			Action radius/m			3000.00					
	Group	6 m/s			Lw (Day (12h)) /dB(A)			102.70					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			102.70					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			102.70					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	102.7	1.00	1.36470	-9.44	-9.4					
	Evening (4h)	4.00	Evening	102.7	1.00	0.40880	-9.91	-9.9					
	Night (8h)	8.00	Night	102.7	1.00	0.75370	-10.26	-10.3					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			660296.51	255945.28	279.00	175.00					
EQCN138	Label	AP2***			Action radius/m			3000.00					
	Group	6 m/s			Lw (Day (12h)) /dB(A)			102.70					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			102.70					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			102.70					

Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
Rating method		Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				-		
Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4		
Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9		
Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661860.19		254894.20		282.00		175.00	
EQCN139	Label	AP6.1***				Action radius/m				3000.00				
	Group	6 m/s				Lw (Day (12h)) /dB(A)				102.70				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				102.70				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				102.70				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
Area /m²	---													
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
Rating method		Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				-		
Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4		
Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9		
Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661549.21		255141.18		282.00		175.00	
EQCN140	Label	JU1***				Action radius/m				3000.00				
	Group	6 m/s				Lw (Day (12h)) /dB(A)				102.70				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				102.70				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				102.70				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
Area /m²	---													
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		661068.17		255365.14		281.00		175.00		
EQCN141	Label		Pr25***		Action radius/m		3000.00						
	Group		6 m/s		Lw (Day (12h)) /dB(A)		102.70						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		102.70						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		102.70						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 6 m/s										
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 6 m/s										
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 6 m/s										
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		662047.55		256166.20		283.00		175.00		
EQCN142	Label		PrRR3***		Action radius/m		3000.00						
	Group		6 m/s		Lw (Day (12h)) /dB(A)		102.70						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		102.70						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		102.70						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 6 m/s										
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 6 m/s										
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 6 m/s										
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		662676.13		256121.38		284.00		175.00		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

EQCN143	Label		P19.2b***				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 6 m/s	
	Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 6 m/s	
	Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 6 m/s	
	Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Rating method		Peak level		Corr. for insulatio n/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. unit	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4				
Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9				
Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3				
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		656671.82		247343.93		280.00		175.00			
EQCN144	Label		Pr3b***				Action radius/m				3000.00					
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 6 m/s	
	Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 6 m/s	
	Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 6 m/s	
	Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Rating method		Peak level		Corr. for insulatio n/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0		
Rating period / Period		Duration /h	Emiss. unit	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4				
Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9				
Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3				
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		662489.40		255686.03		284.00		175.00			
EQCN145	Label		O2****				Action radius/m				3000.00					
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 7 m/s	
	Day (12h)		Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. corrected/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655899.72		249092.09		279.27		175.00	
EQCN146	Label		O3****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. corrected/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN147	Label		O5****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. corrected/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	105.4	1.00	0.42000	-9.79	-9.8						
	Night (8h)	8.00	Night	105.4	1.00	0.85890	-9.69	-9.7						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	656292.16	247880.94	279.00	175.00							
EQCN148	Label	O4****			Action radius/m			3000.00						
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.40						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.40						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.40						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method	Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	656292.16	247880.94	279.00	175.00						
EQCN149	Label	DD1****			Action radius/m			3000.00						
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.40						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.40						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.40						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method	Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	656226.07	248421.71	278.00	175.00						
EQCN150	Label	DD3****			Action radius/m			3000.00						
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.40						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.40						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.40						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656792.54		248209.39		279.20		175.00	
EQCN151	Label		O1.b****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27		278.00		175.00	
EQCN152	Label		JV1****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for L _w /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656086.43		247254.47		279.00		175.00	
EQCN153	Label		Pr12****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Rating method		Peak level		Corr. for L _w /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659850.41		255599.51		281.00		175.00	
EQCN154	Label		O6****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Rating method		Peak level		Corr. for L _w /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659724.06		256257.39		278.09		175.00	
EQCN155	Label		Pr11****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40				

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		660296.51		255945.28		279.00		175.00	
EQCN156	Label		AP2****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661860.19		254894.20		282.00		175.00	
EQCN157	Label		AP6.1****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661549.21		255141.18		282.00		175.00	
EQCN158	Label		JU1****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661068.17		255365.14		281.00		175.00	
EQCN159	Label		Pr25****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

[illegible]

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662489.40		255686.03		284.00		175.00	
EQCN163	Label		O2*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655899.72		249092.09		279.27		175.00	
EQCN164	Label		O3*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.2	1.00	1.13610	-10.24	-10.2					
	Evening (4h)	4.00	Evening	108.2	1.00	0.45230	-9.47	-9.5					
	Night (8h)	8.00	Night	108.2	1.00	0.97180	-9.16	-9.2					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			656055.72	248760.81	279.00	175.00					
EQCN165	Label	O5*****			Action radius/m			3000.00					
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.20					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.20					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.20					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method	Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.2	1.00	1.13610	-10.24	-10.2					
	Evening (4h)	4.00	Evening	108.2	1.00	0.45230	-9.47	-9.5					
	Night (8h)	8.00	Night	108.2	1.00	0.97180	-9.16	-9.2					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			656292.16	247880.94	279.00	175.00					
EQCN166	Label	O4*****			Action radius/m			3000.00					
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.20					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.20					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.20					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method	Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	108.2	1.00	1.13610	-10.24	-10.2					
	Evening (4h)	4.00	Evening	108.2	1.00	0.45230	-9.47	-9.5					
	Night (8h)	8.00	Night	108.2	1.00	0.97180	-9.16	-9.2					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			655674.43	248309.07	278.00	175.00					
EQCN167	Label	DD1*****			Action radius/m			3000.00					
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.20					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.20					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.20					

Length/ m (2D)		---				Emission is				Sound power level (Lw)			
Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
Lden		-		0.0		0.0		0.0				-	
Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	656226.07		248421.71		278.00		175.00	
EQCN168	Label	DD3*****				Action radius/m				3000.00			
	Group	8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
Area /m²	---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
Lden		-		0.0		0.0		0.0				-	
Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:	656792.54		248209.39		279.20		175.00	
EQCN169	Label	O1.b*****				Action radius/m				3000.00			
	Group	8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes	1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m	---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)	---				Emission is				Sound power level (Lw)			
Area /m²	---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		655628.52		247870.27		278.00		175.00		
EQCN170	Label		JV1*****		Action radius/m		3000.00						
	Group		8 m/s		Lw (Day (12h)) /dB(A)		108.20						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.20						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.20						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656086.43		247254.47		279.00		175.00		
EQCN171	Label		Pr12*****		Action radius/m		3000.00						
	Group		8 m/s		Lw (Day (12h)) /dB(A)		108.20						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.20						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.20						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		659850.41		255599.51		281.00		175.00		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

EQCN172	Label		O6*****				Action radius/m				3000.00							
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Night (8h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Evening (4h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Rating method		Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden				-		0.0		0.0		0.0		-		0.0				
Rating period / Period		Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2						
Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5						
Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2						
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
					Geometry:		659724.06		256257.39		278.09		175.00					
EQCN173	Label		Pr11*****				Action radius/m				3000.00							
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Night (8h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Evening (4h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Rating method		Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden				-		0.0		0.0		0.0		-		0.0				
Rating period / Period		Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2						
Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5						
Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2						
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
					Geometry:		660296.51		255945.28		279.00		175.00					
EQCN174	Label		AP2*****				Action radius/m				3000.00							
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				661860.19		254894.20		282.00		175.00	
EQCN175	Label		AP6.1*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				661549.21		255141.18		282.00		175.00	
EQCN176	Label		JU1*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	108.2	1.00	0.45230	-9.47	-9.5						
	Night (8h)	8.00	Night	108.2	1.00	0.97180	-9.16	-9.2						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
		Geometry:			661068.17	255365.14	281.00	175.00						
EQCN177	Label	Pr25*****			Action radius/m		3000.00							
	Group	8 m/s			Lw (Day (12h)) /dB(A)		108.20							
	Number of nodes	1			Lw (Night (8h)) /dB(A)		108.20							
	Length/ m	---			Lw (Evening (4h)) /dB(A)		108.20							
	Length/ m (2D)	---			Emission is		Sound power level (Lw)							
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method	Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.2		1.00		1.13610		-10.24		-10.2		
	Evening (4h)	4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5		
	Night (8h)	8.00	Night	108.2		1.00		0.97180		-9.16		-9.2		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:			662047.55	256166.20	283.00	175.00						
EQCN178	Label	PrRR3*****			Action radius/m		3000.00							
	Group	8 m/s			Lw (Day (12h)) /dB(A)		108.20							
	Number of nodes	1			Lw (Night (8h)) /dB(A)		108.20							
	Length/ m	---			Lw (Evening (4h)) /dB(A)		108.20							
	Length/ m (2D)	---			Emission is		Sound power level (Lw)							
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method	Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	108.2		1.00		1.13610		-10.24		-10.2		
	Evening (4h)	4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5		
	Night (8h)	8.00	Night	108.2		1.00		0.97180		-9.16		-9.2		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:			662676.13	256121.38	284.00	175.00						
EQCN179	Label	P19.2b*****			Action radius/m		3000.00							
	Group	8 m/s			Lw (Day (12h)) /dB(A)		108.20							
	Number of nodes	1			Lw (Night (8h)) /dB(A)		108.20							
	Length/ m	---			Lw (Evening (4h)) /dB(A)		108.20							
	Length/ m (2D)	---			Emission is		Sound power level (Lw)							
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656671.82		247343.93		280.00		175.00
EQCN180	Label		Pr3b*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		662489.40		255686.03		284.00		175.00
EQCN181	Label		O2*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for L _{peak} /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655899.72		249092.09		279.27		175.00	
EQCN182	Label		O3*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Rating method		Peak level		Corr. for L _{peak} /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656055.72		248760.81		279.00		175.00	
EQCN183	Label		O5*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Rating method		Peak level		Corr. for L _{peak} /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN184	Label		O4*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31				

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	655674.43		248309.07		278.00		175.00	
EQCN185	Label		DD1*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656226.07		248421.71		278.00		175.00	
EQCN186	Label		DD3*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656792.54		248209.39		279.20		175.00	
EQCN187	Label		O1.b*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27		278.00		175.00	
EQCN188	Label		JV1*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

[illegible]

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	660296.51		255945.28		279.00		175.00	
EQCN192	Label		AP2*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	661860.19		254894.20		282.00		175.00	
EQCN193	Label		AP6.1*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)	4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)	8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				661549.21		255141.18		282.00		175.00		
EQCN194	Label	JU1*****				Action radius/m				3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method	Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)	4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)	8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				661068.17		255365.14		281.00		175.00		
EQCN195	Label	Pr25*****				Action radius/m				3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method	Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)	4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)	8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				662047.55		256166.20		283.00		175.00		
EQCN196	Label	PrRR3*****				Action radius/m				3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31				

Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				-		
Rating period / Period		Duration	Emiss. /m/s	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662676.13		256121.38		284.00		175.00	
EQCN197	Label	P19.2b*****				Action radius/m				3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				-		
Rating period / Period		Duration	Emiss. /m/s	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656671.82		247343.93		280.00		175.00	
EQCN198	Label	Pr3b*****				Action radius/m				3000.00				
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		662489.40		255686.03		284.00		175.00		
EQCN199	Label		O2*****		Action radius/m								3000.00
	Group		10 m/s		Lw (Day (12h)) /dB(A)								111.09
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		655899.72		249092.09		279.27		175.00		
EQCN200	Label		O3*****		Action radius/m								3000.00
	Group		10 m/s		Lw (Day (12h)) /dB(A)								111.09
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		656055.72		248760.81		279.00		175.00		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

EQCN201	Label		O5*****				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3			
Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6			
Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656292.16		247880.94		279.00		175.00		
EQCN202	Label		O4*****				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3			
Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6			
Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		655674.43		248309.07		278.00		175.00		
EQCN203	Label		DD1*****				Action radius/m				3000.00				
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656226.07		248421.71		278.00		175.00	
EQCN204	Label		DD3*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656792.54		248209.39		279.20		175.00	
EQCN205	Label		O1.b*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	111.1	1.00	0.43860	-9.60	-9.6						
	Night (8h)	8.00	Night	111.1	1.00	0.87560	-9.61	-9.6						
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:		655628.52	247870.27	278.00	175.00					
EQCN206	Label	JV1*****			Action radius/m			3000.00						
	Group	10 m/s			Lw (Day (12h)) /dB(A)			111.09						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)	4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)	8.00	Night	111.1		1.00		0.87560		-9.61		-9.6		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:		656086.43	247254.47	279.00	175.00					
EQCN207	Label	Pr12*****			Action radius/m			3000.00						
	Group	10 m/s			Lw (Day (12h)) /dB(A)			111.09						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)	4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)	8.00	Night	111.1		1.00		0.87560		-9.61		-9.6		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:		659850.41	255599.51	281.00	175.00					
EQCN208	Label	O6*****			Action radius/m			3000.00						
	Group	10 m/s			Lw (Day (12h)) /dB(A)			111.09						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration h	Emiss. method	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659724.06		256257.39		278.09		175.00	
EQCN209	Label		Pr11*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration h	Emiss. method	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		660296.51		255945.28		279.00		175.00	
EQCN210	Label		AP2*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level	Corr. for impulsivity /dB				Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB		
	Lden	-	0.0				0.0		0.0		-	0.0		
	Rating period / Period	Duration /h	Emiss. /m²	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)	4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)	8.00	Night	111.1		1.00		0.87560		-9.61		-9.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661860.19		254894.20		282.00		175.00
EQCN211	Label	AP6.1*****				Action radius/m				3000.00				
	Group	10 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level	Corr. for impulsivity /dB				Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB		
	Lden	-	0.0				0.0		0.0		-	0.0		
	Rating period / Period	Duration /h	Emiss. /m²	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)	4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)	8.00	Night	111.1		1.00		0.87560		-9.61		-9.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661549.21		255141.18		282.00		175.00
EQCN212	Label	JU1*****				Action radius/m				3000.00				
	Group	10 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level	Corr. for impulsivity /dB				Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB		
	Lden	-	0.0				0.0		0.0		-	0.0		
	Rating period / Period	Duration /h	Emiss. /m²	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.88890		-11.30		-11.3		
	Evening (4h)	4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6		
	Night (8h)	8.00	Night	111.1		1.00		0.87560		-9.61		-9.6		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661068.17		255365.14		281.00		175.00
EQCN213	Label	Pr25*****				Action radius/m				3000.00				
	Group	10 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.09				

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	662047.55		256166.20		283.00		175.00	
EQCN214	Label		PrRR3*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	662676.13		256121.38		284.00		175.00	
EQCN215	Label		P19.2b*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656671.82		247343.93		280.00		175.00	
EQCN216	Label		Pr3b*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662489.40		255686.03		284.00		175.00	
EQCN217	Label		O2*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

--	--	--	--

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655674.43		248309.07		278.00 175.00		
EQCN221	Label		DD1*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656226.07		248421.71		278.00 175.00		
EQCN222	Label		DD3*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)	4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)	8.00	Night	111.1		1.00		0.73510		-10.37		-10.4		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				656792.54		248209.39		279.20		175.00		
EQCN223	Label	O1.b*****				Action radius/m				3000.00				
	Group	11 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)	4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)	8.00	Night	111.1		1.00		0.73510		-10.37		-10.4		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				655628.52		247870.27		278.00		175.00		
EQCN224	Label	JV1*****				Action radius/m				3000.00				
	Group	11 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.72940		-12.16		-12.2		
	Evening (4h)	4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5		
	Night (8h)	8.00	Night	111.1		1.00		0.73510		-10.37		-10.4		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				656086.43		247254.47		279.00		175.00		
EQCN225	Label	Pr12*****				Action radius/m				3000.00				
	Group	11 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.09				

Length/ m (2D)			---				Emission is				Sound power level (Lw)				
Area /m²			---												
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s												
Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s												
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s												
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Rating method			Peak level		Corr. for immusibility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden			-		0.0		0.0		0.0				0.0		
Rating period / Period			Duration h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	111.1		1.00		0.72940		-12.16		-12.2		
Evening (4h)			4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5		
Night (8h)			8.00	Night	111.1		1.00		0.73510		-10.37		-10.4		
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659850.41		255599.51		281.00		175.00	
EQCN226			Label			O6*****			Action radius/m			3000.00			
			Group			11 m/s			Lw (Day (12h)) /dB(A)			111.09			
			Number of nodes			1			Lw (Night (8h)) /dB(A)			111.09			
			Length/ m			---			Lw (Evening (4h)) /dB(A)			111.09			
			Length/ m (2D)			---			Emission is			Sound power level (Lw)			
			Area /m²			---									
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s												
Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s												
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s												
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Rating method			Peak level		Corr. for immusibility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden			-		0.0		0.0		0.0				0.0		
Rating period / Period			Duration h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	111.1		1.00		0.72940		-12.16		-12.2		
Evening (4h)			4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5		
Night (8h)			8.00	Night	111.1		1.00		0.73510		-10.37		-10.4		
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		659724.06		256257.39		278.09		175.00	
EQCN227			Label			Pr11*****			Action radius/m			3000.00			
			Group			11 m/s			Lw (Day (12h)) /dB(A)			111.09			
			Number of nodes			1			Lw (Night (8h)) /dB(A)			111.09			
			Length/ m			---			Lw (Evening (4h)) /dB(A)			111.09			
			Length/ m (2D)			---			Emission is			Sound power level (Lw)			
			Area /m²			---									
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s												
Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s												
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s												

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		660296.51		255945.28		279.00		175.00		
EQCN228	Label		AP2*****		Action radius/m		3000.00						
	Group		11 m/s		Lw (Day (12h)) /dB(A)		111.09						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.09						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.09						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		661860.19		254894.20		282.00		175.00		
EQCN229	Label		AP6.1*****		Action radius/m		3000.00						
	Group		11 m/s		Lw (Day (12h)) /dB(A)		111.09						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.09						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.09						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		661549.21		255141.18		282.00		175.00		

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

EQCN230	Label		JU1*****				Action radius/m				3000.00							
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 11 m/s			
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 11 m/s			
	Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 11 m/s			
	Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				
	Rating method		Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden		-		0.0		0.0		0.0		-		0.0						
Rating period / Period		Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2						
Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5						
Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4						
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
		Geometry:					661068.17		255365.14		281.00		175.00					
EQCN231	Label		Pr25*****				Action radius/m				3000.00							
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 11 m/s			
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 11 m/s			
	Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 11 m/s			
	Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				
	Rating method		Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden		-		0.0		0.0		0.0		-		0.0						
Rating period / Period		Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2						
Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5						
Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4						
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
		Geometry:					662047.55		256166.20		283.00		175.00					
EQCN232	Label		PrRR3*****				Action radius/m				3000.00							
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 11 m/s			
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. corrected/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				662676.13		256121.38		284.00		175.00	
EQCN233	Label		P19.2b*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. corrected/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656671.82		247343.93		280.00		175.00	
EQCN234	Label		Pr3b*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. corrected/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	111.1	1.00	0.35590	-10.51	-10.5					
	Night (8h)	8.00	Night	111.1	1.00	0.73510	-10.37	-10.4					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	662489.40	255686.03	284.00	175.00					
EQCN235	Label	O2*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for length/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		655899.72		249092.09		279.27		175.00
EQCN236	Label	O3*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for length/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656055.72		248760.81		279.00		175.00
EQCN237	Label	O5*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN238	Label		O4*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655674.43		248309.07		278.00		175.00	
EQCN239	Label		DD1*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for Lw/dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656226.07		248421.71		278.00		175.00	
EQCN240	Label		DD3*****				Action radius/m				3000.00				
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for Lw/dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656792.54		248209.39		279.20		175.00	
EQCN241	Label		O1.b*****				Action radius/m				3000.00				
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)		Lw /dB (A)		111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for Lw/dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655628.52		247870.27		278.00		175.00	
EQCN242	Label		JV1*****				Action radius/m				3000.00				
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09				

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1	1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	111.1	1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	111.1	1.00		0.44820		-12.52		-12.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656086.43		247254.47		279.00		175.00	
EQCN243	Label		Pr12*****			Action radius/m			3000.00					
	Group		12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1	1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	111.1	1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	111.1	1.00		0.44820		-12.52		-12.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659850.41		255599.51		281.00		175.00	
EQCN244	Label		O6*****			Action radius/m			3000.00					
	Group		12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659724.06		256257.39		278.09		175.00	
EQCN245	Label		Pr11*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		660296.51		255945.28		279.00		175.00	
EQCN246	Label		AP2*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

[illegible]

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662047.55		256166.20		283.00 175.00		
EQCN250	Label		PrRR3*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		662676.13		256121.38		284.00 175.00		
EQCN251	Label		P19.2b*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.49190	-13.87	-13.9					
	Evening (4h)	4.00	Evening	111.1	1.00	0.22930	-12.42	-12.4					
	Night (8h)	8.00	Night	111.1	1.00	0.44820	-12.52	-12.5					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			656671.82	247343.93	280.00	175.00					
EQCN252	Label	Pr3b*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method	Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.49190	-13.87	-13.9					
	Evening (4h)	4.00	Evening	111.1	1.00	0.22930	-12.42	-12.4					
	Night (8h)	8.00	Night	111.1	1.00	0.44820	-12.52	-12.5					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			662489.40	255686.03	284.00	175.00					
EQCN253	Label	O2*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method	Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.29890	-16.04	-16.0					
	Evening (4h)	4.00	Evening	111.1	1.00	0.12160	-15.17	-15.2					
	Night (8h)	8.00	Night	111.1	1.00	0.20930	-15.82	-15.8					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			655899.72	249092.09	279.27	175.00					
EQCN254	Label	O3*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10					

Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s												
Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s												
Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s												
Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3		
Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				0.0		
Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0		
Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2		
Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN255	Label	O5*****				Action radius/m				3000.00				
	Group	13 m/s				Lw (Day (12h)) /dB(A)				111.10				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.10				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.10				
Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s												
Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s												
Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s												
Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3		
Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden		-		0.0		0.0		0.0				0.0		
Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0		
Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2		
Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8		
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN256	Label	O4*****				Action radius/m				3000.00				
	Group	13 m/s				Lw (Day (12h)) /dB(A)				111.10				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.10				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.10				
Length/ m (2D)		---				Emission is				Sound power level (Lw)				
Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s												
Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3		
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s												
Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3		
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s												

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 99.4 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		655674.43		248309.07		278.00		175.00		
EQCN257	Label		DD1*****		Action radius/m		3000.00						
	Group		13 m/s		Lw (Day (12h)) /dB(A)		111.10						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.10						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.10						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656226.07		248421.71		278.00		175.00		
EQCN258	Label		DD3*****		Action radius/m		3000.00						
	Group		13 m/s		Lw (Day (12h)) /dB(A)		111.10						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.10						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.10						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656792.54		248209.39		279.20		175.00		

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

EQCN259	Label		O1.b*****				Action radius/m				3000.00							
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden		-		0.0		0.0		0.0		-		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0						
Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2						
Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8						
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
		Geometry:					655628.52		247870.27		278.00		175.00					
EQCN260	Label		JV1*****				Action radius/m				3000.00							
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden		-		0.0		0.0		0.0		-		0.0						
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0						
Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2						
Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8						
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
		Geometry:					656086.43		247254.47		279.00		175.00					
EQCN261	Label		Pr12*****				Action radius/m				3000.00							
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:				659850.41		255599.51		281.00		175.00
EQCN262	Label		O6*****				Action radius/m				3000.00		
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:				659724.06		256257.39		278.09		175.00
EQCN263	Label		Pr11*****				Action radius/m				3000.00		
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	111.1	1.00	0.12160	-15.17	-15.2					
	Night (8h)	8.00	Night	111.1	1.00	0.20930	-15.82	-15.8					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	660296.51	255945.28	279.00	175.00					
EQCN264	Label	AP2*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)	4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)	8.00	Night	111.1		1.00		0.20930		-15.82		-15.8	
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	661860.19	254894.20	282.00	175.00					
EQCN265	Label	AP6.1*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)	4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)	8.00	Night	111.1		1.00		0.20930		-15.82		-15.8	
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	661549.21	255141.18	282.00	175.00					
EQCN266	Label	JU1*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:				661068.17		255365.14		281.00		175.00
EQCN267	Label		Pr25*****				Action radius/m				3000.00		
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:				662047.55		256166.20		283.00		175.00
EQCN268	Label		PrRR3*****				Action radius/m				3000.00		
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for L _w /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0				
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2				
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:			662676.13		256121.38		284.00		175.00					
EQCN269	Label		P19.2b*****					Action radius/m					3000.00				
	Group		13 m/s					Lw (Day (12h)) /dB(A)					111.10				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					111.10				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					111.10				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s														
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s														
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s														
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Rating method		Peak level		Corr. for L _w /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0				
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2				
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:			656671.82		247343.93		280.00		175.00					
EQCN270	Label		Pr3b*****					Action radius/m					3000.00				
	Group		13 m/s					Lw (Day (12h)) /dB(A)					111.10				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					111.10				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					111.10				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s														
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s														
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s														
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Rating method		Peak level		Corr. for L _w /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0				
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2				
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:			662489.40		255686.03		284.00		175.00					
EQCN271	Label		O2*****					Action radius/m					3000.00				
	Group		14 m/s					Lw (Day (12h)) /dB(A)					111.10				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					111.10				

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)				111.10				
	Length/ m (2D)	---					Emission is				Sound power level (Lw)				
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	655899.72		249092.09		279.27		175.00		
EQCN272	Label		O3*****					Action radius/m				3000.00			
	Group		14 m/s					Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---					Emission is				Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1		
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1		
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	656055.72		248760.81		279.00		175.00		
EQCN273	Label		O5*****					Action radius/m				3000.00			
	Group		14 m/s					Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---					Emission is				Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN274	Label		O4*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655674.43		248309.07		278.00		175.00	
EQCN275	Label		DD1*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

[illegible]

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656086.43		247254.47		279.00		175.00	
EQCN279	Label		Pr12*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659850.41		255599.51		281.00		175.00	
EQCN280	Label		O6*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	111.1		1.00		0.18510		-18.12		-18.1				
	Evening (4h)	4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1				
	Night (8h)	8.00	Night	111.1		1.00		0.11950		-18.26		-18.3				
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
		Geometry:					659724.06		256257.39		278.09		175.00			
EQCN281	Label	Pr11*****					Action radius/m					3000.00				
	Group	14 m/s					Lw (Day (12h)) /dB(A)					111.10				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					111.10				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					111.10				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s													
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s													
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s													
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB				
	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	111.1		1.00		0.18510		-18.12		-18.1				
	Evening (4h)	4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1				
	Night (8h)	8.00	Night	111.1		1.00		0.11950		-18.26		-18.3				
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
		Geometry:					660296.51		255945.28		279.00		175.00			
EQCN282	Label	AP2*****					Action radius/m					3000.00				
	Group	14 m/s					Lw (Day (12h)) /dB(A)					111.10				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					111.10				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					111.10				
	Length/ m (2D)	---					Emission is					Sound power level (Lw)				
	Area /m²	---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s													
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s													
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s													
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB				
	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	111.1		1.00		0.18510		-18.12		-18.1				
	Evening (4h)	4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1				
	Night (8h)	8.00	Night	111.1		1.00		0.11950		-18.26		-18.3				
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
		Geometry:					661860.19		254894.20		282.00		175.00			
EQCN283	Label	AP6.1*****					Action radius/m					3000.00				
	Group	14 m/s					Lw (Day (12h)) /dB(A)					111.10				
	Number of nodes	1					Lw (Night (8h)) /dB(A)					111.10				
	Length/ m	---					Lw (Evening (4h)) /dB(A)					111.10				

Length/ m (2D)			---				Emission is				Sound power level (Lw)					
Area /m²			---													
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s													
Day (12h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s													
Night (8h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s													
Evening (4h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden			-		0.0		0.0		0.0				0.0			
Rating period / Period			Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	111.1		1.00		0.18510		-18.12		-18.1			
Evening (4h)			4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1			
Night (8h)			8.00	Night	111.1		1.00		0.11950		-18.26		-18.3			
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661549.21		255141.18		282.00		175.00		
EQCN284			Label				JU1*****				Action radius/m				3000.00	
			Group				14 m/s				Lw (Day (12h)) /dB(A)				111.10	
			Number of nodes				1				Lw (Night (8h)) /dB(A)				111.10	
			Length/ m				---				Lw (Evening (4h)) /dB(A)				111.10	
			Length/ m (2D)				---				Emission is				Sound power level (Lw)	
			Area /m²				---									
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s													
Day (12h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s													
Night (8h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s													
Evening (4h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden			-		0.0		0.0		0.0				0.0			
Rating period / Period			Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	111.1		1.00		0.18510		-18.12		-18.1			
Evening (4h)			4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1			
Night (8h)			8.00	Night	111.1		1.00		0.11950		-18.26		-18.3			
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661068.17		255365.14		281.00		175.00		
EQCN285			Label				Pr25*****				Action radius/m				3000.00	
			Group				14 m/s				Lw (Day (12h)) /dB(A)				111.10	
			Number of nodes				1				Lw (Night (8h)) /dB(A)				111.10	
			Length/ m				---				Lw (Evening (4h)) /dB(A)				111.10	
			Length/ m (2D)				---				Emission is				Sound power level (Lw)	
			Area /m²				---									
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s													
Day (12h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s													
Night (8h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 14 m/s													

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		662047.55		256166.20		283.00		175.00			
EQCN286	Label		PrRR3*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		662676.13		256121.38		284.00		175.00			
EQCN287	Label		P19.2b*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		656671.82		247343.93		280.00		175.00			

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

EQCN288	Label		Pr3b*****				Action radius/m				3000.00				
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 14 m/s
	Day (12h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 14 m/s
	Night (8h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 14 m/s
	Evening (4h)		Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden		-		0.0		0.0		0.0		-		0.0			
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1			
Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1			
Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:					662489.40		255686.03		284.00		175.00		
EQCN289	Label		O2*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 15 m/s
	Day (12h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 15 m/s
	Night (8h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 15 m/s
	Evening (4h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden		-		0.0		0.0		0.0		-		0.0			
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1			
Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0			
Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:					655899.72		249092.09		279.27		175.00		
EQCN290	Label		O3*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 15 m/s
	Day (12h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	

Vēja parks "Pīkuļi" B alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656055.72		248760.81		279.00		175.00	
EQCN291	Label		O5*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				656292.16		247880.94		279.00		175.00	
EQCN292	Label		O4*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	111.1	1.00	0.06410	-17.95	-18.0						
	Night (8h)	8.00	Night	111.1	1.00	0.10190	-18.95	-18.9						
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	655674.43	248309.07	278.00	175.00						
EQCN293	Label	DD1*****			Action radius/m			3000.00						
	Group	15 m/s			Lw (Day (12h)) /dB(A)			111.11						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.11						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.11						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.18450		-18.13		-18.1		
	Evening (4h)	4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0		
	Night (8h)	8.00	Night	111.1		1.00		0.10190		-18.95		-18.9		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	656226.07	248421.71	278.00	175.00						
EQCN294	Label	DD3*****			Action radius/m			3000.00						
	Group	15 m/s			Lw (Day (12h)) /dB(A)			111.11						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.11						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.11						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.18450		-18.13		-18.1		
	Evening (4h)	4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0		
	Night (8h)	8.00	Night	111.1		1.00		0.10190		-18.95		-18.9		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	656792.54	248209.39	279.20	175.00						
EQCN295	Label	O1.b*****			Action radius/m			3000.00						
	Group	15 m/s			Lw (Day (12h)) /dB(A)			111.11						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.11						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.11						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27		278.00		175.00	
EQCN296	Label		JV1*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656086.43		247254.47		279.00		175.00	
EQCN297	Label		Pr12*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for temperature /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659850.41		255599.51		281.00		175.00	
EQCN298	Label		O6*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Day (12h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Night (8h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Evening (4h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Rating method		Peak level		Corr. for temperature /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659724.06		256257.39		278.09		175.00	
EQCN299	Label		Pr11*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Day (12h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Night (8h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 15 m/s										
	Evening (4h)		Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4
	Rating method		Peak level		Corr. for temperature /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	660296.51		255945.28		279.00		175.00	
EQCN300	Label		AP2*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	661860.19		254894.20		282.00		175.00	
EQCN301	Label		AP6.1*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	661549.21		255141.18		282.00		175.00	
EQCN302	Label		JU1*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	

Vēja parks "Pīrikuļi" B alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661068.17		255365.14		281.00		175.00	
EQCN303	Label		Pr25*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662047.55		256166.20		283.00		175.00	
EQCN304	Label		PrRR3*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

Vēja parks "Prikuļi" B alternatīva - Vestas V172 - 7.2 MW

			Geometry:				662676.13		256121.38		284.00		175.00		
EQCN305	Label	P19.2b*****				Action radius/m				3000.00					
	Group	15 m/s				Lw (Day (12h)) /dB(A)				111.11					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Rating method	Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	111.1		1.00		0.18450		-18.13		-18.1			
	Evening (4h)	4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0			
	Night (8h)	8.00	Night	111.1		1.00		0.10190		-18.95		-18.9			
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656671.82		247343.93		280.00		175.00		
EQCN306	Label	Pr3b*****				Action radius/m				3000.00					
	Group	15 m/s				Lw (Day (12h)) /dB(A)				111.11					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.11					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Rating method	Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	111.1		1.00		0.18450		-18.13		-18.1			
	Evening (4h)	4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0			
	Night (8h)	8.00	Night	111.1		1.00		0.10190		-18.95		-18.9			
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662489.40		255686.03		284.00		175.00		