

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

Point source /CNOSSO (234)														Variant 0		
EQCN001	Label		O2				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
Rating method			Peak level		Corr. for locality /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	100.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)			4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1			
Night (8h)			8.00	Night	100.8		1.00		0.35530		-13.52		-13.5			
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		655899.72		249092.09		279.27		175.00		
EQCN002	Label		O3				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
Rating method			Peak level		Corr. for locality /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden					-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	100.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)			4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1			
Night (8h)			8.00	Night	100.8		1.00		0.35530		-13.52		-13.5			
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656055.72		248760.81		279.00		175.00		
EQCN003	Label		O5				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s												
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:			656292.16		247880.94		279.00		175.00		
EQCN004	Label		O4			Action radius/m			3000.00					
	Group		3 m/s			Lw (Day (12h)) /dB(A)			100.80					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			100.80					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			100.80					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:			655674.43		248309.07		278.00		175.00		
EQCN005	Label		DD1			Action radius/m			3000.00					
	Group		3 m/s			Lw (Day (12h)) /dB(A)			100.80					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			100.80					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			100.80					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction	

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)	4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)	8.00	Night	100.8		1.00		0.35530		-13.52		-13.5		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				656226.07		248421.71		278.00		175.00		
EQCN006	Label	DD3				Action radius/m				3000.00				
	Group	3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)	4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)	8.00	Night	100.8		1.00		0.35530		-13.52		-13.5		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				656792.54		248209.39		279.20		175.00		
EQCN007	Label	O1.b				Action radius/m				3000.00				
	Group	3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.8		1.00		0.95750		-10.98		-11.0		
	Evening (4h)	4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1		
	Night (8h)	8.00	Night	100.8		1.00		0.35530		-13.52		-13.5		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				655628.52		247870.27		278.00		175.00		
EQCN008	Label	JV1				Action radius/m				3000.00				
	Group	3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.80				

Vēja parks "Prīkuli" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m (2D)				---				Emission is				Sound power level (Lw)			
	Area /m²				---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Rating method		Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0			
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1			
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:	656086.43		247254.47		279.00		175.00			
EQCN009	Label		Pr12				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Rating method		Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0			
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1			
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5			
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:	659850.41		255599.51		281.00		175.00			
EQCN010	Label		O6				Action radius/m				3000.00					
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s													

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98	-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12	-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52	-13.5	
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		659724.06		256257.39		278.09		175.00		
EQCN011	Label		Pr11		Action radius/m								3000.00
	Group		3 m/s		Lw (Day (12h)) /dB(A)								100.80
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.80
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.80
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98	-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12	-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52	-13.5	
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		660296.51		255945.28		279.00		175.00		
EQCN012	Label		AP2		Action radius/m								3000.00
	Group		3 m/s		Lw (Day (12h)) /dB(A)								100.80
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.80
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.80
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98	-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12	-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52	-13.5	
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		661860.19		254894.20		282.00		175.00		

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN013	Label		AP6.1				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1			
Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5			
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		661549.21		255141.18		282.00		175.00		
EQCN014	Label		JU1				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0			
Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1			
Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5			
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
					Geometry:		661068.17		255365.14		281.00		175.00		
EQCN015	Label		Pr25				Action radius/m				3000.00				
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)		Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662047.55		256166.20		283.00		175.00	
EQCN016	Label		Pr3a				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1	
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662202.01		255681.90		284.00		175.00	
EQCN017	Label		PrRR3				Action radius/m				3000.00			
	Group		3 m/s				Lw (Day (12h)) /dB(A)				100.80			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.80			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.80			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s											
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	100.8	1.00	0.19480	-13.12	-13.1					
	Night (8h)	8.00	Night	100.8	1.00	0.35530	-13.52	-13.5					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:		662676.13	256121.38	284.00 175.00					
EQCN018	Label	P19.2b			Action radius/m			3000.00					
	Group	3 m/s			Lw (Day (12h)) /dB(A)			100.80					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.80					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.80					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Day (12h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Night (8h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 3 m/s										
	Evening (4h)	Lw /dB (A)	100.8	45.7 50.9 56.2	62.2 67.4 71.5	78.8 84.5 85.5	86.6 87.7 87.1	89.4 91.0 90.6	89.4 87.8 88.2	88.6 89.0 88.2	87.4 86.6 85.7	84.8 84.0 80.6	77.3 74.0 70.6
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.8		1.00		0.95750		-10.98		-11.0
	Evening (4h)		4.00	Evening	100.8		1.00		0.19480		-13.12		-13.1
	Night (8h)		8.00	Night	100.8		1.00		0.35530		-13.52		-13.5
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:		656671.82	247343.93	280.00	175.00			
EQCN091	Label	O2*			Action radius/m			3000.00					
	Group	4 m/s			Lw (Day (12h)) /dB(A)			100.81					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.81					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.81					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s										
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:		655899.72	249092.09	279.27	175.00			
EQCN092	Label	O3*			Action radius/m			3000.00					
	Group	4 m/s			Lw (Day (12h)) /dB(A)			100.81					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.81					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.81					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN093	Label		O5*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN094	Label		O4*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for Lw /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655674.43		248309.07		278.00		175.00	
EQCN095	Label		DD1*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for Lw /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656226.07		248421.71		278.00		175.00	
EQCN096	Label		DD3*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for Lw /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656792.54		248209.39		279.20		175.00	
EQCN097	Label		O1.b*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)				100.81				
	Length/ m (2D)	---					Emission is				Sound power level (Lw)				
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s												
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s												
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s												
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:				655628.52		247870.27		278.00		175.00		
EQCN098	Label		JV1*					Action radius/m				3000.00			
	Group		4 m/s					Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---					Emission is				Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s												
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s												
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s												
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:				656086.43		247254.47		279.00		175.00		
EQCN099	Label		Pr12*					Action radius/m				3000.00			
	Group		4 m/s					Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---					Emission is				Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s												
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s												
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659850.41		255599.51		281.00		175.00	
EQCN100	Label		O6*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659724.06		256257.39		278.09		175.00	
EQCN101	Label		Pr11*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

			Geometry:				660296.51				255945.28				279.00		175.00	
EQCN102	Label		AP2*				Action radius/m				3000.00							
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s															
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s															
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s															
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6					
	Rating method		Peak level		Corr. for Lden/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0				0.0					
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4					
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8					
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9					
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m					
						Geometry:		661860.19		254894.20		282.00		175.00				
EQCN103	Label		AP6.1*				Action radius/m				3000.00							
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s															
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s															
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s															
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6					
	Rating method		Peak level		Corr. for Lden/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0				0.0					
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4					
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8					

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			661068.17		255365.14		281.00		175.00		
EQCN105	Label		Pr25*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.8		1.00		1.10470		-10.36		-10.4	
	Evening (4h)		4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8	
	Night (8h)		8.00	Night	100.8		1.00		0.51780		-11.89		-11.9	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			662047.55		256166.20		283.00		175.00		
EQCN106	Label		Pr3a*				Action radius/m				3000.00			
	Group		4 m/s				Lw (Day (12h)) /dB(A)				100.81			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.81			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.81			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)	4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)	8.00	Night	100.8		1.00		0.51780		-11.89		-11.9		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				662202.01		255681.90		284.00		175.00		
EQCN107	Label	PrRR3*				Action radius/m				3000.00				
	Group	4 m/s				Lw (Day (12h)) /dB(A)				100.81				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.81				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.81				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)	4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)	8.00	Night	100.8		1.00		0.51780		-11.89		-11.9		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				662676.13		256121.38		284.00		175.00		
EQCN108	Label	P19.2b*				Action radius/m				3000.00				
	Group	4 m/s				Lw (Day (12h)) /dB(A)				100.81				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.81				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.81				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Day (12h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Night (8h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 4 m/s											
	Evening (4h)	Lw /dB (A)	100.8	44.6 50.0 55.5	61.9 67.3 71.4	79.2 84.8 85.8	86.9 87.9 87.8	90.3 91.9 91.2	89.7 87.9 87.9	87.9 87.9 86.9	85.8 84.7 84.6	84.4 84.2 80.8	77.4 74.0 70.6	
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.8		1.00		1.10470		-10.36		-10.4		
	Evening (4h)	4.00	Evening	100.8		1.00		0.26680		-11.76		-11.8		
	Night (8h)	8.00	Night	100.8		1.00		0.51780		-11.89		-11.9		
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:				656671.82		247343.93		280.00		175.00		
EQCN109	Label	O2**				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.89				

	Length/ m (2D)				---				Emission is				Sound power level (Lw)			
	Area /m²				---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s													
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s													
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s													
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3			
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. /m/s	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6			
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6			
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0			
	Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		655899.72		249092.09		279.27		175.00	
EQCN110	Label		O3**				Action radius/m				3000.00					
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s													
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s													
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s													
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3			
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. /m/s	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6			
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6			
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0			
	Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
							Geometry:		656055.72		248760.81		279.00		175.00	
EQCN111	Label		O5**				Action radius/m				3000.00					
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89					
	Number of nodes															

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656292.16		247880.94		279.00		175.00		
EQCN112	Label		O4**		Action radius/m		3000.00						
	Group		5 m/s		Lw (Day (12h)) /dB(A)		100.89						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.89						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.89						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		655674.43		248309.07		278.00		175.00		
EQCN113	Label		DD1**		Action radius/m		3000.00						
	Group		5 m/s		Lw (Day (12h)) /dB(A)		100.89						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		100.89						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		100.89						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 5 m/s								
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656226.07		248421.71		278.00		175.00		

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN114	Label		DD3**				Action radius/m				3000.00							
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 5 m/s			
	Day (12h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 5 m/s			
	Night (8h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 5 m/s			
	Evening (4h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3				
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden		-		0.0		0.0		0.0		-		0.0						
Rating period / Period		Duration	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6						
Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6						
Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0						
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m						
		Geometry:					656792.54		248209.39		279.20		175.00					
EQCN115	Label		O1.b**				Action radius/m				3000.00							
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 5 m/s			
	Day (12h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 5 m/s			
	Night (8h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 5 m/s			
	Evening (4h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3				
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden		-		0.0		0.0		0.0		-		0.0						
Rating period / Period		Duration	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6						
Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6						
Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0						
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m						
		Geometry:					655628.52		247870.27		278.00		175.00					
EQCN116	Label		JV1**				Action radius/m				3000.00							
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 5 m/s			
	Day (12h)		Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3				

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6	
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6	
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656086.43		247254.47		279.00		175.00	
EQCN117	Label		Pr12**				Action radius/m				3000.00			
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6	
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6	
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659850.41		255599.51		281.00		175.00	
EQCN118	Label		O6**				Action radius/m				3000.00			
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6	

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	100.9	1.00	0.34710	-10.62	-10.6					
	Night (8h)	8.00	Night	100.9	1.00	0.63860	-10.98	-11.0					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	659724.06	256257.39	278.09	175.00					
EQCN119	Label	Pr11**			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.89					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.9		1.00		1.32210		-9.58		-9.6	
	Evening (4h)	4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6	
	Night (8h)	8.00	Night	100.9		1.00		0.63860		-10.98		-11.0	
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	660296.51	255945.28	279.00	175.00					
EQCN120	Label	AP2**			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.89					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s										
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.9		1.00		1.32210		-9.58		-9.6	
	Evening (4h)	4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6	
	Night (8h)	8.00	Night	100.9		1.00		0.63860		-10.98		-11.0	
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	661860.19	254894.20	282.00	175.00					
EQCN121	Label	AP6.1**			Action radius/m			3000.00					
	Group	5 m/s			Lw (Day (12h)) /dB(A)			100.89					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			100.89					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			100.89					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6	
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6	
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661549.21		255141.18		282.00		175.00	
EQCN122	Label		JU1**				Action radius/m				3000.00			
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		-			
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	100.9		1.00		1.32210		-9.58		-9.6	
	Evening (4h)		4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6	
	Night (8h)		8.00	Night	100.9		1.00		0.63860		-10.98		-11.0	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661068.17		255365.14		281.00		175.00	
EQCN123	Label		Pr25**				Action radius/m				3000.00			
	Group		5 m/s				Lw (Day (12h)) /dB(A)				100.89			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				100.89			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				100.89			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level	Corr. for temperature /dB				Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB		
	Lden	-	0.0				0.0		0.0		-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
	Evening (4h)	4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
	Night (8h)	8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		662047.55		256166.20		283.00		175.00
EQCN124	Label	Pr3a**				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.89				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method	Peak level	Corr. for temperature /dB				Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB		
	Lden	-	0.0				0.0		0.0		-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
	Evening (4h)	4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
	Night (8h)	8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		662202.01		255681.90		284.00		175.00
EQCN125	Label	PrRR3**				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.89				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.89				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method	Peak level	Corr. for temperature /dB				Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB		
	Lden	-	0.0				0.0		0.0		-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.9		1.00		1.32210		-9.58		-9.6		
	Evening (4h)	4.00	Evening	100.9		1.00		0.34710		-10.62		-10.6		
	Night (8h)	8.00	Night	100.9		1.00		0.63860		-10.98		-11.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		662676.13		256121.38		284.00		175.00
EQCN126	Label	P19.2b**				Action radius/m				3000.00				
	Group	5 m/s				Lw (Day (12h)) /dB(A)				100.89				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.89				

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)				100.89			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Day (12h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Night (8h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 5 m/s											
	Evening (4h)	Lw /dB (A)	100.9	45.6 51.0 56.5	62.9 68.3 72.4	79.7 85.3 86.3	87.4 88.4 88.0	90.3 91.8 91.2	89.8 87.5 87.5	88.1 88.1 87.3	86.2 85.3 84.6	84.3 83.5 80.3	75.8 72.6 69.3	
	Rating method		Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration	Emiss. time	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	100.9	1.00		1.32210		-9.58		-9.6		
	Evening (4h)		4.00	Evening	100.9	1.00		0.34710		-10.62		-10.6		
	Night (8h)		8.00	Night	100.9	1.00		0.63860		-10.98		-11.0		
	Geometry		Nr			x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			656671.82		247343.93		280.00		175.00		
EQCN127	Label		O2***			Action radius/m			3000.00					
	Group		6 m/s			Lw (Day (12h)) /dB(A)			102.70					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			102.70					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			102.70					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration	Emiss. time	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	102.7	1.00		1.36470		-9.44		-9.4		
	Evening (4h)		4.00	Evening	102.7	1.00		0.40880		-9.91		-9.9		
	Night (8h)		8.00	Night	102.7	1.00		0.75370		-10.26		-10.3		
	Geometry		Nr			x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			655899.72		249092.09		279.27		175.00		
EQCN128	Label		O3***			Action radius/m			3000.00					
	Group		6 m/s			Lw (Day (12h)) /dB(A)			102.70					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			102.70					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			102.70					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN129	Label		O5***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN130	Label		O4***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

				Geometry:			655674.43		248309.07		278.00		175.00	
EQCN131	Label			DD1***			Action radius/m				3000.00			
	Group			6 m/s			Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes			1			Lw (Night (8h)) /dB(A)				102.70			
	Length/ m			---			Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)			---			Emission is				Sound power level (Lw)			
	Area /m²			---										
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Rating method			Peak level		Corr. for insensitivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
Lden			-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
Evening (4h)			4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
Night (8h)			8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656226.07		248421.71		278.00		175.00	
EQCN132	Label			DD3***			Action radius/m				3000.00			
	Group			6 m/s			Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes			1			Lw (Night (8h)) /dB(A)				102.70			
	Length/ m			---			Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)			---			Emission is				Sound power level (Lw)			
	Area /m²			---										
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Day (12h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Night (8h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 6 m/s											
Evening (4h)		Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
Rating method			Peak level		Corr. for insensitivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
Lden			-		0.0		0.0		0.0		-		0.0	
Rating period / Period			Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
Evening (4h)			4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
Night (8h)			8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
Geometry						Nr	x/m		y/m		z(abs) /m</			

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		655628.52		247870.27		278.00		175.00			
EQCN134	Label		JV1***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4	
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9	
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		656086.43		247254.47		279.00		175.00			
EQCN135	Label		Pr12***				Action radius/m				3000.00			
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s											
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0	
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction	

Vēja parks "Prikulī" A alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	102.7	1.00	1.36470	-9.44	-9.4					
	Evening (4h)	4.00	Evening	102.7	1.00	0.40880	-9.91	-9.9					
	Night (8h)	8.00	Night	102.7	1.00	0.75370	-10.26	-10.3					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			659850.41	255599.51	281.00	175.00					
EQCN136	Label	O6***			Action radius/m			3000.00					
	Group	6 m/s			Lw (Day (12h)) /dB(A)			102.70					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			102.70					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			102.70					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-			0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	102.7	1.00	1.36470	-9.44	-9.4					
	Evening (4h)	4.00	Evening	102.7	1.00	0.40880	-9.91	-9.9					
	Night (8h)	8.00	Night	102.7	1.00	0.75370	-10.26	-10.3					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			659724.06	256257.39	278.09	175.00					
EQCN137	Label	Pr11***			Action radius/m			3000.00					
	Group	6 m/s			Lw (Day (12h)) /dB(A)			102.70					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			102.70					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			102.70					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s										
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-			0.0
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	102.7	1.00	1.36470	-9.44	-9.4					
	Evening (4h)	4.00	Evening	102.7	1.00	0.40880	-9.91	-9.9					
	Night (8h)	8.00	Night	102.7	1.00	0.75370	-10.26	-10.3					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
		Geometry:			660296.51	255945.28	279.00	175.00					
EQCN138	Label	AP2***			Action radius/m			3000.00					
	Group	6 m/s			Lw (Day (12h)) /dB(A)			102.70					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			102.70					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			102.70					

Length/ m (2D)		---				Emission is				Sound power level (Lw)					
Area /m²		---													
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s													
Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0			
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s													
Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0			
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s													
Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0			
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0			
Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4			
Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9			
Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		661860.19		254894.20		282.00		175.00		
EQCN139	Label		AP6.1***					Action radius/m				3000.00			
	Group		6 m/s					Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				102.70			
	Length/ m (2D)		---					Emission is				Sound power level (Lw)			
	Area /m²		---												
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s													
Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0			
Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s													
Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0			
Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s													
Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0			
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden		-		0.0		0.0		0.0		-		0.0			
Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4			
Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9			
Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		661549.21		255141.18		282.00		175.00		
EQCN140	Label		JU1***					Action radius/m				3000.00			
	Group		6 m/s					Lw (Day (12h)) /dB(A)				102.70			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				102.70			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				102.70			
	Length														

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		661068.17		255365.14		281.00		175.00		
EQCN141	Label		Pr25***		Action radius/m		3000.00						
	Group		6 m/s		Lw (Day (12h)) /dB(A)		102.70						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		102.70						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		102.70						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas 172-7.2 ST 6 m/s										
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)		Reference: Vestas 172-7.2 ST 6 m/s										
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)		Reference: Vestas 172-7.2 ST 6 m/s										
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		662047.55		256166.20		283.00		175.00		
EQCN142	Label		Pr3a***		Action radius/m		3000.00						
	Group		6 m/s		Lw (Day (12h)) /dB(A)		102.70						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		102.70						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		102.70						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas 172-7.2 ST 6 m/s										
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Night (8h)		Reference: Vestas 172-7.2 ST 6 m/s										
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Evening (4h)		Reference: Vestas 172-7.2 ST 6 m/s										
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4
	Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9
	Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		662202.01		255681.90		284.00		175.00		

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN143	Label		PrRR3***				Action radius/m				3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Rating method		Peak level		Corr. for sensitivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4			
Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9			
Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662676.13		256121.38		284.00		175.00		
EQCN144	Label		P19.2b***				Action radius/m				3000.00				
	Group		6 m/s				Lw (Day (12h)) /dB(A)				102.70				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				102.70				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				102.70				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
	Day (12h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
	Night (8h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 6 m/s												
	Evening (4h)	Lw /dB (A)	102.7	50.0 55.1 60.3	66.5 71.6 75.2	81.1 86.7 87.7	88.5 89.5 89.9	91.4 92.5 92.4	91.8 90.2 90.5	91.3 91.5 90.4	88.7 87.6 85.9	84.1 82.4 80.1	77.6 75.3 73.0		
	Rating method		Peak level		Corr. for sensitivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	102.7		1.00		1.36470		-9.44		-9.4			
Evening (4h)		4.00	Evening	102.7		1.00		0.40880		-9.91		-9.9			
Night (8h)		8.00	Night	102.7		1.00		0.75370		-10.26		-10.3			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656671.82		247343.93		280.00		175.00		
EQCN145	Label		O2****				Action radius/m				3000.00				
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s												
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655899.72		249092.09		279.27		175.00	
EQCN146	Label		O3****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)		Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Night (8h)		Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)		Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Evening (4h)		Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)		Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656055.72		248760.81		279.00		175.00	
EQCN147	Label		O5****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)		Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Night (8h)		Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)		Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Evening (4h)		Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)		Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	105.4	1.00	0.42000	-9.79	-9.8						
	Night (8h)	8.00	Night	105.4	1.00	0.85890	-9.69	-9.7						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	656292.16	247880.94	279.00	175.00							
EQCN148	Label	O4****			Action radius/m			3000.00						
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.40						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.40						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.40						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method	Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	656292.16	247880.94	279.00	175.00						
EQCN149	Label	DD1****			Action radius/m			3000.00						
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.40						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.40						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.40						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method	Peak level		Corr. for background /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	656226.07	248421.71	278.00	175.00						
EQCN150	Label	DD3****			Action radius/m			3000.00						
	Group	7 m/s			Lw (Day (12h)) /dB(A)			105.40						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.40						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.40						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656792.54		248209.39		279.20		175.00	
EQCN151	Label		O1.b****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27		278.00		175.00	
EQCN152	Label		JV1****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level	Corr. for background /dB				Corr. for tonality /dB		Corr. for inform. background/dB			Special correction /dB		
	Lden	-	0.0				0.0		0.0		-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656086.43		247254.47		279.00		175.00
EQCN153	Label	Pr12****				Action radius/m				3000.00				
	Group	7 m/s				Lw (Day (12h)) /dB(A)				105.40				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				105.40				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				105.40				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method	Peak level	Corr. for background /dB				Corr. for tonality /dB		Corr. for inform. background/dB			Special correction /dB		
	Lden	-	0.0				0.0		0.0		-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		659850.41		255599.51		281.00		175.00
EQCN154	Label	O6****				Action radius/m				3000.00				
	Group	7 m/s				Lw (Day (12h)) /dB(A)				105.40				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				105.40				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				105.40				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method	Peak level	Corr. for background /dB				Corr. for tonality /dB		Corr. for inform. background/dB			Special correction /dB		
	Lden	-	0.0				0.0		0.0		-	0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	105.4		1.00		1.28160		-9.71		-9.7		
	Evening (4h)	4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8		
	Night (8h)	8.00	Night	105.4		1.00		0.85890		-9.69		-9.7		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		659724.06		256257.39		278.09		175.00
EQCN155	Label	Pr11****				Action radius/m				3000.00				
	Group	7 m/s				Lw (Day (12h)) /dB(A)				105.40				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				105.40				

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	660296.51		255945.28		279.00		175.00	
EQCN156	Label		AP2****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	661860.19		254894.20		282.00		175.00	
EQCN157	Label		AP6.1****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for tonality /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661549.21		255141.18		282.00		175.00	
EQCN158	Label		JU1****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for tonality /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661068.17		255365.14		281.00		175.00	
EQCN159	Label		Pr25****				Action radius/m				3000.00			
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for tonality /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

			Geometry:				662047.55				256166.20				283.00		175.00	
EQCN160	Label		Pr3a****				Action radius/m				3000.00							
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s															
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s															
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s															
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8					
	Rating method		Peak level		Corr. for Lw /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0				0.0					
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7					
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8					
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7					
	Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
							Geometry:		662202.01		255681.90		284.00		175.00			
EQCN161	Label		PrRR3****				Action radius/m				3000.00							
	Group		7 m/s				Lw (Day (12h)) /dB(A)				105.40							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				105.40							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				105.40							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s															
	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s															
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s															
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8					
	Rating method		Peak level		Corr. for Lw /dB(A)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0				0.0					
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7					
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8					

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Night (8h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 7 m/s											
	Evening (4h)	Lw /dB (A)	105.4	51.6 56.6 61.6	67.4 72.4 76.1	82.3 87.5 88.7	90.2 91.6 92.9	94.5 95.8 95.7	95.2 93.3 93.4	94.0 94.1 92.8	91.2 89.9 87.9	85.7 83.6 80.8	77.5 74.6 71.8	
	Rating method		Peak level		Corr. for tonality		Corr. for inform.				Special correction			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.4		1.00		1.28160		-9.71		-9.7	
	Evening (4h)		4.00	Evening	105.4		1.00		0.42000		-9.79		-9.8	
	Night (8h)		8.00	Night	105.4		1.00		0.85890		-9.69		-9.7	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656671.82		247343.93		280.00		175.00	
EQCN163	Label		O2*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for tonality		Corr. for inform.				Special correction			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655899.72		249092.09		279.27		175.00	
EQCN164	Label		O3*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for tonality		Corr. for inform.				Special correction			

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0		0.0		0.0		-	0.0			
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	108.2	1.00	1.13610	-10.24		-10.2				
	Evening (4h)	4.00	Evening	108.2	1.00	0.45230	-9.47		-9.5				
	Night (8h)	8.00	Night	108.2	1.00	0.97180	-9.16		-9.2				
	Geometry			Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:			656055.72		248760.81		279.00		175.00		
EQCN165	Label	O5*****			Action radius/m			3000.00					
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.20					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.20					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.20					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	108.2	1.00	1.13610	-10.24		-10.2				
	Evening (4h)	4.00	Evening	108.2	1.00	0.45230	-9.47		-9.5				
	Night (8h)	8.00	Night	108.2	1.00	0.97180	-9.16		-9.2				
	Geometry			Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:			656292.16		247880.94		279.00		175.00		
EQCN166	Label	O4*****			Action radius/m			3000.00					
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.20					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.20					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.20					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB		Lwr /dB(A)				
	Day (12h)	12.00	Day	108.2	1.00	1.13610	-10.24		-10.2				
	Evening (4h)	4.00	Evening	108.2	1.00	0.45230	-9.47		-9.5				
	Night (8h)	8.00	Night	108.2	1.00	0.97180	-9.16		-9.2				
	Geometry			Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
		Geometry:			655674.43		248309.07		278.00		175.00		
EQCN167	Label	DD1*****			Action radius/m			3000.00					
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.20					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.20					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.20					

	Length/ m (2D)					---				Emission is				Sound power level (Lw)			
	Area /m²					---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s														
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s														
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s														
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality/dB		Corr. for inform. content/dB				Special correction/dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2				
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5				
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		656226.07		248421.71		278.00		175.00			
EQCN168	Label		DD3*****					Action radius/m					3000.00				
	Group		8 m/s					Lw (Day (12h)) /dB(A)					108.20				
	Number of nodes		1					Lw (Night (8h)) /dB(A)					108.20				
	Length/ m		---					Lw (Evening (4h)) /dB(A)					108.20				
	Length/ m (2D)		---					Emission is					Sound power level (Lw)				
	Area /m²		---														
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz				
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s														
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s														
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s														
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality/dB		Corr. for inform. content/dB				Special correction/dB				
	Lden		-		0.0		0.0		0.0		-		0.0				
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2				
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5				
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:		656792.54		248209.39		279.20		175.00			
EQCN169	Label		O1.b*****					Action radius/m					3000.00				
	Group		8 m/s					Lw (Day (12h)) /dB(A)					108.20				
	Number of nodes		1														

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for <small>frequency/dB</small>		Corr. for tonality <small>/dB</small>		Corr. for inform. <small>corrected/dB</small>				Special correction <small>/dB</small>	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		655628.52		247870.27		278.00		175.00			
EQCN170	Label		JV1*****		Action radius/m		3000.00							
	Group		8 m/s		Lw (Day (12h)) /dB(A)		108.20							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.20							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.20							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method		Peak level		Corr. for <small>frequency/dB</small>		Corr. for tonality <small>/dB</small>		Corr. for inform. <small>corrected/dB</small>				Special correction <small>/dB</small>	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		656086.43		247254.47		279.00		175.00			
EQCN171	Label		Pr12*****		Action radius/m		3000.00							
	Group		8 m/s		Lw (Day (12h)) /dB(A)		108.20							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		108.20							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		108.20							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)		Emission Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method		Peak level		Corr. for <small>frequency/dB</small>		Corr. for tonality <small>/dB</small>		Corr. for inform. <small>corrected/dB</small>				Special correction <small>/dB</small>	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:		659850.41		255599.51		281.00		175.00			

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN172	Label		O6*****				Action radius/m				3000.00							
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Night (8h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Evening (4h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden				-		0.0		0.0		0.0		-		0.0				
Rating period / Period		Duration	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2						
Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5						
Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2						
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m						
					Geometry:		659724.06		256257.39		278.09		175.00					
EQCN173	Label		Pr11*****				Action radius/m				3000.00							
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Night (8h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Evening (4h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden				-		0.0		0.0		0.0		-		0.0				
Rating period / Period		Duration	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2						
Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5						
Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2						
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m						
					Geometry:		660296.51		255945.28		279.00		175.00					
EQCN174	Label		AP2*****				Action radius/m				3000.00							
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 8 m/s			
	Day (12h)		Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7				

Vēja parks "Prikulī" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661860.19		254894.20		282.00		175.00	
EQCN175	Label		AP6.1*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661549.21		255141.18		282.00		175.00	
EQCN176	Label		JU1*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	108.2	1.00	0.45230	-9.47	-9.5					
	Night (8h)	8.00	Night	108.2	1.00	0.97180	-9.16	-9.2					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:		661068.17	255365.14	281.00	175.00				
EQCN177	Label	Pr25*****			Action radius/m			3000.00					
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.20					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.20					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.20					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss. type	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)	4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)	8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:		662047.55	256166.20	283.00	175.00				
EQCN178	Label	Pr3a*****			Action radius/m			3000.00					
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.20					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.20					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.20					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s										
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss. type	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)	4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)	8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:		662202.01	255681.90	284.00	175.00				
EQCN179	Label	PrRR3*****			Action radius/m			3000.00					
	Group	8 m/s			Lw (Day (12h)) /dB(A)			108.20					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			108.20					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			108.20					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662676.13		256121.38		284.00		175.00	
EQCN180	Label		P19.2b*****				Action radius/m				3000.00			
	Group		8 m/s				Lw (Day (12h)) /dB(A)				108.20			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				108.20			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				108.20			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Day (12h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Night (8h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 8 m/s											
	Evening (4h)	Lw /dB (A)	108.2	55.2 60.0 64.7	70.0 74.8 78.8	83.9 88.7 89.9	91.9 93.9 95.3	97.1 98.5 98.6	98.3 96.2 96.4	97.1 97.3 96.0	94.3 93.1 90.8	88.4 86.1 82.7	78.6 75.1 71.7	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	108.2		1.00		1.13610		-10.24		-10.2	
	Evening (4h)		4.00	Evening	108.2		1.00		0.45230		-9.47		-9.5	
	Night (8h)		8.00	Night	108.2		1.00		0.97180		-9.16		-9.2	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656671.82		247343.93		280.00		175.00	
EQCN181	Label		O2*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for L _A /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		655899.72		249092.09		279.27		175.00	
EQCN182	Label		O3*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for L _A /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656055.72		248760.81		279.00		175.00	
EQCN183	Label		O5*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for L _A /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:		656292.16		247880.94		279.00		175.00	
EQCN184	Label		O4*****				Action radius/m				3000.00				
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31				

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)				110.31				
	Length/ m (2D)	---					Emission is				Sound power level (Lw)				
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	655674.43		248309.07		278.00		175.00		
EQCN185	Label		DD1*****					Action radius/m				3000.00			
	Group		9 m/s					Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---					Emission is				Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:	656226.07		248421.71		278.00		175.00		
EQCN186	Label		DD3*****					Action radius/m				3000.00			
	Group		9 m/s					Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1					Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---					Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---					Emission is				Sound power level (Lw)			
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for tonality /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656792.54		248209.39		279.20		175.00
EQCN187	Label		O1.b*****					Action radius/m				3000.00		
	Group		9 m/s					Lw (Day (12h)) /dB(A)				110.31		
	Number of nodes		1					Lw (Night (8h)) /dB(A)				110.31		
	Length/ m		---					Lw (Evening (4h)) /dB(A)				110.31		
	Length/ m (2D)		---					Emission is				Sound power level (Lw)		
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for tonality /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		655628.52		247870.27		278.00		175.00
EQCN188	Label		JV1*****					Action radius/m				3000.00		
	Group		9 m/s					Lw (Day (12h)) /dB(A)				110.31		
	Number of nodes		1					Lw (Night (8h)) /dB(A)				110.31		
	Length/ m		---					Lw (Evening (4h)) /dB(A)				110.31		
	Length/ m (2D)		---					Emission is				Sound power level (Lw)		
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for tonality /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m

				Geometry:			656086.43		247254.47		279.00		175.00			
EQCN189	Label			Pr12*****			Action radius/m				3000.00					
	Group			9 m/s			Lw (Day (12h)) /dB(A)				110.31					
	Number of nodes			1			Lw (Night (8h)) /dB(A)				110.31					
	Length/ m			---			Lw (Evening (4h)) /dB(A)				110.31					
	Length/ m (2D)			---			Emission is				Sound power level (Lw)					
	Area /m²			---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Day (12h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Night (8h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Evening (4h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Rating method			Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period			Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)			12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)			4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6		
	Night (8h)			8.00	Night	110.3		1.00		1.01840		-8.95		-9.0		
	Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
							Geometry:		659850.41		255599.51		281.00		175.00	
EQCN190	Label			O6*****			Action radius/m				3000.00					
	Group			9 m/s			Lw (Day (12h)) /dB(A)				110.31					
	Number of nodes			1			Lw (Night (8h)) /dB(A)				110.31					
	Length/ m			---			Lw (Evening (4h)) /dB(A)				110.31					
	Length/ m (2D)			---			Emission is				Sound power level (Lw)					
	Area /m²			---												
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Day (12h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Night (8h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Night (8h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Evening (4h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Rating method			Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0		
	Rating period / Period			Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)			12.00	Day	110.3		1.00		1.01770		-10.72		-10.7		
	Evening (4h)			4.00	Evening	110.3		1.00		0.						

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		660296.51		255945.28		279.00		175.00
EQCN192	Label		AP2*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7	
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6	
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		661860.19		254894.20		282.00		175.00
EQCN193	Label		AP6.1*****				Action radius/m				3000.00			
	Group		9 m/s				Lw (Day (12h)) /dB(A)				110.31			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				110.31			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				110.31			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s											
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2	
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction	

Vēja parks "Prikulī" A alternatīva - Vestas V172 - 7.2 MW

	Lden				-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB			Lwr /dB(A)	
	Day (12h)	12.00	Day		110.3		1.00		1.01770		-10.72			-10.7	
	Evening (4h)	4.00	Evening		110.3		1.00		0.44330		-9.55			-9.6	
	Night (8h)	8.00	Night		110.3		1.00		1.01840		-8.95			-9.0	
	Geometry				Nr		x/m		y/m		z(abs) /m			! z(rel) /m	
					Geometry:		661549.21		255141.18		282.00			175.00	
EQCN194	Label	JU1*****				Action radius/m				3000.00					
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB			Lwr /dB(A)	
	Day (12h)	12.00	Day		110.3		1.00		1.01770		-10.72			-10.7	
	Evening (4h)	4.00	Evening		110.3		1.00		0.44330		-9.55			-9.6	
	Night (8h)	8.00	Night		110.3		1.00		1.01840		-8.95			-9.0	
	Geometry				Nr		x/m		y/m		z(abs) /m			! z(rel) /m	
					Geometry:		661068.17		255365.14		281.00			175.00	
EQCN195	Label	Pr25*****				Action radius/m				3000.00					
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Day (12h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Night (8h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 9 m/s												
	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2		
	Rating method	Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB			Lwr /dB(A)	
	Day (12h)	12.00	Day		110.3		1.00		1.01770		-10.72			-10.7	
	Evening (4h)	4.00	Evening		110.3		1.00		0.44330		-9.55			-9.6	
	Night (8h)	8.00	Night		110.3		1.00		1.01840		-8.95			-9.0	
	Geometry				Nr		x/m		y/m		z(abs) /m			! z(rel) /m	
					Geometry:		662047.55		256166.20		283.00			175.00	
EQCN196	Label	Pr3a*****				Action radius/m				3000.00					
	Group	9 m/s				Lw (Day (12h)) /dB(A)				110.31					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				110.31					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				110.31					

			Length/ m (2D)				---				Emission is				Sound power level (Lw)			
			Area /m²				---											
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s															
Day (12h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2					
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s															
Night (8h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2					
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s															
Evening (4h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2					
Rating method			Peak level		Corr. for impulsibility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden			-		0.0		0.0		0.0		-		0.0					
Rating period / Period			Duration h	Emiss. dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)			12.00	Day	110.3		1.00		1.01770		-10.72		-10.7					
Evening (4h)			4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6					
Night (8h)			8.00	Night	110.3		1.00		1.01840		-8.95		-9.0					
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m				
						Geometry:		662202.01		255681.90		284.00		175.00				
EQCN197	Label		PrRR3*****					Action radius/m					3000.00					
	Group		9 m/s					Lw (Day (12h)) /dB(A)					110.31					
	Number of nodes		1					Lw (Night (8h)) /dB(A)					110.31					
	Length/ m		---					Lw (Evening (4h)) /dB(A)					110.31					
	Length/ m (2D)		---					Emission is					Sound power level (Lw)					
Area /m²			---															
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s															
Day (12h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2					
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s															
Night (8h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2					
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 9 m/s															
Evening (4h)		Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2					
Rating method			Peak level		Corr. for impulsibility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden			-		0.0		0.0		0.0		-		0.0					
Rating period / Period			Duration h	Emiss. dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)			12.00	Day	110.3		1.00		1.01770		-10.72		-10.7					
Evening (4h)			4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6					
Night (8h)			8.00	Night	110.3		1.00		1.01840		-8.95		-9.0					
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m				
						Geometry:		662676.13		256121.38		284.00		175.00				
EQCN198	Label		P19.2b*****					Action radius/m					3000.00					
	Group		9 m/s					Lw (Day (12h)) /dB(A)					110.31					
	Number of nodes		1					Lw (Night (8h)) /dB(A)										

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	110.3	55.8 60.7 65.5	70.8 75.6 79.8	85.4 89.6 91.5	93.4 95.3 96.7	98.4 99.8 100.2	100.4 98.8 99.1	99.9 100.2 98.8	97.0 95.7 93.2	90.3 87.8 83.9	79.0 75.1 71.2
	Rating method		Peak level		Corr. for <small>frequency/dB</small>		Corr. for tonality <small>/dB</small>		Corr. for inform. <small>corrected/dB</small>				Special correction <small>/dB</small>
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	110.3		1.00		1.01770		-10.72		-10.7
	Evening (4h)		4.00	Evening	110.3		1.00		0.44330		-9.55		-9.6
	Night (8h)		8.00	Night	110.3		1.00		1.01840		-8.95		-9.0
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656671.82		247343.93		280.00		175.00		
EQCN199	Label		O2*****		Action radius/m								3000.00
	Group		10 m/s		Lw (Day (12h)) /dB(A)								111.09
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for <small>frequency/dB</small>		Corr. for tonality <small>/dB</small>		Corr. for inform. <small>corrected/dB</small>				Special correction <small>/dB</small>
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		655899.72		249092.09		279.27		175.00		
EQCN200	Label		O3*****		Action radius/m								3000.00
	Group		10 m/s		Lw (Day (12h)) /dB(A)								111.09
	Number of nodes		1		Lw (Night (8h)) /dB(A)								111.09
	Length/ m		---		Lw (Evening (4h)) /dB(A)								111.09
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for <small>frequency/dB</small>		Corr. for tonality <small>/dB</small>		Corr. for inform. <small>corrected/dB</small>				Special correction <small>/dB</small>
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		656055.72		248760.81		279.00		175.00		

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN201	Label		O5*****				Action radius/m				3000.00							
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 10 m/s			
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 10 m/s			
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 10 m/s				
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
Rating method			Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden			-		0.0		0.0		0.0		-		0.0					
Rating period / Period			Duration	Emiss. type	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)			12.00	Day	111.1		1.00		0.88890		-11.30		-11.3					
Evening (4h)			4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6					
Night (8h)			8.00	Night	111.1		1.00		0.87560		-9.61		-9.6					
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m				
						Geometry:		656292.16		247880.94		279.00		175.00				
EQCN202	Label		O4*****				Action radius/m				3000.00							
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 10 m/s			
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 10 m/s			
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 10 m/s				
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
Rating method			Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
Lden			-		0.0		0.0		0.0		-		0.0					
Rating period / Period			Duration	Emiss. type	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
Day (12h)			12.00	Day	111.1		1.00		0.88890		-11.30		-11.3					
Evening (4h)			4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6					
Night (8h)			8.00	Night	111.1		1.00		0.87560		-9.61		-9.6					
Geometry						Nr		x/m		y/m		z(abs) /m		! z(rel) /m				
						Geometry:		655674.43		248309.07		278.00		175.00				
EQCN203	Label		DD1*****				Action radius/m				3000.00							
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 10 m/s			
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1				

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656226.07		248421.71		278.00		175.00	
EQCN204	Label		DD3*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6	
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656792.54		248209.39		279.20		175.00	
EQCN205	Label		O1.b*****				Action radius/m				3000.00			
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	111.1	1.00	0.43860	-9.60	-9.6					
	Night (8h)	8.00	Night	111.1	1.00	0.87560	-9.61	-9.6					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	655628.52	247870.27	278.00	175.00					
EQCN206	Label	JV1*****			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:	656086.43	247254.47	279.00	175.00				
EQCN207	Label	Pr12*****			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:	659850.41	255599.51	281.00	175.00				
EQCN208	Label	O6*****			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		659724.06		256257.39		278.09		175.00
EQCN209	Label		Pr11*****				Action radius/m				3000.00		
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)		4.00	Evening	111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)		8.00	Night	111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		660296.51		255945.28		279.00		175.00
EQCN210	Label		AP2*****				Action radius/m				3000.00		
	Group		10 m/s				Lw (Day (12h)) /dB(A)				111.09		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method	Peak level	Corr. for L _w /dB(A)	Corr. for tonality /dB	Corr. for inform. /dB		Special correction /dB						
	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. /m²	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.88890	-11.30	-11.3					
	Evening (4h)	4.00	Evening	111.1	1.00	0.43860	-9.60	-9.6					
	Night (8h)	8.00	Night	111.1	1.00	0.87560	-9.61	-9.6					
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:	661860.19	254894.20	282.00	175.00				
EQCN211	Label	AP6.1*****			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method	Peak level	Corr. for L _w /dB(A)	Corr. for tonality /dB	Corr. for inform. /dB		Special correction /dB						
	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. /m²	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.88890	-11.30	-11.3					
	Evening (4h)	4.00	Evening	111.1	1.00	0.43860	-9.60	-9.6					
	Night (8h)	8.00	Night	111.1	1.00	0.87560	-9.61	-9.6					
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:	661549.21	255141.18	282.00	175.00				
EQCN212	Label	JU1*****			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method	Peak level	Corr. for L _w /dB(A)	Corr. for tonality /dB	Corr. for inform. /dB		Special correction /dB						
	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. /m²	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.88890	-11.30	-11.3					
	Evening (4h)	4.00	Evening	111.1	1.00	0.43860	-9.60	-9.6					
	Night (8h)	8.00	Night	111.1	1.00	0.87560	-9.61	-9.6					
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:	661068.17	255365.14	281.00	175.00				
EQCN213	Label	Pr25*****			Action radius/m			3000.00					
	Group	10 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				-		0.0
	Rating period / Period		Duration	Emiss. /h	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1	1.00		0.88890		-11.30		-11.3		
	Evening (4h)		4.00	Evening	111.1	1.00		0.43860		-9.60		-9.6		
	Night (8h)		8.00	Night	111.1	1.00		0.87560		-9.61		-9.6		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	662047.55		256166.20		283.00		175.00	
EQCN214	Label		Pr3a*****			Action radius/m			3000.00					
	Group		10 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				-		0.0
	Rating period / Period		Duration	Emiss. /h	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1	1.00		0.88890		-11.30		-11.3		
	Evening (4h)		4.00	Evening	111.1	1.00		0.43860		-9.60		-9.6		
	Night (8h)		8.00	Night	111.1	1.00		0.87560		-9.61		-9.6		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	662202.01		255681.90		284.00		175.00	
EQCN215	Label		PrRR3*****			Action radius/m			3000.00					
	Group		10 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)	12.00	Day		111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)	4.00	Evening		111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)	8.00	Night		111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		662676.13		256121.38		284.00		175.00
EQCN216	Label	P19.2b*****					Action radius/m					3000.00	
	Group	10 m/s					Lw (Day (12h)) /dB(A)					111.09	
	Number of nodes	1					Lw (Night (8h)) /dB(A)					111.09	
	Length/ m	---					Lw (Evening (4h)) /dB(A)					111.09	
	Length/ m (2D)	---					Emission is					Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 10 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)	12.00	Day		111.1		1.00		0.88890		-11.30		-11.3
	Evening (4h)	4.00	Evening		111.1		1.00		0.43860		-9.60		-9.6
	Night (8h)	8.00	Night		111.1		1.00		0.87560		-9.61		-9.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656671.82		247343.93		280.00		175.00
EQCN217	Label	O2*****					Action radius/m					3000.00	
	Group	11 m/s					Lw (Day (12h)) /dB(A)					111.09	
	Number of nodes	1					Lw (Night (8h)) /dB(A)					111.09	
	Length/ m	---					Lw (Evening (4h)) /dB(A)					111.09	
	Length/ m (2D)	---					Emission is					Sound power level (Lw)	
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)	12.00	Day		111.1		1.00		0.72940		-12.16		-12.2
	Evening (4h)	4.00	Evening		111.1		1.00		0.35590		-10.51		-10.5
	Night (8h)	8.00	Night		111.1		1.00		0.73510		-10.37		-10.4
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m

				Geometry:				655899.72		249092.09		279.27		175.00		
EQCN218	Label		O3*****				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s													
Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s													
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s													
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
Rating method			Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. octave/dB				Special correction /dB			
Lden					-		0.0		0.0				0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	111.1		1.00		0.72940		-12.16		-12.2			
Evening (4h)			4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5			
Night (8h)			8.00	Night	111.1		1.00		0.73510		-10.37		-10.4			
Geometry						Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
						Geometry:			656055.72		248760.81		279.00			
EQCN219	Label		O5*****				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
Day (12h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s													
Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
Night (8h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s													
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
Evening (4h)		Emission	Reference: Vestas 172-7.2 ST 11 m/s													
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
Rating method			Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. octave/dB				Special correction /dB			
Lden					-		0.0		0.0				0.0			
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)			12.00	Day	111.1		1.00		0.72940		-12.16		-12.2			
Evening (4h)			4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5			
Night (8h)			8.00	Night	111.1		1.00		0.73510		-10.					

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /msec	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		655674.43		248309.07		278.00		175.00
EQCN221	Label		DD1*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /msec	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656226.07		248421.71		278.00		175.00
EQCN222	Label		DD3*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.72940	-12.16	-12.2					
	Evening (4h)	4.00	Evening	111.1	1.00	0.35590	-10.51	-10.5					
	Night (8h)	8.00	Night	111.1	1.00	0.73510	-10.37	-10.4					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
	Geometry:				656792.54	248209.39	279.20	175.00					
EQCN223	Label	O1.b*****			Action radius/m			3000.00					
	Group	11 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)	4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)	8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
	Geometry:				655628.52	247870.27		278.00		175.00			
EQCN224	Label	JV1*****			Action radius/m			3000.00					
	Group	11 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)	4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)	8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry				Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
	Geometry:				656086.43	247254.47		279.00		175.00			
EQCN225	Label	Pr12*****			Action radius/m			3000.00					
	Group	11 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					

	Length/ m (2D)				---				Emission is				Sound power level (Lw)			
	Area /m²				---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s													
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s													
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s													
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. /m/s	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2			
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5			
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4			
	Geometry						Nr		x/m		y/m		z(abs) /m			
							Geometry:		659850.41		255599.51		281.00			
EQCN226	Label		O6*****				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09					
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09					
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09					
	Length/ m (2D)		---				Emission is				Sound power level (Lw)					
	Area /m²		---													
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s													
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s													
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s													
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1			
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration /h	Emiss. /m/s	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2			
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5			
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4			
	Geometry						Nr		x/m		y/m		z(abs) /m			
							Geometry:		659724.06		256257.39		278.09			
EQCN227	Label		Pr11*****				Action radius/m				3000.00					
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09					
	Number of nodes		1													

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		660296.51		255945.28		279.00		175.00		
EQCN228	Label		AP2*****		Action radius/m		3000.00						
	Group		11 m/s		Lw (Day (12h)) /dB(A)		111.09						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.09						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.09						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		661860.19		254894.20		282.00		175.00		
EQCN229	Label		AP6.1*****		Action radius/m		3000.00						
	Group		11 m/s		Lw (Day (12h)) /dB(A)		111.09						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.09						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.09						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 11 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		661549.21		255141.18		282.00		175.00		

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN230	Label		JU1*****				Action radius/m				3000.00				
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 11 m/s												
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 11 m/s												
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Evening (4h)		Emission Reference: Vestas 172-7.2 ST 11 m/s													
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2			
Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5			
Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		661068.17		255365.14		281.00		175.00		
EQCN231	Label		Pr25*****				Action radius/m				3000.00				
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 11 m/s												
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)		Emission Reference: Vestas 172-7.2 ST 11 m/s												
Night (8h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Evening (4h)		Emission Reference: Vestas 172-7.2 ST 11 m/s													
Evening (4h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1		
Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2			
Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5			
Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662047.55		256166.20		283.00		175.00		
EQCN232	Label		Pr3a*****				Action radius/m				3000.00				
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission Reference: Vestas 172-7.2 ST 11 m/s												
	Day (12h)		Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			662202.01		255681.90		284.00		175.00		
EQCN233	Label		PrRR3*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	
	Evening (4h)		4.00	Evening	111.1		1.00		0.35590		-10.51		-10.5	
	Night (8h)		8.00	Night	111.1		1.00		0.73510		-10.37		-10.4	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			662676.13		256121.38		284.00		175.00		
EQCN234	Label		P19.2b*****				Action radius/m				3000.00			
	Group		11 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 11 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.72940		-12.16		-12.2	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	111.1	1.00	0.35590	-10.51	-10.5					
	Night (8h)	8.00	Night	111.1	1.00	0.73510	-10.37	-10.4					
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m					
				Geometry:	656671.82	247343.93	280.00	175.00					
EQCN235	Label	O2*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)	12.00	Day		111.1		1.00		0.49190		-13.87		-13.9
	Evening (4h)	4.00	Evening		111.1		1.00		0.22930		-12.42		-12.4
	Night (8h)	8.00	Night		111.1		1.00		0.44820		-12.52		-12.5
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:	655899.72	249092.09	279.27	175.00				
EQCN236	Label	O3*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)	12.00	Day		111.1		1.00		0.49190		-13.87		-13.9
	Evening (4h)	4.00	Evening		111.1		1.00		0.22930		-12.42		-12.4
	Night (8h)	8.00	Night		111.1		1.00		0.44820		-12.52		-12.5
	Geometry				Nr	x/m	y/m	z(abs) /m	! z(rel) /m				
					Geometry:	656055.72	248760.81	279.00	175.00				
EQCN237	Label	O5*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656292.16		247880.94		279.00		175.00
EQCN238	Label		O4*****				Action radius/m				3000.00		
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for insulation /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		655674.43		248309.07		278.00		175.00
EQCN239	Label		DD1*****				Action radius/m				3000.00		
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for temperature /dB		Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87	-13.9		
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42	-12.4		
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52	-12.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656226.07		248421.71		278.00		175.00	
EQCN240	Label		DD3*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for temperature /dB		Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87	-13.9		
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42	-12.4		
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52	-12.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656792.54		248209.39		279.20		175.00	
EQCN241	Label		O1.b*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for temperature /dB		Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB		
	Lden		-		0.0		0.0		0.0			0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87	-13.9		
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42	-12.4		
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52	-12.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	655628.52		247870.27		278.00		175.00	
EQCN242	Label		JV1*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---					Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1	1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	111.1	1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	111.1	1.00		0.44820		-12.52		-12.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656086.43		247254.47		279.00		175.00	
EQCN243	Label		Pr12*****			Action radius/m			3000.00					
	Group		12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level	Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0				-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1	1.00		0.49190		-13.87		-13.9		
	Evening (4h)		4.00	Evening	111.1	1.00		0.22930		-12.42		-12.4		
	Night (8h)		8.00	Night	111.1	1.00		0.44820		-12.52		-12.5		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659850.41		255599.51		281.00		175.00	
EQCN244	Label		O6*****			Action radius/m			3000.00					
	Group		12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes		1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m		---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)		---			Emission is			Sound power level (Lw)					
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		659724.06		256257.39		278.09		175.00
EQCN245	Label		Pr11*****				Action radius/m				3000.00		
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		660296.51		255945.28		279.00		175.00
EQCN246	Label		AP2*****				Action radius/m				3000.00		
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09		
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09		
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09		
	Length/ m (2D)		---				Emission is				Sound power level (Lw)		
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB			Special correction /dB	
	Lden		-		0.0		0.0		0.0			-	0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m

			Geometry:				661860.19				254894.20				282.00		175.00	
EQCN247	Label		AP6.1*****				Action radius/m				3000.00							
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s															
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s															
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s															
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
	Rating method		Peak level		Corr. for Lw(dB)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0				0.0					
	Rating period / Period		Duration h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9					
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4					
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5					
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m					
						Geometry:		661549.21		255141.18		282.00		175.00				
EQCN248	Label		JU1*****				Action radius/m				3000.00							
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s															
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s															
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s															
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1					
	Rating method		Peak level		Corr. for Lw(dB)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0				0.0					
	Rating period / Period		Duration h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9					
	Evening (4h)		4.00	Evening	111.1		1.00											

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration /h	Emiss. /msec	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		662047.55		256166.20		283.00		175.00
EQCN250	Label		Pr3a*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden				-		0.0		0.0		0.0		-	0.0
	Rating period / Period		Duration /h	Emiss. /msec	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.49190		-13.87		-13.9	
	Evening (4h)		4.00	Evening	111.1		1.00		0.22930		-12.42		-12.4	
	Night (8h)		8.00	Night	111.1		1.00		0.44820		-12.52		-12.5	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		662202.01		255681.90		284.00		175.00
EQCN251	Label		PrRR3*****				Action radius/m				3000.00			
	Group		12 m/s				Lw (Day (12h)) /dB(A)				111.09			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.09			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.09			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s											
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	

Vēja parks "Prikulī" A alternatīva - Vestas V172 - 7.2 MW

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.49190	-13.87	-13.9					
	Evening (4h)	4.00	Evening	111.1	1.00	0.22930	-12.42	-12.4					
	Night (8h)	8.00	Night	111.1	1.00	0.44820	-12.52	-12.5					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:			662676.13	256121.38	284.00	175.00					
EQCN252	Label	P19.2b*****			Action radius/m			3000.00					
	Group	12 m/s			Lw (Day (12h)) /dB(A)			111.09					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.09					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.09					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Day (12h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Night (8h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 12 m/s										
	Evening (4h)	Lw /dB (A)	111.1	57.4 62.1 66.9	72.2 77.0 80.9	86.2 90.2 91.9	93.4 95.1 96.6	98.3 99.7 100.2	100.5 99.1 99.8	101.1 101.8 100.6	99.0 97.8 95.2	92.2 89.7 85.1	79.3 74.7 70.1
	Rating method	Peak level	Corr. for immunity /dB	Corr. for tonality /dB	Corr. for inform. /dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-			0.0				
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.49190	-13.87	-13.9					
	Evening (4h)	4.00	Evening	111.1	1.00	0.22930	-12.42	-12.4					
	Night (8h)	8.00	Night	111.1	1.00	0.44820	-12.52	-12.5					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:			656671.82	247343.93	280.00	175.00					
EQCN253	Label	O2*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10					
	Length/ m (2D)	---			Emission is			Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s										
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3
	Rating method	Peak level	Corr. for immunity /dB	Corr. for tonality /dB	Corr. for inform. /dB	Special correction /dB							
	Lden	-	0.0	0.0	0.0	-			0.0				
	Rating period / Period	Duration	Emiss.	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	111.1	1.00	0.29890	-16.04	-16.0					
	Evening (4h)	4.00	Evening	111.1	1.00	0.12160	-15.17	-15.2					
	Night (8h)	8.00	Night	111.1	1.00	0.20930	-15.82	-15.8					
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:			655899.72	249092.09	279.27	175.00					
EQCN254	Label	O3*****			Action radius/m			3000.00					
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10					
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10					
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10					

	Length/ m (2D)				---				Emission is				Sound power level (Lw)			
	Area /m²				---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s													
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s													
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s													
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3			
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0			
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2			
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656055.72		248760.81		279.00		175.00		
EQCN255	Label		O5*****					Action radius/m					3000.00			
	Group		13 m/s					Lw (Day (12h)) /dB(A)					111.10			
	Number of nodes		1					Lw (Night (8h)) /dB(A)					111.10			
	Length/ m		---					Lw (Evening (4h)) /dB(A)					111.10			
	Length/ m (2D)		---					Emission is					Sound power level (Lw)			
	Area /m²		---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s													
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3			
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s													
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3			
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s													
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3			
	Rating method		Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
	Lden		-		0.0		0.0		0.0		-		0.0			
	Rating period / Period		Duration	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0			
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2			
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8			
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		656292.16		247880.94		279.00		175.00		
EQCN256	Label		O4*****					Action radius/m					3000.00			
	Group		13 m/s					Lw (Day (12h)) /dB(A)								

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04	-16.0		
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17	-15.2		
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82	-15.8		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			655674.43		248309.07		278.00		175.00		
EQCN257	Label		DD1*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04	-16.0		
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17	-15.2		
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82	-15.8		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			656226.07		248421.71		278.00		175.00		
EQCN258	Label		DD3*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04	-16.0		
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17	-15.2		
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82	-15.8		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:			656792.54		248209.39		279.20		175.00		

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN259	Label		O1.b*****				Action radius/m				3000.00							
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction					
Lden		-		0.0		0.0		0.0		-		0.0						
Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0						
Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2						
Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8						
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
					Geometry:		655628.52		247870.27		278.00		175.00					
EQCN260	Label		JV1*****				Action radius/m				3000.00							
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Night (8h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Night (8h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Evening (4h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Evening (4h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				
	Rating method		Peak level		Corr. for tonality		Corr. for tonality		Corr. for inform.				Special correction					
Lden		-		0.0		0.0		0.0		-		0.0						
Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)						
Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0						
Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2						
Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8						
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m					
					Geometry:		656086.43		247254.47		279.00		175.00					
EQCN261	Label		Pr12*****				Action radius/m				3000.00							
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)		Emission												Reference: Vestas 172-7.2 ST 13 m/s			
	Day (12h)		Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3				

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659850.41		255599.51		281.00		175.00	
EQCN262	Label		O6*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659724.06		256257.39		278.09		175.00	
EQCN263	Label		Pr11*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	111.1	1.00	0.12160	-15.17	-15.2						
	Night (8h)	8.00	Night	111.1	1.00	0.20930	-15.82	-15.8						
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	660296.51	255945.28	279.00	175.00						
EQCN264	Label	AP2*****			Action radius/m			3000.00						
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)	4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)	8.00	Night	111.1		1.00		0.20930		-15.82		-15.8		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	661860.19	254894.20	282.00	175.00						
EQCN265	Label	AP6.1*****			Action radius/m			3000.00						
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.29890		-16.04		-16.0		
	Evening (4h)	4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2		
	Night (8h)	8.00	Night	111.1		1.00		0.20930		-15.82		-15.8		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	661549.21	255141.18	282.00	175.00						
EQCN266	Label	JU1*****			Action radius/m			3000.00						
	Group	13 m/s			Lw (Day (12h)) /dB(A)			111.10						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.10						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.10						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				661068.17		255365.14		281.00		175.00	
EQCN267	Label		Pr25*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. content	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
			Geometry:				662047.55		256166.20		283.00		175.00	
EQCN268	Label		Pr3a*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for Lw(dB)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	662202.01		255681.90		284.00		175.00	
EQCN269	Label		PrRR3*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for Lw(dB)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	662676.13		256121.38		284.00		175.00	
EQCN270	Label		P19.2b*****				Action radius/m				3000.00			
	Group		13 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Day (12h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Night (8h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 13 m/s											
	Evening (4h)	Lw /dB (A)	111.1	59.2 64.0 68.8	74.2 78.9 82.7	87.6 91.4 93.1	94.6 96.2 97.4	98.7 99.9 100.2	100.2 98.7 99.4	100.9 101.6 100.4	98.8 97.6 95.2	92.4 89.9 85.8	80.6 76.4 72.3	
	Rating method		Peak level		Corr. for Lw(dB)		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.29890		-16.04		-16.0	
	Evening (4h)		4.00	Evening	111.1		1.00		0.12160		-15.17		-15.2	
	Night (8h)		8.00	Night	111.1		1.00		0.20930		-15.82		-15.8	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656671.82		247343.93		280.00		175.00	
EQCN271	Label		O2*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			

Vēja parks "Prikulī" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	655899.72		249092.09		279.27		175.00	
EQCN272	Label		O3*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	656055.72		248760.81		279.00		175.00	
EQCN273	Label		O5*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656292.16		247880.94		279.00		175.00	
EQCN274	Label		O4*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655674.43		248309.07		278.00		175.00	
EQCN275	Label		DD1*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

			Geometry:				656226.07				248421.71				278.00		175.00	
EQCN276	Label		DD3*****				Action radius/m				3000.00							
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
	Day (12h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
Night (8h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6				
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s														
Evening (4h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6				
Rating method			Peak level		Corr. for <small>frequency/dB</small>			Corr. for tonality <small>/dB</small>		Corr. for inform. <small>content/dB</small>				Special correction <small>/dB</small>				
Lden			-		0.0			0.0		0.0				0.0				
Rating period / Period			Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)			12.00	Day	111.1			1.00		0.18510		-18.12		-18.1				
Evening (4h)			4.00	Evening	111.1			1.00		0.06160		-18.12		-18.1				
Night (8h)			8.00	Night	111.1			1.00		0.11950		-18.26		-18.3				
Geometry							Nr	x/m		y/m		z(abs) /m		! z(rel) /m				
							Geometry:		656792.54		248209.39		279.20		175.00			
EQCN277	Label		O1.b*****				Action radius/m				3000.00							
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz			
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
	Day (12h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
Night (8h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6				
Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s														
Evening (4h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6				
Rating method			Peak level		Corr. for <small>frequency/dB</small>			Corr. for tonality <small>/dB</small>		Corr. for inform. <small>content/dB</small>				Special correction <small>/dB</small>				
Lden			-		0.0			0.0		0.0				0.0				
Rating period / Period			Duration <small>/h</small>	Emiss. <small>variant</small>	Lw /dB(A)			n times		Impact time /h		dLi /dB		Lwr /dB(A)				
Day (12h)			12.00	Day	111.1			1.00		0.18510		-18.12		-18.1				
Evening (4h)			4.00	Evening	111.1			1.00										

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for tonality		Corr. for inform.				Special correction			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		656086.43		247254.47		279.00		175.00
EQCN279	Label		Pr12*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for tonality		Corr. for inform.				Special correction			
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1	
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3	
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m
						Geometry:		659850.41		255599.51		281.00		175.00
EQCN280	Label		O6*****				Action radius/m				3000.00			
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s											
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6	
	Rating method		Peak level		Corr. for tonality		Corr. for inform.				Special correction			

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Lden				-	0.0		0.0		0.0			-		0.0
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB			Lwr /dB(A)	
	Day (12h)	12.00	Day		111.1		1.00		0.18510		-18.12			-18.1	
	Evening (4h)	4.00	Evening		111.1		1.00		0.06160		-18.12			-18.1	
	Night (8h)	8.00	Night		111.1		1.00		0.11950		-18.26			-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m			! z(rel) /m	
						Geometry:	659724.06		256257.39		278.09			175.00	
EQCN281	Label	Pr11*****				Action radius/m				3000.00					
	Group	14 m/s				Lw (Day (12h)) /dB(A)				111.10					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.10					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.10					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB			Lwr /dB(A)	
	Day (12h)	12.00	Day		111.1		1.00		0.18510		-18.12			-18.1	
	Evening (4h)	4.00	Evening		111.1		1.00		0.06160		-18.12			-18.1	
	Night (8h)	8.00	Night		111.1		1.00		0.11950		-18.26			-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m			! z(rel) /m	
						Geometry:	660296.51		255945.28		279.00			175.00	
EQCN282	Label	AP2*****				Action radius/m				3000.00					
	Group	14 m/s				Lw (Day (12h)) /dB(A)				111.10					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.10					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.10					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Rating method	Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction			
	Lden			-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration	Emiss.		Lw /dB(A)		n times		Impact time /h		dLi /dB			Lwr /dB(A)	
	Day (12h)	12.00	Day		111.1		1.00		0.18510		-18.12			-18.1	
	Evening (4h)	4.00	Evening		111.1		1.00		0.06160		-18.12			-18.1	
	Night (8h)	8.00	Night		111.1		1.00		0.11950		-18.26			-18.3	
	Geometry				Nr		x/m		y/m		z(abs) /m			! z(rel) /m	
						Geometry:	661860.19		254894.20		282.00			175.00	
EQCN283	Label	AP6.1*****				Action radius/m				3000.00					
	Group	14 m/s				Lw (Day (12h)) /dB(A)				111.10					
	Number of nodes	1				Lw (Night (8h)) /dB(A)				111.10					
	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.10					

	Length/ m (2D)					---				Emission is				Sound power level (Lw)				
	Area /m²					---												
	Emiss. variant				Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
	Day (12h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
	Night (8h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
	Evening (4h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Rating method			Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB				
	Lden			-		0.0		0.0		0.0				-		0.0		
	Rating period / Period			Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)			12.00	Day	111.1		1.00		0.18510		-18.12		-18.1				
	Evening (4h)			4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1				
	Night (8h)			8.00	Night	111.1		1.00		0.11950		-18.26		-18.3				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m				
						Geometry:		661549.21		255141.18		282.00		175.00				
EQCN284	Label			JU1*****					Action radius/m					3000.00				
	Group			14 m/s					Lw (Day (12h)) /dB(A)					111.10				
	Number of nodes			1					Lw (Night (8h)) /dB(A)					111.10				
	Length/ m			---					Lw (Evening (4h)) /dB(A)					111.10				
	Length/ m (2D)			---					Emission is					Sound power level (Lw)				
	Area /m²			---														
	Emiss. variant				Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
	Day (12h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Night (8h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
	Night (8h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Evening (4h)		Emission		Reference: Vestas 172-7.2 ST 14 m/s													
	Evening (4h)		Lw /dB (A)		111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6			
	Rating method			Peak level		Corr. for frequency /dB		Corr. for tonality /dB		Corr. for inform. content /dB				Special correction /dB				
	Lden			-		0.0		0.0		0.0				-		0.0		
	Rating period / Period			Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)				
	Day (12h)			12.00	Day	111.1		1.00		0.18510		-18.12		-18.1				
	Evening (4h)			4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1				
	Night (8h)			8.00	Night	111.1		1.00		0.11950		-18.26		-18.3				
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m				
						Geometry:		661068.17		25536								

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		662047.55		256166.20		283.00		175.00		
EQCN286	Label		Pr3a*****		Action radius/m		3000.00						
	Group		14 m/s		Lw (Day (12h)) /dB(A)		111.10						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.10						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.10						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		662202.01		255681.90		284.00		175.00		
EQCN287	Label		PrRR3*****		Action radius/m		3000.00						
	Group		14 m/s		Lw (Day (12h)) /dB(A)		111.10						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		111.10						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		111.10						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s										
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.				Special correction
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1
	Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1
	Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
			Geometry:		662676.13		256121.38		284.00		175.00		

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

EQCN288	Label		P19.2b*****				Action radius/m				3000.00				
	Group		14 m/s				Lw (Day (12h)) /dB(A)				111.10				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.10				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.10				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Day (12h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Night (8h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 14 m/s												
	Evening (4h)	Lw /dB (A)	111.1	58.7 63.6 68.6	74.3 79.3 83.0	87.7 91.4 93.2	95.0 96.8 97.9	99.3 100.4 100.5	100.1 98.4 99.1	100.6 101.3 100.2	98.7 97.5 94.9	91.9 89.3 84.9	79.4 75.0 70.6		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.18510		-18.12		-18.1			
Evening (4h)		4.00	Evening	111.1		1.00		0.06160		-18.12		-18.1			
Night (8h)		8.00	Night	111.1		1.00		0.11950		-18.26		-18.3			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656671.82		247343.93		280.00		175.00		
EQCN289	Label		O2*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. /h	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1			
Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0			
Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9			
Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		655899.72		249092.09		279.27		175.00		
EQCN290	Label		O3*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry		Nr			x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			656055.72		248760.81		279.00		175.00		
EQCN291	Label		O5*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry		Nr			x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:			656292.16		247880.94		279.00		175.00		
EQCN292	Label		O4*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. /dB		Special correction /dB			
	Lden		-		0.0		0.0		0.0		0.0			
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	4.00	Evening	111.1	1.00	0.06410	-17.95	-18.0						
	Night (8h)	8.00	Night	111.1	1.00	0.10190	-18.95	-18.9						
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	655674.43	248309.07	278.00	175.00						
EQCN293	Label	DD1*****			Action radius/m			3000.00						
	Group	15 m/s			Lw (Day (12h)) /dB(A)			111.11						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.11						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.11						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.18450		-18.13		-18.1		
	Evening (4h)	4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0		
	Night (8h)	8.00	Night	111.1		1.00		0.10190		-18.95		-18.9		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	656226.07	248421.71	278.00	175.00						
EQCN294	Label	DD3*****			Action radius/m			3000.00						
	Group	15 m/s			Lw (Day (12h)) /dB(A)			111.11						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.11						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.11						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method	Peak level		Corr. for frequency/dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden	-		0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	111.1		1.00		0.18450		-18.13		-18.1		
	Evening (4h)	4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0		
	Night (8h)	8.00	Night	111.1		1.00		0.10190		-18.95		-18.9		
	Geometry			Nr	x/m	y/m	z(abs) /m	! z(rel) /m						
				Geometry:	656792.54	248209.39	279.20	175.00						
EQCN295	Label	O1.b*****			Action radius/m			3000.00						
	Group	15 m/s			Lw (Day (12h)) /dB(A)			111.11						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			111.11						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			111.11						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		655628.52		247870.27		278.00		175.00	
EQCN296	Label		JV1*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		656086.43		247254.47		279.00		175.00	
EQCN297	Label		Pr12*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.			Special correction		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13	-18.1		
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95	-18.0		
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95	-18.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659850.41		255599.51		281.00		175.00	
EQCN298	Label		O6*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.			Special correction		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13	-18.1		
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95	-18.0		
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95	-18.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	659724.06		256257.39		278.09		175.00	
EQCN299	Label		Pr11*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for		Corr. for tonality		Corr. for inform.			Special correction		
	Lden		-		0.0		0.0		0.0		-	0.0		
	Rating period / Period		Duration	Emiss.	Lw /dB(A)		n times		Impact time /h		dLi /dB	Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13	-18.1		
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95	-18.0		
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95	-18.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m	
						Geometry:	660296.51		255945.28		279.00		175.00	
EQCN300	Label		AP2*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			

Vēja parks "Pīkuļi" A alternatīva - Vestas V172 - 7.2 MW

	Length/ m	---				Lw (Evening (4h)) /dB(A)				111.11					
	Length/ m (2D)	---				Emission is				Sound power level (Lw)					
	Area /m²	---													
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1		
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0		
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661860.19		254894.20		282.00		175.00	
EQCN301	Label		AP6.1*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB		
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1		
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0		
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9		
	Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m		
						Geometry:		661549.21		255141.18		282.00		175.00	
EQCN302	Label		JU1*****				Action radius/m				3000.00				
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz		
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s												
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4		

Vēja parks "Prikuļi" A alternatīva - Vestas V172 - 7.2 MW

	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661068.17		255365.14		281.00		175.00	
EQCN303	Label		Pr25*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		662047.55		256166.20		283.00		175.00	
EQCN304	Label		Pr3a*****				Action radius/m				3000.00			
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11			
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11			
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11			
	Length/ m (2D)		---				Emission is				Sound power level (Lw)			
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s											
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4	
	Rating method		Peak level		Corr. for immunity /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. /dB	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1	
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0	
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	

			Geometry:				662202.01				255681.90				284.00		175.00	
EQCN305	Label		PrRR3*****				Action radius/m				3000.00							
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s															
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s															
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s															
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4					
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0		-		0.0					
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1					
	Evening (4h)		4.00	Evening	111.1		1.00		0.06410		-17.95		-18.0					
	Night (8h)		8.00	Night	111.1		1.00		0.10190		-18.95		-18.9					
	Geometry					Nr		x/m		y/m		z(abs) /m		! z(rel) /m				
						Geometry:		662676.13		256121.38		284.00		175.00				
EQCN306	Label		P19.2b*****				Action radius/m				3000.00							
	Group		15 m/s				Lw (Day (12h)) /dB(A)				111.11							
	Number of nodes		1				Lw (Night (8h)) /dB(A)				111.11							
	Length/ m		---				Lw (Evening (4h)) /dB(A)				111.11							
	Length/ m (2D)		---				Emission is				Sound power level (Lw)							
	Area /m²		---															
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz					
	Day (12h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s															
	Day (12h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4					
	Night (8h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s															
	Night (8h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4					
	Evening (4h)	Emission	Reference: Vestas 172-7.2 ST 15 m/s															
	Evening (4h)	Lw /dB (A)	111.1	62.5 67.0 71.6	76.4 81.0 85.1	90.9 95.0 96.1	97.0 98.0 97.9	97.1 98.0 97.8	98.9 97.9 99.0	101.2 102.4 100.9	98.6 97.2 95.0	92.3 90.1 88.6	87.4 85.9 84.4					
	Rating method		Peak level		Corr. for immobility /dB		Corr. for tonality /dB		Corr. for inform. /dB				Special correction /dB					
	Lden		-		0.0		0.0		0.0		-		0.0					
	Rating period / Period		Duration /h	Emiss. /dB(A)	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)					
	Day (12h)		12.00	Day	111.1		1.00		0.18450		-18.13		-18.1					
	Evening (4h)		4.00	Evening	111.1		1.00											