

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

Point source /CNOSSO (72)														Variant 0	
EQCN001	Label		O2				Action radius/m				3000.00				
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Night (8h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Evening (4h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1			
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7			
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		655899.72		249092.09		283.27		179.00			
EQCN002	Label		O3				Action radius/m				3000.00				
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Night (8h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Evening (4h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1			
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7			
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
				Geometry:		656055.72		248760.81		283.00		179.00			
EQCN003	Label		O5				Action radius/m				3000.00				
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Night (8h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Evening (4h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden				-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1			
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7			
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

			Geometry:				656292.16		247880.94		283.00		179.00		
EQCN004	Label		O4				Action radius/m				3000.00				
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE										
Night (8h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE											
Evening (4h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
Evening (4h)			4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
Night (8h)			8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
Geometry			Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
							Geometry:		655674.43		248309.07		282.00		179.00
EQCN005	Label		DD1				Action radius/m				3000.00				
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE										
Night (8h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE											
Evening (4h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
Evening (4h)			4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
Night (8h)			8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
Geometry			Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
							Geometry:		656226.07		248421.71		282.00		179.00
EQCN006	Label		DD3				Action radius/m				3000.00				
	Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22				
	Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22				
	Length/ m		---				Lw (Evening (4h)) /dB(A)				96.22				
	Length/ m (2D)		---				Emission is				Sound power level (Lw)				
	Area /m²		---												
	Emiss. variant				Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 4.6 m/s STE										
	Day (12h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8
	Night (8h)		Emission		Reference: Nordex N175 4.6 m/s STE										
Night (8h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)		Emission		Reference: Nordex N175 4.6 m/s STE											
Evening (4h)		Lw /dB (A)		96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
Lden					-		0.0		0.0		0.0		-		0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
Day (12h)			12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
Evening (4h)			4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
Night (8h)			8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
Geometry			Nr				x/m		y/m		z(abs) /m		! z(rel) /m		
							Geometry:		656792.54		248209.39		283.20		179.00
EQCN007	Label		O1 b				Action radius/m				3000.00				

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22			
Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22			
Length/ m		----				Lw (Evening (4h)) /dB(A)				96.22			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		655628.52		247870.27		282.00	
EQCN008		Label		JV1		Action radius/m				3000.00			
Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22			
Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22			
Length/ m		----				Lw (Evening (4h)) /dB(A)				96.22			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		656086.43		247254.47		283.00	
EQCN009		Label		Pr12		Action radius/m				3000.00			
Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22			
Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22			
Length/ m		----				Lw (Evening (4h)) /dB(A)				96.22			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		659850.41		255599.51		285.00	
EQCN010		Label		O6		Action radius/m				3000.00			
Group		4.6 m/s				Lw (Day (12h)) /dB(A)				96.22			
Number of nodes		1				Lw (Night (8h)) /dB(A)				96.22			

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Length/ m	---					Lw (Evening (4h)) /dB(A)				96.22			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
	Evening (4h)	4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
	Night (8h)	8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		659724.06		256257.39		282.09		179.00		
EQCN011	Label	Pr11					Action radius/m				3000.00			
	Group	4.6 m/s					Lw (Day (12h)) /dB(A)				96.22			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				96.22			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				96.22			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
	Evening (4h)	4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
	Night (8h)	8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		660296.51		255945.28		283.00		179.00		
EQCN012	Label	AP2					Action radius/m				3000.00			
	Group	4.6 m/s					Lw (Day (12h)) /dB(A)				96.22			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				96.22			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				96.22			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
	Evening (4h)	4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
	Night (8h)	8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		661860.19		254894.20		286.00		179.00		
EQCN013	Label	AP6.1					Action radius/m				3000.00			
	Group	4.6 m/s					Lw (Day (12h)) /dB(A)				96.22			
	Number of nodes	1					Lw (Night (8h)) /dB(A)				96.22			
	Length/ m	---					Lw (Evening (4h)) /dB(A)				96.22			
	Length/ m (2D)	---					Emission is				Sound power level (Lw)			

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

Area /m²		---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661549.21		255141.18		286.00		179.00	
EQCN014	Label	JU1		Action radius/m								3000.00	
	Group	4.6 m/s		Lw (Day (12h)) /dB(A)								96.22	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								96.22	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								96.22	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		661068.17		255365.14		285.00		179.00	
EQCN015	Label	Pr25		Action radius/m								3000.00	
	Group	4.6 m/s		Lw (Day (12h)) /dB(A)								96.22	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								96.22	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								96.22	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	96.2		1.00		1.87730		-8.06		-8.1	
Evening (4h)		4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7	
Night (8h)		8.00	Night	96.2		1.00		0.81000		-9.95		-9.9	
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		662047.55		256166.20		287.00		179.00	
EQCN016	Label	Pr3a		Action radius/m								3000.00	
	Group	4.6 m/s		Lw (Day (12h)) /dB(A)								96.22	
	Number of nodes	1		Lw (Night (8h)) /dB(A)								96.22	
	Length/ m	---		Lw (Evening (4h)) /dB(A)								96.22	
	Length/ m (2D)	---		Emission is								Sound power level (Lw)	
	Area /m²	---											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	

	Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden	-	0.0	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
	Evening (4h)	4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
	Night (8h)	8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662202.01		255681.90		288.00		179.00	
EQCN017	Label	PrRR3		Action radius/m								3000.00		
	Group	4.6 m/s		Lw (Day (12h)) /dB(A)								96.22		
	Number of nodes	1		Lw (Night (8h)) /dB(A)								96.22		
	Length/ m	---		Lw (Evening (4h)) /dB(A)								96.22		
	Length/ m (2D)	---		Emission is								Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 4.6 m/s STE											
	Day (12h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8	
	Night (8h)	Emission	Reference: Nordex N175 4.6 m/s STE											
Night (8h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8		
Evening (4h)	Emission	Reference: Nordex N175 4.6 m/s STE												
Evening (4h)	Lw /dB (A)	96.2	53.2 57.8 61.1	64.5 66.4 67.6	69.6 73.9 76.6	78.2 80.8 82.8	83.8 84.3 85.1	85.0 84.8 85.1	85.8 85.8 86.0	85.3 83.9 80.7	77.4 73.1 69.0	61.9 54.2 44.8		
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB				
	Lden	-	0.0	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	96.2		1.00		1.87730		-8.06		-8.1		
	Evening (4h)	4.00	Evening	96.2		1.00		0.42470		-9.74		-9.7		
	Night (8h)	8.00	Night	96.2		1.00		0.81000		-9.95		-9.9		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		662676.13		256121.38		288.00		179.00	
EQCN018	Label	P19.2b		Action radius/m								3000.00		
	Group	4.6 m/s		Lw (Day (12h)) /dB(A)								96.22		
	Number of nodes	1		Lw (Night (8h)) /dB(A)								96.22		
	Length/ m	---		Lw (Evening (4h)) /dB(A)								96.22		
	Length/ m (2D)	---		Emission is										

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4	68.7	73.8	82.4	88.0	89.2	90.0	89.5	81.6	66.1
				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4	68.7	73.8	82.4	88.0	89.2	90.0	89.5	81.6	66.1
				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry		Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:	655899.72		249092.09		283.27		179.00			
EQCN092	Label	O3*		Action radius/m				3000.00					
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)				100.42					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				100.42					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				100.42					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Day (12h)	Lw /dB (A)	100.4	57.4	68.7	73.8	82.4	88.0	89.2	90.0	89.5	81.6	66.1
				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4	68.7	73.8	82.4	88.0	89.2	90.0	89.5	81.6	66.1
				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4	68.7	73.8	82.4	88.0	89.2	90.0	89.5	81.6	66.1
				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry		Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:	656055.72		248760.81		283.00		179.00			
EQCN093	Label	O5*		Action radius/m				3000.00					
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)				100.42					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				100.42					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				100.42					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Day (12h)	Lw /dB (A)	100.4	57.4	68.7	73.8	82.4	88.0	89.2	90.0	89.5	81.6	66.1
				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4	68.7	73.8	82.4	88.0	89.2	90.0	89.5	81.6	66.1
				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4	68.7	73.8	82.4	88.0	89.2	90.0	89.5	81.6	66.1
				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	Geometry		Nr	x/m		y/m		z(abs) /m		! z(rel) /m			
			Geometry:	656292.16		247880.94		283.00		179.00			
EQCN094	Label	O4*		Action radius/m				3000.00					
	Group	6.2 m/s		Lw (Day (12h)) /dB(A)				100.42					
	Number of nodes	1		Lw (Night (8h)) /dB(A)				100.42					
	Length/ m	---		Lw (Evening (4h)) /dB(A)				100.42					
	Length/ m (2D)	---		Emission is				Sound power level (Lw)					
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Day (12h)	Lw /dB (A)	100.4	57.4	68.7	73.8	82.4	88.0	89.2	90.0	89.5	81.6	66.1
				62.0	70.6	78.1	85.0	88.5	89.0	90.0	88.1	77.3	58.4
				65.3	71.8	80.8	87.0	89.3	89.3	90.2	84.9	73.2	49.0

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.4		1.00		2.16860		-7.43		-7.4
	Evening (4h)		4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3
	Night (8h)		8.00	Night	100.4		1.00		1.10000		-8.62		-8.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		655674.43		248309.07		282.00		179.00
EQCN095	Label		DD1*		Action radius/m								3000.00
	Group		6.2 m/s		Lw (Day (12h)) /dB(A)								100.42
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.42
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.42
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.4		1.00		2.16860		-7.43		-7.4
	Evening (4h)		4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3
	Night (8h)		8.00	Night	100.4		1.00		1.10000		-8.62		-8.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656226.07		248421.71		282.00		179.00
EQCN096	Label		DD3*		Action radius/m								3000.00
	Group		6.2 m/s		Lw (Day (12h)) /dB(A)								100.42
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.42
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.42
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	100.4		1.00		2.16860		-7.43		-7.4
	Evening (4h)		4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3
	Night (8h)		8.00	Night	100.4		1.00		1.10000		-8.62		-8.6
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		656792.54		248209.39		283.20		179.00
EQCN097	Label		O1.b*		Action radius/m								3000.00
	Group		6.2 m/s		Lw (Day (12h)) /dB(A)								100.42
	Number of nodes		1		Lw (Night (8h)) /dB(A)								100.42
	Length/ m		---		Lw (Evening (4h)) /dB(A)								100.42
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0



# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

				62.0 65.3	70.6 71.8	78.1 80.8	85.0 87.0	88.5 89.3	89.0 89.3	90.0 90.2	88.1 84.9	77.3 73.2	58.4 49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for impulsivity /dB</b>		<b>Corr. for tonality /dB</b>		<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>			
	Lden		-	0.0		0.0		0.0		-		0.0	
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>		<b>Impact time /h</b>		<b>dLi /dB</b>		<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	<b>Geometry</b>			<b>Nr</b>		<b>x/m</b>		<b>y/m</b>		<b>z(abs) /m</b>		<b>! z(rel) /m</b>	
				Geometry:		655628.52		247870.27		282.00		179.00	
<b>EQCN098</b>	<b>Label</b>	JV1*		<b>Action radius/m</b>								3000.00	
	<b>Group</b>	6.2 m/s		<b>Lw (Day (12h)) /dB(A)</b>								100.42	
	<b>Number of nodes</b>	1		<b>Lw (Night (8h)) /dB(A)</b>								100.42	
	<b>Length/ m</b>	---		<b>Lw (Evening (4h)) /dB(A)</b>								100.42	
	<b>Length/ m (2D)</b>	---		<b>Emission is</b>								Sound power level (Lw)	
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for impulsivity /dB</b>		<b>Corr. for tonality /dB</b>		<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>			
	Lden		-	0.0		0.0		0.0		-		0.0	
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>		<b>Impact time /h</b>		<b>dLi /dB</b>		<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	<b>Geometry</b>			<b>Nr</b>		<b>x/m</b>		<b>y/m</b>		<b>z(abs) /m</b>		<b>! z(rel) /m</b>	
				Geometry:		656086.43		247254.47		283.00		179.00	
<b>EQCN099</b>	<b>Label</b>	Pr12*		<b>Action radius/m</b>								3000.00	
	<b>Group</b>	6.2 m/s		<b>Lw (Day (12h)) /dB(A)</b>								100.42	
	<b>Number of nodes</b>	1		<b>Lw (Night (8h)) /dB(A)</b>								100.42	
	<b>Length/ m</b>	---		<b>Lw (Evening (4h)) /dB(A)</b>								100.42	
	<b>Length/ m (2D)</b>	---		<b>Emission is</b>								Sound power level (Lw)	
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	<b>Rating method</b>	<b>Peak level</b>		<b>Corr. for impulsivity /dB</b>		<b>Corr. for tonality /dB</b>		<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>			
	Lden		-	0.0		0.0		0.0		-		0.0	
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>		<b>Impact time /h</b>		<b>dLi /dB</b>		<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	<b>Geometry</b>			<b>Nr</b>		<b>x/m</b>		<b>y/m</b>		<b>z(abs) /m</b>		<b>! z(rel) /m</b>	
				Geometry:		659850.41		255599.51		285.00		179.00	
<b>EQCN100</b>	<b>Label</b>	O6*		<b>Action radius/m</b>								3000.00	
	<b>Group</b>	6.2 m/s		<b>Lw (Day (12h)) /dB(A)</b>								100.42	
	<b>Number of nodes</b>	1		<b>Lw (Night (8h)) /dB(A)</b>								100.42	
	<b>Length/ m</b>	---		<b>Lw (Evening (4h)) /dB(A)</b>								100.42	
	<b>Length/ m (2D)</b>	---		<b>Emission is</b>								Sound power level (Lw)	
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference:	Nordex N175 6.2 m/s STE									
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	<b>Rating method</b>		<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>		<b>Corr. for tonality /dB</b>		<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>			
	Lden		-	0.0		0.0		0.0		-		0.0	
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>		<b>Impact time /h</b>		<b>dLi /dB</b>		<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	<b>Geometry</b>			<b> Nr</b>		<b>x/m</b>		<b>y/m</b>		<b>z(abs) /m</b>		<b>! z(rel) /m</b>	
				Geometry:		659724.06		256257.39		282.09		179.00	
EQCN101	<b>Label</b>	Pr11*		<b>Action radius/m</b>								3000.00	
	<b>Group</b>	6.2 m/s		<b>Lw (Day (12h)) /dB(A)</b>								100.42	
	<b>Number of nodes</b>	1		<b>Lw (Night (8h)) /dB(A)</b>								100.42	
	<b>Length/ m</b>	---		<b>Lw (Evening (4h)) /dB(A)</b>								100.42	
	<b>Length/ m (2D)</b>	---		<b>Emission is</b>								Sound power level (Lw)	
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	<b>Rating method</b>		<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>		<b>Corr. for tonality /dB</b>		<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>			
	Lden		-	0.0		0.0		0.0		-		0.0	
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>		<b>Impact time /h</b>		<b>dLi /dB</b>		<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	<b>Geometry</b>			<b> Nr</b>		<b>x/m</b>		<b>y/m</b>		<b>z(abs) /m</b>		<b>! z(rel) /m</b>	
				Geometry:		660296.51		255945.28		283.00		179.00	
EQCN102	<b>Label</b>	AP2*		<b>Action radius/m</b>								3000.00	
	<b>Group</b>	6.2 m/s		<b>Lw (Day (12h)) /dB(A)</b>								100.42	
	<b>Number of nodes</b>	1		<b>Lw (Night (8h)) /dB(A)</b>								100.42	
	<b>Length/ m</b>	---		<b>Lw (Evening (4h)) /dB(A)</b>								100.42	
	<b>Length/ m (2D)</b>	---		<b>Emission is</b>								Sound power level (Lw)	
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	<b>Rating method</b>		<b>Peak level</b>	<b>Corr. for impulsivity /dB</b>		<b>Corr. for tonality /dB</b>		<b>Corr. for inform. content/dB</b>		<b>Special correction /dB</b>			
	Lden		-	0.0		0.0		0.0		-		0.0	
	<b>Rating period / Period</b>	<b>Duration /h</b>	<b>Emiss. variant</b>	<b>Lw /dB(A)</b>		<b>n times</b>		<b>Impact time /h</b>		<b>dLi /dB</b>		<b>Lwr /dB(A)</b>	
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4	
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3	
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6	
	<b>Geometry</b>			<b> Nr</b>		<b>x/m</b>		<b>y/m</b>		<b>z(abs) /m</b>		<b>! z(rel) /m</b>	
				Geometry:		661860.19		254894.20		286.00		179.00	
EQCN103	<b>Label</b>	AP6.1*		<b>Action radius/m</b>								3000.00	
	<b>Group</b>	6.2 m/s		<b>Lw (Day (12h)) /dB(A)</b>								100.42	
	<b>Number of nodes</b>	1		<b>Lw (Night (8h)) /dB(A)</b>								100.42	
	<b>Length/ m</b>	---		<b>Lw (Evening (4h)) /dB(A)</b>								100.42	
	<b>Length/ m (2D)</b>	---		<b>Emission is</b>								Sound power level (Lw)	
	<b>Area /m²</b>	---											
	<b>Emiss. variant</b>		<b>Sum</b>	<b>16 Hz</b>	<b>31.5 Hz</b>	<b>63 Hz</b>	<b>125 Hz</b>	<b>250 Hz</b>	<b>500 Hz</b>	<b>1000 Hz</b>	<b>2000 Hz</b>	<b>4000 Hz</b>	<b>8000 Hz</b>
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

				62.0 65.3	70.6 71.8	78.1 80.8	85.0 87.0	88.5 89.3	89.0 89.3	90.0 90.2	88.1 84.9	77.3 73.2	58.4 49.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4		
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3		
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:		661549.21	255141.18		286.00		179.00	
EQCN104	Label	JU1*				Action radius/m				3000.00				
	Group	6.2 m/s				Lw (Day (12h)) /dB(A)				100.42				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.42				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.42				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission		Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0	
	Night (8h)	Emission		Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission		Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4		
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3		
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:		661068.17	255365.14		285.00		179.00	
EQCN105	Label	Pr25*				Action radius/m				3000.00				
	Group	6.2 m/s				Lw (Day (12h)) /dB(A)				100.42				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.42				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.42				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission		Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0	
	Night (8h)	Emission		Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission		Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden			-		0.0		0.0		0.0		-		0.0
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	100.4		1.00		2.16860		-7.43		-7.4		
	Evening (4h)	4.00	Evening	100.4		1.00		0.59670		-8.26		-8.3		
	Night (8h)	8.00	Night	100.4		1.00		1.10000		-8.62		-8.6		
	Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m			
						Geometry:		662047.55	256166.20		287.00		179.00	
EQCN106	Label	Pr3a*				Action radius/m				3000.00				
	Group	6.2 m/s				Lw (Day (12h)) /dB(A)				100.42				
	Number of nodes	1				Lw (Night (8h)) /dB(A)				100.42				
	Length/ m	---				Lw (Evening (4h)) /dB(A)				100.42				
	Length/ m (2D)	---				Emission is				Sound power level (Lw)				
	Area /m²	---												
	Emiss. variant	Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission		Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0	
	Night (8h)	Emission		Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0	
	Evening (4h)	Emission		Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0	

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden	-		0.0	0.0	0.0		-				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	100.4	1.00	2.16860		-7.43		-7.4			
	Evening (4h)	4.00	Evening	100.4	1.00	0.59670		-8.26		-8.3			
	Night (8h)	8.00	Night	100.4	1.00	1.10000		-8.62		-8.6			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			662202.01	255681.90	288.00		179.00				
EQCN107	Label	PrRR3*			Action radius/m				3000.00				
	Group	6.2 m/s			Lw (Day (12h)) /dB(A)				100.42				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				100.42				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				100.42				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden	-		0.0	0.0	0.0		-				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	100.4	1.00	2.16860		-7.43		-7.4			
	Evening (4h)	4.00	Evening	100.4	1.00	0.59670		-8.26		-8.3			
	Night (8h)	8.00	Night	100.4	1.00	1.10000		-8.62		-8.6			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			662676.13	256121.38	288.00		179.00				
EQCN108	Label	P19.2b*			Action radius/m				3000.00				
	Group	6.2 m/s			Lw (Day (12h)) /dB(A)				100.42				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				100.42				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				100.42				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Day (12h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Night (8h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Night (8h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Evening (4h)	Emission	Reference: Nordex N175 6.2 m/s STE										
	Evening (4h)	Lw /dB (A)	100.4	57.4 62.0 65.3	68.7 70.6 71.8	73.8 78.1 80.8	82.4 85.0 87.0	88.0 88.5 89.3	89.2 89.0 89.3	90.0 90.0 90.2	89.5 88.1 84.9	81.6 77.3 73.2	66.1 58.4 49.0
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	
	Lden	-		0.0	0.0	0.0		-				0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB		Lwr /dB(A)			
	Day (12h)	12.00	Day	100.4	1.00	2.16860		-7.43		-7.4			
	Evening (4h)	4.00	Evening	100.4	1.00	0.59670		-8.26		-8.3			
	Night (8h)	8.00	Night	100.4	1.00	1.10000		-8.62		-8.6			
	Geometry	Nr			x/m	y/m	z(abs) /m		! z(rel) /m				
		Geometry:			656671.82	247343.93	284.00		179.00				
EQCN109	Label	O2**			Action radius/m				3000.00				
	Group	7.7 m/s			Lw (Day (12h)) /dB(A)				105.32				
	Number of nodes	1			Lw (Night (8h)) /dB(A)				105.32				
	Length/ m	---			Lw (Evening (4h)) /dB(A)				105.32				
	Length/ m (2D)	---			Emission is				Sound power level (Lw)				
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Rating method	Peak level		Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB						Special correction /dB	

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Lden	-	0.0	0.0	0.0	-	0.0						
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0					
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9					
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		655899.72	249092.09	283.27	179.00						
EQCN110	Label	O3**		Action radius/m		3000.00							
	Group	7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0					
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9					
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		656055.72	248760.81	283.00	179.00						
EQCN111	Label	O5**		Action radius/m		3000.00							
	Group	7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)					
	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0					
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9					
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9					
	Geometry	Nr		x/m	y/m	z(abs) /m	! z(rel) /m						
		Geometry:		656292.16	247880.94	283.00	179.00						
EQCN112	Label	O4**		Action radius/m		3000.00							
	Group	7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant	Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden	-		0.0		0.0		0.0		-		0.0	

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h		dLi /dB	Lwr /dB(A)				
	Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
	Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
	Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
	Geometry				Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		655674.43	248309.07	282.00		179.00			
EQCN113	Label		DD1**		Action radius/m		3000.00							
	Group		7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission Reference: Nordex N175 7.7 m/s STE												
Day (12h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)		Emission Reference: Nordex N175 7.7 m/s STE												
Night (8h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)		Emission Reference: Nordex N175 7.7 m/s STE												
Evening (4h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
Evening (4h)			4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
Night (8h)			8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		656226.07	248421.71	282.00		179.00			
EQCN114	Label		DD3**		Action radius/m		3000.00							
	Group		7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission Reference: Nordex N175 7.7 m/s STE												
Day (12h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)		Emission Reference: Nordex N175 7.7 m/s STE												
Night (8h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)		Emission Reference: Nordex N175 7.7 m/s STE												
Evening (4h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)			12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
Evening (4h)			4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
Night (8h)			8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
Geometry					Nr	x/m	y/m	z(abs) /m		! z(rel) /m				
					Geometry:		656792.54	248209.39	283.20		179.00			
EQCN115	Label		O1.b**		Action radius/m		3000.00							
	Group		7.7 m/s		Lw (Day (12h)) /dB(A)		105.32							
	Number of nodes		1		Lw (Night (8h)) /dB(A)		105.32							
	Length/ m		---		Lw (Evening (4h)) /dB(A)		105.32							
	Length/ m (2D)		---		Emission is		Sound power level (Lw)							
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)		Emission Reference: Nordex N175 7.7 m/s STE												
Day (12h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)		Emission Reference: Nordex N175 7.7 m/s STE												
Night (8h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)		Emission Reference: Nordex N175 7.7 m/s STE												
Evening (4h)		Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method			Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
Lden					-		0.0		0.0		-			0.0
Rating period / Period			Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0						
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9						
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	655628.52	247870.27	282.00		179.00						
EQCN116	Label	JV1**			Action radius/m			3000.00						
	Group	7.7 m/s			Lw (Day (12h)) /dB(A)			105.32						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.32						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.32						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB								Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0						0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0						
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9						
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	656086.43	247254.47	283.00		179.00						
EQCN117	Label	Pr12**			Action radius/m			3000.00						
	Group	7.7 m/s			Lw (Day (12h)) /dB(A)			105.32						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.32						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.32						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB								Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0						0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0						
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9						
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	659850.41	255599.51	285.00		179.00						
EQCN118	Label	O6**			Action radius/m			3000.00						
	Group	7.7 m/s			Lw (Day (12h)) /dB(A)			105.32						
	Number of nodes	1			Lw (Night (8h)) /dB(A)			105.32						
	Length/ m	---			Lw (Evening (4h)) /dB(A)			105.32						
	Length/ m (2D)	---			Emission is			Sound power level (Lw)						
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3	73.6	78.7	87.3	92.9	94.1	94.9	94.4	86.5	71.0	
				66.9	75.5	83.0	89.9	93.4	93.9	94.9	93.0	82.2	63.3	
				70.2	76.7	85.7	91.9	94.2	94.2	95.1	89.8	78.1	53.9	
	Rating method	Peak level	Corr. for impulsivity /dB	Corr. for tonality /dB	Corr. for inform. content/dB								Special correction /dB	
	Lden	-	0.0	0.0	0.0	-	0.0						0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)	n times	Impact time /h	dLi /dB	Lwr /dB(A)						
	Day (12h)	12.00	Day	105.3	1.00	1.90410	-7.99	-8.0						
	Evening (4h)	4.00	Evening	105.3	1.00	0.64490	-7.93	-7.9						
	Night (8h)	8.00	Night	105.3	1.00	1.29000	-7.93	-7.9						
	Geometry		Nr	x/m	y/m	z(abs) /m	! z(rel) /m							
			Geometry:	659850.41	255599.51	285.00		179.00						

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Night (8h)		8.00	Night		105.3		1.00		1.29000		-7.93		-7.9
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		659724.06		256257.39		282.09		179.00	
EQCN119	Label		Pr11**			Action radius/m							3000.00	
	Group		7.7 m/s			Lw (Day (12h)) /dB(A)							105.32	
	Number of nodes		1			Lw (Night (8h)) /dB(A)							105.32	
	Length/ m		---			Lw (Evening (4h)) /dB(A)							105.32	
	Length/ m (2D)		---			Emission is							Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
	Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
	Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		660296.51		255945.28		283.00		179.00	
EQCN120	Label		AP2**			Action radius/m							3000.00	
	Group		7.7 m/s			Lw (Day (12h)) /dB(A)							105.32	
	Number of nodes		1			Lw (Night (8h)) /dB(A)							105.32	
	Length/ m		---			Lw (Evening (4h)) /dB(A)							105.32	
	Length/ m (2D)		---			Emission is							Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
	Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
	Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661860.19		254894.20		286.00		179.00	
EQCN121	Label		AP6.1**			Action radius/m							3000.00	
	Group		7.7 m/s			Lw (Day (12h)) /dB(A)							105.32	
	Number of nodes		1			Lw (Night (8h)) /dB(A)							105.32	
	Length/ m		---			Lw (Evening (4h)) /dB(A)							105.32	
	Length/ m (2D)		---			Emission is							Sound power level (Lw)	
	Area /m²		---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
	Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
	Lden		-		0.0		0.0		0.0		-		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
	Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
	Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
					Geometry:		661860.19		254894.20		286.00		179.00	



EQCN122	Label		JU1**			Geometry: 661549.21 255141.18				286.00			179.00		
	Group		7.7 m/s			Action radius/m				3000.00					
	Number of nodes		1			Lw (Day (12h)) /dB(A)				105.32					
	Length/ m		---			Lw (Night (8h)) /dB(A)				105.32					
	Length/ m (2D)		---			Lw (Evening (4h)) /dB(A)				105.32					
	Area /m²		---			Emission is				Sound power level (Lw)					
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 7.7 m/s STE										
	Day (12h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)		Emission		Reference: Nordex N175 7.7 m/s STE										
	Night (8h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)		Emission		Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0			
Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9			
Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9			
Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m			
						661068.17		255365.14		285.00		179.00			
EQCN123	Label		Pr25**			Geometry: 661549.21 255141.18				286.00			179.00		
	Group		7.7 m/s			Action radius/m				3000.00					
	Number of nodes		1			Lw (Day (12h)) /dB(A)				105.32					
	Length/ m		---			Lw (Night (8h)) /dB(A)				105.32					
	Length/ m (2D)		---			Lw (Evening (4h)) /dB(A)				105.32					
	Area /m²		---			Emission is				Sound power level (Lw)					
	Emiss. variant		Sum			16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)		Emission		Reference: Nordex N175 7.7 m/s STE										
	Day (12h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Night (8h)		Emission		Reference: Nordex N175 7.7 m/s STE										
	Night (8h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
	Evening (4h)		Emission		Reference: Nordex N175 7.7 m/s STE										
	Evening (4h)		Lw /dB (A)		105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB			
Lden		-		0.0		0.0		0.0				-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)			
Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0			
Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9			
Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9			
Geometry				Nr											

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

Group		7.7 m/s				Lw (Day (12h)) /dB(A)				105.32			
Number of nodes		1				Lw (Night (8h)) /dB(A)				105.32			
Length/ m		----				Lw (Evening (4h)) /dB(A)				105.32			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		662676.13		256121.38		288.00	
EQCN126		Label				P19.2b**				Action radius/m			
Group		7.7 m/s				Lw (Day (12h)) /dB(A)				105.32			
Number of nodes		1				Lw (Night (8h)) /dB(A)				105.32			
Length/ m		----				Lw (Evening (4h)) /dB(A)				105.32			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Day (12h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Night (8h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Night (8h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Evening (4h)	Emission	Reference: Nordex N175 7.7 m/s STE											
Evening (4h)	Lw /dB (A)	105.3	62.3 66.9 70.2	73.6 75.5 76.7	78.7 83.0 85.7	87.3 89.9 91.9	92.9 93.4 94.2	94.1 93.9 94.2	94.9 94.9 95.1	94.4 93.0 89.8	86.5 82.2 78.1	71.0 63.3 53.9	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	105.3		1.00		1.90410		-7.99		-8.0	
Evening (4h)		4.00	Evening	105.3		1.00		0.64490		-7.93		-7.9	
Night (8h)		8.00	Night	105.3		1.00		1.29000		-7.93		-7.9	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		656671.82		247343.93		284.00	
EQCN127		Label				O2***				Action radius/m			
Group		9.3 m/s				Lw (Day (12h)) /dB(A)				106.92			
Number of nodes		1				Lw (Night (8h)) /dB(A)				106.92			
Length/ m		----				Lw (Evening (4h)) /dB(A)				106.92			
Length/ m (2D)		----				Emission is				Sound power level (Lw)			
Area /m²		----											
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5	
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB	
Lden		-		0.0		0.0		0.0		-		0.0	
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1	
Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9	
Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7	
Geometry						Nr		x/m		y/m		z(abs) /m	
						Geometry:		655899.72		249092.09		283.27	
EQCN128		Label				O3***				Action radius/m			
Group		9.3 m/s				Lw (Day (12h)) /dB(A)				106.92			
Number of nodes		1				Lw (Night (8h)) /dB(A)				106.92			

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Length/ m	---	Lw (Evening (4h)) /dB(A)								106.92		
	Length/ m (2D)	---	Emission is								Sound power level (Lw)		
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	106.9		1.00		4.64570		-4.12		-4.1	
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9	
	Night (8h)	8.00	Night	106.9		1.00		4.25000		-2.75		-2.7	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656055.72		248760.81		283.00		179.00	
EQCN129	Label	O5***		Action radius/m		3000.00							
	Group	9.3 m/s		Lw (Day (12h)) /dB(A)		106.92							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		106.92							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		106.92							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	106.9		1.00		4.64570		-4.12		-4.1	
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9	
	Night (8h)	8.00	Night	106.9		1.00		4.25000		-2.75		-2.7	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		656292.16		247880.94		283.00		179.00	
EQCN130	Label	O4***		Action radius/m		3000.00							
	Group	9.3 m/s		Lw (Day (12h)) /dB(A)		106.92							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		106.92							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		106.92							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							
	Area /m²	---											
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		-		0.0	
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)	
	Day (12h)	12.00	Day	106.9		1.00		4.64570		-4.12		-4.1	
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9	
	Night (8h)	8.00	Night	106.9		1.00		4.25000		-2.75		-2.7	
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m	
				Geometry:		655674.43		248309.07		282.00		179.00	
EQCN131	Label	DD1***		Action radius/m		3000.00							
	Group	9.3 m/s		Lw (Day (12h)) /dB(A)		106.92							
	Number of nodes	1		Lw (Night (8h)) /dB(A)		106.92							
	Length/ m	---		Lw (Evening (4h)) /dB(A)		106.92							
	Length/ m (2D)	---		Emission is		Sound power level (Lw)							

# Vēja parks "Pīkuļi" A alternatīva - Nordex N175 - 6.8 MW STE

Area /m²		---										
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden		-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1
Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:	656226.07		248421.71		282.00		179.00
EQCN132		Label		DD3***		Action radius/m						3000.00
		Group		9.3 m/s		Lw (Day (12h)) /dB(A)						106.92
		Number of nodes		1		Lw (Night (8h)) /dB(A)						106.92
		Length/ m		---		Lw (Evening (4h)) /dB(A)						106.92
		Length/ m (2D)		---		Emission is						Sound power level (Lw)
		Area /m²		---								
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden		-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1
Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:	656792.54		248209.39		283.20		179.00
EQCN133		Label		O1.b***		Action radius/m						3000.00
		Group		9.3 m/s		Lw (Day (12h)) /dB(A)						106.92
		Number of nodes		1		Lw (Night (8h)) /dB(A)						106.92
		Length/ m		---		Lw (Evening (4h)) /dB(A)						106.92
		Length/ m (2D)		---		Emission is						Sound power level (Lw)
		Area /m²		---								
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
Lden		-		0.0		0.0		0.0		-		0.0
Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1
Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
Geometry					Nr	x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:	655628.52		247870.27		282.00		179.00
EQCN134		Label		JV1***		Action radius/m						3000.00
		Group		9.3 m/s		Lw (Day (12h)) /dB(A)						106.92
		Number of nodes		1		Lw (Night (8h)) /dB(A)						106.92
		Length/ m		---		Lw (Evening (4h)) /dB(A)						106.92
		Length/ m (2D)		---		Emission is						Sound power level (Lw)
		Area /m²		---								
Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE												
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5		
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE												
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5		
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE												
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5		
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1		
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9		
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		656086.43		247254.47		283.00		179.00		
EQCN135	Label		Pr12***		Action radius/m								3000.00		
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)								106.92		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								106.92		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								106.92		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)		Lw /dB (A)		106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)		Lw /dB (A)		106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)		Lw /dB (A)		106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1		
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9		
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		659850.41		255599.51		285.00		179.00		
EQCN136	Label		O6***		Action radius/m								3000.00		
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)								106.92		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								106.92		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								106.92		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)		Lw /dB (A)		106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)		Emission		Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)		Lw /dB (A)		106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)		Emission		Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)		Lw /dB (A)		106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB				
	Lden		-		0.0		0.0		0.0		-		0.0		
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1		
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9		
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7		
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
					Geometry:		659724.06		256257.39		282.09		179.00		
EQCN137	Label		Pr11***		Action radius/m								3000.00		
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)								106.92		
	Number of nodes		1		Lw (Night (8h)) /dB(A)								106.92		
	Length/ m		---		Lw (Evening (4h)) /dB(A)								106.92		
	Length/ m (2D)		---		Emission is								Sound power level (Lw)		
	Area /m²		---												
	Emiss. variant		Sum		16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)		Emission		Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)		Lw /dB (A)		106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6
	Night (8h)		Emission		Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)		Lw /dB (A)		106.9	63.9	75.2	8							

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

				68.5 71.8	77.1 78.3	84.6 87.3	91.5 93.5	95.0 95.8	95.5 95.8	96.5 96.7	94.6 91.4	83.8 79.7	64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		660296.51		255945.28		283.00		179.00		
EQCN138	Label		AP2***		Action radius/m		3000.00						
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)		106.92						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		106.92						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		106.92						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		661860.19		254894.20		286.00		179.00		
EQCN139	Label		AP6.1***		Action radius/m		3000.00						
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)		106.92						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		106.92						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		106.92						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level	Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB		Special correction /dB			
	Lden		-	0.0		0.0		0.0		0.0		0.0	
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry		Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
			Geometry:		661549.21		255141.18		286.00		179.00		
EQCN140	Label		JU1***		Action radius/m		3000.00						
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)		106.92						
	Number of nodes		1		Lw (Night (8h)) /dB(A)		106.92						
	Length/ m		---		Lw (Evening (4h)) /dB(A)		106.92						
	Length/ m (2D)		---		Emission is		Sound power level (Lw)						
	Area /m²		---										
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz
	Day (12h)	Emission	Reference:	Nordex N175 >=9.3 m/s STE									
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		661068.17		255365.14		285.00		179.00
EQCN141	Label		Pr25***		Action radius/m								3000.00
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)								106.92
	Number of nodes		1		Lw (Night (8h)) /dB(A)								106.92
	Length/ m		---		Lw (Evening (4h)) /dB(A)								106.92
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		662047.55		256166.20		287.00		179.00
EQCN142	Label		Pr3a***		Action radius/m								3000.00
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)								106.92
	Number of nodes		1		Lw (Night (8h)) /dB(A)								106.92
	Length/ m		---		Lw (Evening (4h)) /dB(A)								106.92
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Evening (4h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Rating method		Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB
	Lden		-		0.0		0.0		0.0		-		0.0
	Rating period / Period		Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)
	Day (12h)		12.00	Day	106.9		1.00		4.64570		-4.12		-4.1
	Evening (4h)		4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9
	Night (8h)		8.00	Night	106.9		1.00		4.25000		-2.75		-2.7
	Geometry				Nr		x/m		y/m		z(abs) /m		! z(rel) /m
					Geometry:		662047.55		256166.20		287.00		179.00
EQCN143	Label		PrRR3***		Action radius/m								3000.00
	Group		9.3 m/s		Lw (Day (12h)) /dB(A)								106.92
	Number of nodes		1		Lw (Night (8h)) /dB(A)								106.92
	Length/ m		---		Lw (Evening (4h)) /dB(A)								106.92
	Length/ m (2D)		---		Emission is								Sound power level (Lw)
	Area /m²		---										
	Emiss. variant			Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Day (12h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE										
	Night (8h)	Lw /dB (A)	106.9	63.9 68.5 71.8	75.2 77.1 78.3	80.3 84.6 87.3	88.9 91.5 93.5	94.5 95.0 95.8	95.7 95.5 95.8	96.5 96.5 96.7	96.0 94.6 91.4	88.1 83.8 79.7	72.6 64.9 55.5

# Vēja parks "Prikuļi" A alternatīva - Nordex N175 - 6.8 MW STE

				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Evening (4h)	Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6	
				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	106.9		1.00		4.64570		-4.12		-4.1		
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9		
	Night (8h)	8.00	Night	106.9		1.00		4.25000		-2.75		-2.7		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		662676.13		256121.38		288.00		179.00		
EQCN144	Label	P19.2b***					Action radius/m					3000.00		
	Group	9.3 m/s					Lw (Day (12h)) /dB(A)					106.92		
	Number of nodes	1					Lw (Night (8h)) /dB(A)					106.92		
	Length/ m	---					Lw (Evening (4h)) /dB(A)					106.92		
	Length/ m (2D)	---					Emission is					Sound power level (Lw)		
	Area /m²	---												
	Emiss. variant		Sum	16 Hz	31.5 Hz	63 Hz	125 Hz	250 Hz	500 Hz	1000 Hz	2000 Hz	4000 Hz	8000 Hz	
	Day (12h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Day (12h)	Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6	
				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Night (8h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Night (8h)	Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6	
				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Evening (4h)	Emission	Reference: Nordex N175 >=9.3 m/s STE											
	Evening (4h)	Lw /dB (A)	106.9	63.9	75.2	80.3	88.9	94.5	95.7	96.5	96.0	88.1	72.6	
				68.5	77.1	84.6	91.5	95.0	95.5	96.5	94.6	83.8	64.9	
				71.8	78.3	87.3	93.5	95.8	95.8	96.7	91.4	79.7	55.5	
	Rating method	Peak level		Corr. for impulsivity /dB		Corr. for tonality /dB		Corr. for inform. content/dB				Special correction /dB		
	Lden		-	0.0		0.0		0.0		-		0.0		
	Rating period / Period	Duration /h	Emiss. variant	Lw /dB(A)		n times		Impact time /h		dLi /dB		Lwr /dB(A)		
	Day (12h)	12.00	Day	106.9		1.00		4.64570		-4.12		-4.1		
	Evening (4h)	4.00	Evening	106.9		1.00		2.05420		-2.89		-2.9		
	Night (8h)	8.00	Night	106.9		1.00		4.25000		-2.75		-2.7		
	Geometry			Nr		x/m		y/m		z(abs) /m		! z(rel) /m		
				Geometry:		656671.82		247343.93		284.00		179.00		