


DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740010016001 Kalnieš i 2 Noise sensitive point: Danish 2019 low frequency - Regular dwellings (100)



Calculated noise [dB(A)]

Wind speed

[m/s]	
6.0	19.8
8.0	19.8

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740010018001 Avenaji Noise sensitive point: Danish 2019 low frequency - Regular dwellings (139)



Calculated noise [dB(A)]

Wind speed

[m/s]

6.0	16.8
8.0	16.8

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740010032001 Linu Diki Noise sensitive point: Danish 2019 low frequency - Regular dwellings (98)



Sound level

Wind speed	Demands	WTG noise
[m/s]	[dB(A)]	[dB(A)]
6.0	20.0	16.4
8.0	20.0	16.4

Calculated noise [dB(A)]

Wind speed

[m/s]

6.0	16.4
8.0	16.4

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740010060001 Viktorovka Noise sensitive point: Danish 2019 low frequency - Regular dwellings (103)



Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	16.6
8.0	16.6

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740010061001 Maksimova Noise sensitive point: Danish 2019 low frequency - Regular dwellings (101)




Calculated noise [dB(A)]

Wind speed

[m/s]	
6.0	17.6
8.0	17.6

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740010074001 Tebeci Noise sensitive point: Danish 2019 low frequency - Regular dwellings (99)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	20.1
8.0	20.1

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740010076001 Malova Noise sensitive point: Danish 2019 low frequency - Regular dwellings (104)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	20.7
8.0	20.7

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740010090001 Veveru majas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (97)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.8
8.0	15.8

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740010099001 Cinguli Noise sensitive point: Danish 2019 low frequency - Regular dwellings (102)



Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	16.5
8.0	16.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020002001 Lielo Oriš u 2 maju zeme Noise sensitive point: Danish 2019 low frequency - Regular dwellings (107)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	13.7
8.0	13.7

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020004001 Sporanu majas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (124)




Calculated noise [dB(A)]

Wind speed

[m/s]	
6.0	19.9
8.0	19.9

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020018001 Riteniš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (113)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.0
8.0	17.0

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740020022001 Vetras Noise sensitive point: Danish 2019 low frequency - Regular dwellings (125)



Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	16.3
8.0	16.3

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020035001 Apš upes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (105)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.9
8.0	14.9

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020036001 Mež abele Noise sensitive point: Danish 2019 low frequency - Regular dwellings (106)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	18.7
8.0	18.7

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020073012 Grovani Noise sensitive point: Danish 2019 low frequency - Regular dwellings (108)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.6
8.0	16.6

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740020144001 Dzitari Noise sensitive point: Danish 2019 low frequency - Regular dwellings (112)



Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	17.0
8.0	17.0

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020144013 Jaundzitari Noise sensitive point: Danish 2019 low frequency - Regular dwellings (121)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.0
8.0	17.0

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020146001 Brencani Noise sensitive point: Danish 2019 low frequency - Regular dwellings (115)




Calculated noise [dB(A)]

Wind speed

[m/s]	
6.0	16.1
8.0	16.1

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020154001 Irbeni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (114)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.3
8.0	17.3

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020156001 Maurini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (120)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	19.8
8.0	19.8

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020165001 Kamenes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (123)




Calculated noise [dB(A)]

Wind speed

[m/s]	
6.0	16.6
8.0	16.6

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020167001 Zemesbites Noise sensitive point: Danish 2019 low frequency - Regular dwellings (118)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.7
8.0	16.7

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020167007 Vecas Zemesbites Noise sensitive point: Danish 2019 low frequency - Regular dwellings (117)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.3
8.0	17.3

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740020168001 Zirneklis i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (126)



Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	16.9
8.0	16.9

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020169001 Purmala Noise sensitive point: Danish 2019 low frequency - Regular dwellings (111)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.5
8.0	17.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020172001 Lidumi Noise sensitive point: Danish 2019 low frequency - Regular dwellings (127)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.6
8.0	14.6

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020195001 Rapš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (110)




Calculated noise [dB(A)]

Wind speed

Wind speed [m/s]	Calculated noise [dB(A)]
6.0	15.6
8.0	15.6

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020196001 Uzulini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (138)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.5
8.0	14.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020199001 Sirmiš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (116)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.5
8.0	14.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020200001 Mieziš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (119)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.0
8.0	16.0

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020200004 Mieziš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (137)




Calculated noise [dB(A)]

Wind speed

Wind speed [m/s]	Calculated noise [dB(A)]
6.0	16.0
8.0	16.0

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020245004 Vilniš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (136)




Sound level		
Wind speed	Demands	WTG noise
[m/s]	[dB(A)]	[dB(A)]
6.0	20.0	14.1
8.0	20.0	14.1

Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.1
8.0	14.1

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020245012 Celmalas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (129)




Calculated noise [dB(A)]

Wind speed

[m/s]	
6.0	14.1
8.0	14.1

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020281001 I vaiš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (109)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.5
8.0	14.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020285001 Gabri Noise sensitive point: Danish 2019 low frequency - Regular dwellings (128)




Calculated noise [dB(A)]

Wind speed

Wind speed [m/s]	
6.0	15.3
8.0	15.3

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740020326001 Smelteru kapseta Noise sensitive point: Danish 2019 low frequency - Regular dwellings (122)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	14.4
8.0	14.4

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv

Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740030004001 Jaundzelzava Noise sensitive point: Danish 2019 low frequency - Regular dwellings (92)



Sound level

Wind speed	Demands	WTG noise
[m/s]	[dB(A)]	[dB(A)]
6.0	20.0	18.1
8.0	20.0	18.1

Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	18.1
8.0	18.1

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740030010001 Virsaiš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (95)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.3
8.0	15.3

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740030024001 Kalnieš i 2 Noise sensitive point: Danish 2019 low frequency - Regular dwellings (96)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	20.8
8.0	20.8

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740030039001 Ievaiš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (93)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	21.1
8.0	21.1

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740030139001 Zemnieka seta Noise sensitive point: Danish 2019 low frequency - Regular dwellings (94)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.3
8.0	17.3

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740040014001 Bucinieki Noise sensitive point: Danish 2019 low frequency - Regular dwellings (131)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	19.0
8.0	19.0

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740040026001 Zelta Dibens Noise sensitive point: Danish 2019 low frequency - Regular dwellings (133)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	19.6
8.0	19.6

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740040040001 Viesani Noise sensitive point: Danish 2019 low frequency - Regular dwellings (134)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.5
8.0	15.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740040055001 Kalnbirzes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (130)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.2
8.0	15.2

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740040169001 Spridiš i 3 Noise sensitive point: Danish 2019 low frequency - Regular dwellings (132)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.6
8.0	15.6

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060002001 Laimnieki Noise sensitive point: Danish 2019 low frequency - Regular dwellings (76)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.8
8.0	17.8

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060014001 Briež udarzs Noise sensitive point: Danish 2019 low frequency - Regular dwellings (80)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	22.6
8.0	22.6

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060026001 OŠ i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (79)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	26.0
8.0	26.0

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060037001 Berzainites Noise sensitive point: Danish 2019 low frequency - Regular dwellings (135)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	23.5
8.0	23.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060042001 Mež noras Noise sensitive point: Danish 2019 low frequency - Regular dwellings (81)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.1
8.0	17.1

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060047001 Avotini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (75)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.9
8.0	15.9

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740060111001 Rozes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (82)



Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	18.9
8.0	18.9

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060113001 Cielavinas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (84)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.8
8.0	17.8

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740060116001 Rubeniš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (83)



Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	17.5
8.0	17.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060121001 Skalbes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (78)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.8
8.0	16.8

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76740060147001 Mozuli Noise sensitive point: Danish 2019 low frequency - Regular dwellings (77)



Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	18.0
8.0	18.0

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060161001 Mež otnes Noise sensitive point: Danish 2019 low frequency - Regular dwellings (85)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.7
8.0	15.7

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76740060173001 Dzeniš i Noise sensitive point: Danish 2019 low frequency - Regular dwellings (74)




Calculated noise [dB(A)]

Wind speed

[m/s]	
6.0	19.1
8.0	19.1

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76820020012001 Rubeni Noise sensitive point: Danish 2019 low frequency - Regular dwellings (91)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	15.2
8.0	15.2

Project:

Vestas V172 B alternative

Licensed user:

SIA Estonian, Latvian & Lithuanian environment

Vilandes 3-6

LV-1010 Riga

0037167242411

Kristiana / kristiana@environment.lv


Calculated:

21/11/2025 1:09 pm/4.0.547

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019

76820020107001 Driveniš ki Noise sensitive point: Danish 2019 low frequency - Regular dwellings (90)



Sound level

Wind speed	Demands	WTG noise
[m/s]	[dB(A)]	[dB(A)]
6.0	20.0	18.5
8.0	20.0	18.5

Calculated noise [dB(A)]


Wind speed

[m/s]

6.0	18.5
8.0	18.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76820020123001 Verdini Noise sensitive point: Danish 2019 low frequency - Regular dwellings (88)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	17.5
8.0	17.5

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76820020210001 Purvietas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (86)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.2
8.0	16.2

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76820020212001 Purvietinas Noise sensitive point: Danish 2019 low frequency - Regular dwellings (87)




Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	16.1
8.0	16.1

DECIBEL - Detailed results, graphic

Calculation: Vestas V172-7.2 MW ST B alternative Noise calculation model: Danish low frequency 2019
76820020454001 Gaitnieki Noise sensitive point: Danish 2019 low frequency - Regular dwellings (89)



Calculated noise [dB(A)]

Wind speed	
[m/s]	
6.0	22.7
8.0	22.7