

SIA "Preiļu putni" rūpnieciskie objekti

| Point source /CNOSSO (18) | | | | | | | | | | PP_darbība |
|---------------------------|------------------------|-------------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------|------------------------|
| EQCN001 | Label | Mitne Nr.1 | | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | | 0.00 | 0.0 | |
| EQCN002 | Label | Mitne Nr.1 | | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | | 0.00 | 0.0 | |
| EQCN003 | Label | Mitne Nr.1 | | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | | 0.00 | 0.0 | |
| EQCN004 | Label | Mitne Nr.1 | | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | | Day (12h) | 80.00 | - | - | 80.00 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|-------------------|---------------------------|------------------------|------------------------------|------------------------|------------|------------------------|--|
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN005 | Label | Mitne Nr.1 | | Action radius/m | | 3000.00 | | | |
| | Group | Jumta ventilācija | | Emission is | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN006 | Label | Mitne Nr.1 | | Action radius/m | | 3000.00 | | | |
| | Group | Jumta ventilācija | | Emission is | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN007 | Label | Mitne Nr.1 | | Action radius/m | | 3000.00 | | | |
| | Group | Jumta ventilācija | | Emission is | | Sound power level (Lw) | | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|-------------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------|------------------------|
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN008 | Label | Mitne Nr.1 | | | Action radius/m | | 3000.00 | | |
| | Group | Jumta ventilacija | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 80.00 | - | - | 80.00 |
| | Area /m² | --- | | | Night (8h) | 80.00 | - | - | 80.00 |
| | | | | | Evening (4h) | 80.00 | - | - | 80.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | | 0.00 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | | 0.00 | 0.0 |
| EQCN009 | Label | Mitne Nr.1 | | | Action radius/m | | 3000.00 | | |
| | Group | Jumta ventilacija | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 80.00 | - | - | 80.00 |
| | Area /m² | --- | | | Night (8h) | 80.00 | - | - | 80.00 |
| | | | | | Evening (4h) | 80.00 | - | - | 80.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | | 0.00 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | | 0.00 | 0.0 |
| EQCN010 | Label | Mitne Nr.1 | | | Action radius/m | | 3000.00 | | |
| | Group | Jumta ventilacija | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 80.00 | - | - | 80.00 |
| | Area /m² | --- | | | Night (8h) | 80.00 | - | - | 80.00 |
| | | | | | Evening (4h) | 80.00 | - | - | 80.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | | 0.00 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | | 0.00 | 0.0 |
| EQCN011 | Label | Mitne Nr.7 | | | Action radius/m | | 3000.00 | | |
| | Group | Jumta ventilacija | | | Emission is | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | | Emi. variant | Emission | Sound insul. | Correction | Lw |
| | Length/ m | --- | | | | dB(A) | dB | dB | dB(A) |
| | Length/ m (2D) | --- | | | Day (12h) | 80.00 | - | - | 80.00 |
| | Area /m² | --- | | | Night (8h) | 80.00 | - | - | 80.00 |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|-------------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|--|
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN012 | Label | Mitne Nr.7 | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN013 | Label | Mitne Nr.7 | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN014 | Label | Mitne Nr.7 | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|-------------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|--|
| EQCN015 | Label | Mitne Nr.6 | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN016 | Label | Mitne Nr.6 | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN017 | Label | Mitne Nr.6 | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) | |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| EQCN018 | Label | Mitne Nr.6 | | Action radius/m | | | 3000.00 | | |
| | Group | Jumta ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 1 | | Emi. variant | Emission | Sound insul. | Correction | Lw | |
| | Length/ m | --- | | | dB(A) | dB | dB | dB(A) | |
| | Length/ m (2D) | --- | | Day (12h) | 80.00 | - | - | 80.00 | |
| | Area /m² | --- | | Night (8h) | 80.00 | - | - | 80.00 | |
| | | | | Evening (4h) | 80.00 | - | - | 80.00 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
|--|------------------------|-------------|----------------|---------------------------|------------------------|------------------------------|---------|------------------------|
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw /dB(A) | n times | Impact time /h | dLi /dB | Lwr /dB(A) |
| | Day (12h) | 12.00 | Day | 80.0 | 1.00 | 12.00000 | 0.00 | 0.0 |
| | Evening (4h) | 4.00 | Evening | 80.0 | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | 80.0 | 1.00 | 8.00000 | 0.00 | 0.0 |

| Line source /CNOSSOS (28) | | | | | | | | | | PP_darbība |
|---------------------------|------------------------|---------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------------------|------------|
| LQCN001 | Label | Novietne Nr.1 | | | Action radius/m | | | 3000.00 | | |
| | Group | Kutsmesli | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 10.63 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 10.04 | | | Day (12h) | 77.50 | - | - | 77.50 | 67.23 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 67.2 | 1.00 | 0.70000 | | -12.34 | -12.3 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | | 0.00 | 0.0 | |
| LQCN002 | Label | Novietne Nr.2 | | | Action radius/m | | | 3000.00 | | |
| | Group | Kutsmesli | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 10.59 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 10.00 | | | Day (12h) | 77.50 | - | - | 77.50 | 67.25 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 67.3 | 1.00 | 1.10000 | | -10.38 | -10.4 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | | 0.00 | 0.0 | |
| LQCN004 | Label | Novietne Nr.7 | | | Action radius/m | | | 3000.00 | | |
| | Group | Kutsmesli | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 10.60 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 10.00 | | | Day (12h) | 77.50 | - | - | 77.50 | 67.25 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 67.2 | 1.00 | 0.20000 | | -17.78 | -17.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | | 0.00 | 0.0 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | | |
|---------|------------------------|---------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|------------------------|-------|
| | Night (8h) | 8.00 | Night | | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN005 | Label | Novietne Nr.6 | | | Action radius/m | | | 3000.00 | | |
| | Group | Kutsmesli | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 10.60 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 10.00 | | | Day (12h) | 77.50 | - | - | 77.50 | 67.25 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 67.2 | 1.00 | 0.20000 | | -17.78 | -17.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | | 0.00 | 0.0 | |
| LQCN006 | Label | Novietne Nr.5 | | | Action radius/m | | | 3000.00 | | |
| | Group | Kutsmesli | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 10.59 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 10.00 | | | Day (12h) | 77.50 | - | - | 77.50 | 67.25 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 67.3 | 1.00 | 1.10000 | | -10.38 | -10.4 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | | 0.00 | 0.0 | |
| LQCN007 | Label | Novietne Nr.4 | | | Action radius/m | | | 3000.00 | | |
| | Group | Kutsmesli | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 10.59 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 10.00 | | | Day (12h) | 77.50 | - | - | 77.50 | 67.25 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 67.3 | 1.00 | 1.10000 | | -10.38 | -10.4 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | | 0.00 | 0.0 | |
| LQCN008 | Label | Novietne Nr.3 | | | Action radius/m | | | 3000.00 | | |
| | Group | Kutsmesli | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 10.59 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 10.00 | | | Day (12h) | 77.50 | - | - | 77.50 | 67.25 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|----------------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|-------|
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 67.2 | 1.00 | 0.70000 | -12.34 | -12.3 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN009 | Label | Tirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 6 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 42.47 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 42.47 | | Day (12h) | 103.80 | - | - | 103.80 | 87.52 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 87.5 | 1.00 | 0.00500 | -33.80 | -33.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN010 | Label | Tirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 3 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 11.26 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 11.26 | | Day (12h) | 103.80 | - | - | 103.80 | 93.29 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 93.3 | 1.00 | 0.00100 | -40.79 | -40.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN011 | Label | Netirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 11 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 93.95 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 93.95 | | Day (12h) | 103.80 | - | - | 103.80 | 84.07 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | - | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 84.1 | 1.00 | 0.02700 | -26.48 | -26.5 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|----------------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|-------|
| LQCN012 | Label | Netirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 9 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 70.84 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 70.84 | | Day (12h) | 103.80 | - | - | 103.80 | 85.30 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emis. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 85.3 | 1.00 | 0.00900 | -31.25 | -31.2 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN024 | Label | Netirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 6 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 43.01 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 43.01 | | Day (12h) | 103.80 | - | - | 103.80 | 87.46 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emis. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 87.5 | 1.00 | 0.00300 | -36.02 | -36.0 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN025 | Label | Netirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 7.61 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 7.61 | | Day (12h) | 103.80 | - | - | 103.80 | 94.99 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emis. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 95.0 | 1.00 | 0.00010 | -50.79 | -50.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN013 | Label | Netirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 8 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 54.74 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 54.74 | | Day (12h) | 103.80 | - | - | 103.80 | 86.42 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
|---------|------------------------|----------------------|----------------|---------------------------|------------------------|------------------------------|------------------------|------------------------|
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 86.4 | 1.00 | 0.00350 | -35.35 | -35.4 |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 |
| LQCN016 | Label | Netirais cels | | | Action radius/m | | 3000.00 | |
| | Group | Iekšējais transports | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 30 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | 198.66 | | | | dB(A) | dB | dB |
| | Length/ m (2D) | 198.66 | | | Day (12h) | 103.80 | - | 103.80 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | -99.00 |
| | | | | | Evening (4h) | -99.00 | - | -99.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 80.8 | 1.00 | 0.01710 | -28.46 | -28.5 |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 |
| LQCN017 | Label | Netirais cels | | | Action radius/m | | 3000.00 | |
| | Group | Iekšējais transports | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 12 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | 83.96 | | | | dB(A) | dB | dB |
| | Length/ m (2D) | 83.96 | | | Day (12h) | 103.80 | - | 103.80 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | -99.00 |
| | | | | | Evening (4h) | -99.00 | - | -99.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 84.6 | 1.00 | 0.00360 | -35.23 | -35.2 |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 |
| LQCN018 | Label | Netirais cels | | | Action radius/m | | 3000.00 | |
| | Group | Iekšējais transports | | | Emission is | | Sound power level (Lw) | |
| | Number of nodes | 15 | | | Emi. variant | Emission | Sound insul. | Correction |
| | Length/ m | 121.91 | | | | dB(A) | dB | dB |
| | Length/ m (2D) | 121.91 | | | Day (12h) | 103.80 | - | 103.80 |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | -99.00 |
| | | | | | Evening (4h) | -99.00 | - | -99.00 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | Special correction /dB |
| | Lden | - | | 0.0 | 0.0 | 0.0 | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) |
| | Day (12h) | 12.00 | Day | 82.9 | 1.00 | 0.00200 | -37.78 | -37.8 |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 |
| LQCN022 | Label | Tirais cels | | | Action radius/m | | 3000.00 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|----------------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|-------|
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 4 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 27.29 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 27.29 | | Day (12h) | 103.80 | - | - | 103.80 | 89.44 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emis. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 89.4 | 1.00 | 0.00600 | -33.01 | -33.0 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN023 | Label | Tirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 2 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 8.09 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 8.09 | | Day (12h) | 103.80 | - | - | 103.80 | 94.72 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emis. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 94.7 | 1.00 | 0.00100 | -40.79 | -40.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN019 | Label | Tirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 6 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 44.63 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 44.63 | | Day (12h) | 103.80 | - | - | 103.80 | 87.30 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emis. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 87.3 | 1.00 | 0.00200 | -37.78 | -37.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN020 | Label | Tirais cels | | Action radius/m | | | 3000.00 | | |
| | Group | Iekšējais transports | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 10 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 81.85 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 81.85 | | Day (12h) | 103.80 | - | - | 103.80 | 84.67 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | | | |
|---------|------------------------|----------------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|--------|------------------------|--|
| | Lden | | | - | 0.0 | 0.0 | 0.0 | - | 0.0 | | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 84.7 | 1.00 | 0.00100 | -40.79 | -40.8 | | | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | | |
| LQCN021 | Label | Tirais cels | | | Action radius/m | | | 3000.00 | | | |
| | Group | Ieksejais_transports | | | Emission is | | | Sound power level (Lw) | | | |
| | Number of nodes | 5 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' | |
| | Length/ m | 35.62 | | | | dB(A) | dB | dB | dB(A) | dB(A) | |
| | Length/ m (2D) | 35.62 | | | Day (12h) | 103.80 | - | - | 103.80 | 88.28 | |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | 0.0 | 0.0 | 0.0 | | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 88.3 | 1.00 | 0.00300 | -36.02 | -36.0 | | | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | | |
| LQCN042 | Label | Traktors | | | Action radius/m | | | 3000.00 | | | |
| | Group | Traktors | | | Emission is | | | Sound power level (Lw) | | | |
| | Number of nodes | 10 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' | |
| | Length/ m | 80.01 | | | | dB(A) | dB | dB | dB(A) | dB(A) | |
| | Length/ m (2D) | 80.01 | | | Day (12h) | 104.00 | - | - | 104.00 | 84.97 | |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | 0.0 | 0.0 | 0.0 | | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 85.0 | 1.00 | 0.50000 | -13.80 | -13.8 | | | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | | |
| LQCN026 | Label | Traktors | | | Action radius/m | | | 3000.00 | | | |
| | Group | Traktors | | | Emission is | | | Sound power level (Lw) | | | |
| | Number of nodes | 6 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' | |
| | Length/ m | 42.47 | | | | dB(A) | dB | dB | dB(A) | dB(A) | |
| | Length/ m (2D) | 42.47 | | | Day (12h) | 104.00 | - | - | 104.00 | 87.72 | |
| | Area /m² | --- | | | Night (8h) | -99.00 | - | - | -99.00 | | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB | |
| | Lden | | | - | 0.0 | 0.0 | 0.0 | | | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | | | |
| | Day (12h) | 12.00 | Day | 87.7 | 1.00 | 0.50000 | -13.80 | -13.8 | | | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | | |
| LQCN031 | Label | Traktors | | | Action radius/m | | | 3000.00 | | | |
| | Group | Traktors | | | Emission is | | | Sound power level (Lw) | | | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|-------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|-------|
| | Number of nodes | 51 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 376.57 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 376.57 | | Day (12h) | 104.00 | - | - | 104.00 | 78.24 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 78.2 | 1.00 | 0.50000 | -13.80 | -13.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN032 | Label | Traktors | | Action radius/m | | | 3000.00 | | |
| | Group | Traktors | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 21 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 168.58 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 168.58 | | Day (12h) | 104.00 | - | - | 104.00 | 81.73 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 81.7 | 1.00 | 0.50000 | -13.80 | -13.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN038 | Label | Traktors | | Action radius/m | | | 3000.00 | | |
| | Group | Traktors | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 14 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 117.47 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 117.47 | | Day (12h) | 104.00 | - | - | 104.00 | 83.30 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |
| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw'r /dB(A) | |
| | Day (12h) | 12.00 | Day | 83.3 | 1.00 | 1.00000 | -10.79 | -10.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| LQCN040 | Label | Traktors | | Action radius/m | | | 3000.00 | | |
| | Group | Traktors | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 15 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw' |
| | Length/ m | 121.91 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 121.91 | | Day (12h) | 104.00 | - | - | 104.00 | 83.14 |
| | Area /m² | --- | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | - | 0.0 | |

SIA "Preiļu putni" rūpnieciskie objekti

| | Rating period / Period | Duration /h | Emiss. variant | Lw' /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) |
|--|------------------------|-------------|----------------|------------|---------|----------------|---------|-------------|
| | Day (12h) | 12.00 | Day | 83.1 | 1.00 | 1.00000 | -10.79 | -10.8 |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 |

| Area source /CNOSSOS (13) | | | | | | | | | | PP_darība |
|---------------------------|------------------------|------------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|-------------|------------------------|
| FQCN002 | Label | Novietne Nr. 1 | | | Action radius/m | | | 3000.00 | | |
| | Group | Gala ventilācija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 26.97 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 24.01 | | | Day (12h) | 97.00 | - | - | 97.00 | 84.50 |
| | Area /m² | 17.77 | | | Night (8h) | 97.00 | - | - | 97.00 | 84.50 |
| | | | | | Evening (4h) | 97.00 | - | - | 97.00 | 84.50 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | | | 0.0 | 0.0 | 0.0 | | | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 84.5 | 1.00 | 10.71781 | | -0.49 | -0.5 | |
| | Evening (4h) | 4.00 | Evening | 84.5 | 1.00 | 3.57260 | | -0.49 | -0.5 | |
| | Night (8h) | 8.00 | Night | 84.5 | 1.00 | 7.14520 | | -0.49 | -0.5 | |
| FQCN003 | Label | Novietne Nr. 2 | | | Action radius/m | | | 3000.00 | | |
| | Group | Gala ventilācija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 43.91 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 38.01 | | | Day (12h) | 104.10 | - | - | 104.10 | 86.61 |
| | Area /m² | 56.06 | | | Night (8h) | 104.10 | - | - | 104.10 | 86.61 |
| | | | | | Evening (4h) | 104.10 | - | - | 104.10 | 86.61 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | | | 0.0 | 0.0 | 0.0 | | | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 86.6 | 1.00 | 10.12603 | | -0.74 | -0.7 | |
| | Evening (4h) | 4.00 | Evening | 86.6 | 1.00 | 3.37534 | | -0.74 | -0.7 | |
| | Night (8h) | 8.00 | Night | 86.6 | 1.00 | 6.75068 | | -0.74 | -0.7 | |
| FQCN004 | Label | Novietne Nr.4 | | | Action radius/m | | | 3000.00 | | |
| | Group | Gala ventilācija | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 43.13 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 37.23 | | | Day (12h) | 104.10 | - | - | 104.10 | 86.70 |
| | Area /m² | 54.91 | | | Night (8h) | 104.10 | - | - | 104.10 | 86.70 |
| | | | | | Evening (4h) | 104.10 | - | - | 104.10 | 86.70 |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | | | 0.0 | 0.0 | 0.0 | | | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 86.7 | 1.00 | 6.60822 | | -2.59 | -2.6 | |
| | Evening (4h) | 4.00 | Evening | 86.7 | 1.00 | 2.20274 | | -2.59 | -2.6 | |
| | Night (8h) | 8.00 | Night | 86.7 | 1.00 | 4.40548 | | -2.59 | -2.6 | |
| FQCN005 | Label | Novietne Nr.5 | | | Action radius/m | | | 3000.00 | | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|------------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|-------|
| | Group | Gala ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 43.15 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 37.25 | | Day (12h) | 104.10 | - | - | 104.10 | 86.70 |
| | Area /m² | 54.94 | | Night (8h) | 104.10 | - | - | 104.10 | 86.70 |
| | | | | Evening (4h) | 104.10 | - | - | 104.10 | 86.70 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 86.7 | 1.00 | 10.81644 | -0.45 | -0.5 | |
| | Evening (4h) | 4.00 | Evening | 86.7 | 1.00 | 3.60548 | -0.45 | -0.5 | |
| | Night (8h) | 8.00 | Night | 86.7 | 1.00 | 7.21096 | -0.45 | -0.5 | |
| FQCN006 | Label | Novietne Nr.3 | | Action radius/m | | | 3000.00 | | |
| | Group | Gala ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 48.48 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 45.72 | | Day (12h) | 102.30 | - | - | 102.30 | 87.31 |
| | Area /m² | 31.54 | | Night (8h) | 102.30 | - | - | 102.30 | 87.31 |
| | | | | Evening (4h) | 102.30 | - | - | 102.30 | 87.31 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 87.3 | 1.00 | 10.29041 | -0.67 | -0.7 | |
| | Evening (4h) | 4.00 | Evening | 87.3 | 1.00 | 3.28767 | -0.85 | -0.9 | |
| | Night (8h) | 8.00 | Night | 87.3 | 1.00 | 6.86027 | -0.67 | -0.7 | |
| FQCN007 | Label | Novietne Nr.6 | | Action radius/m | | | 3000.00 | | |
| | Group | Gala ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 8.77 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 6.01 | | Day (12h) | 95.60 | - | - | 95.60 | 89.42 |
| | Area /m² | 4.15 | | Night (8h) | 95.60 | - | - | 95.60 | 89.42 |
| | | | | Evening (4h) | 95.60 | - | - | 95.60 | 89.42 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 89.4 | 1.00 | 12.00000 | 0.00 | 0.0 | |
| | Evening (4h) | 4.00 | Evening | 89.4 | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | 89.4 | 1.00 | 8.00000 | 0.00 | 0.0 | |
| FQCN008 | Label | Novietne Nr.7 | | Action radius/m | | | 3000.00 | | |
| | Group | Gala ventilācija | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 8.76 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 6.00 | | Day (12h) | 95.60 | - | - | 95.60 | 89.43 |
| | Area /m² | 4.14 | | Night (8h) | 95.60 | - | - | 95.60 | 89.43 |
| | | | | Evening (4h) | 95.60 | - | - | 95.60 | 89.43 |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | | |
|---------|------------------------|--------------------|----------------|---------------------------|------------------------|------------------------------|--------------|------------------------|--------|------------------------|
| | Lden | | | - | 0.0 | 0.0 | 0.0 | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | | |
| | Day (12h) | 12.00 | Day | 89.4 | 1.00 | 12.00000 | 0.00 | 0.0 | | |
| | Evening (4h) | 4.00 | Evening | 89.4 | 1.00 | 4.00000 | 0.00 | 0.0 | | |
| | Night (8h) | 8.00 | Night | 89.4 | 1.00 | 8.00000 | 0.00 | 0.0 | | |
| FQCN009 | Label | Novietne Nr.1 | | | Action radius/m | | | 3000.00 | | |
| | Group | Bariba | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 30.00 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 30.00 | | | Day (12h) | 106.80 | - | - | 106.80 | 91.24 |
| | Area /m² | 36.00 | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | | | - | 0.0 | 0.0 | 0.0 | | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | | |
| | Day (12h) | 12.00 | Day | 91.2 | 1.00 | 0.30000 | -16.02 | -16.0 | | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | |
| FQCN010 | Label | Novietne Nr.3 | | | Action radius/m | | | 3000.00 | | |
| | Group | Bariba | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 30.00 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 30.00 | | | Day (12h) | 106.80 | - | - | 106.80 | 91.24 |
| | Area /m² | 36.00 | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | | | - | 0.0 | 0.0 | 0.0 | | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | | |
| | Day (12h) | 12.00 | Day | 91.2 | 1.00 | 0.30000 | -16.02 | -16.0 | | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | |
| FQCN011 | Label | Novietne Nr.4 un 5 | | | Action radius/m | | | 3000.00 | | |
| | Group | Bariba | | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 30.00 | | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 30.00 | | | Day (12h) | 106.80 | - | - | 106.80 | 91.24 |
| | Area /m² | 36.00 | | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | | Special correction /dB |
| | Lden | | | - | 0.0 | 0.0 | 0.0 | | | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | | |
| | Day (12h) | 12.00 | Day | 91.2 | 1.00 | 0.60000 | -13.01 | -13.0 | | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | | |
| FQCN012 | Label | Novietne Nr.2 | | | Action radius/m | | | 3000.00 | | |
| | Group | Bariba | | | Emission is | | | Sound power level (Lw) | | |

SIA "Preiļu putni" rūpnieciskie objekti

| | | | | | | | | | |
|---------|------------------------|---------------|---------------------------|------------------------|------------------------------|----------------|------------------------|------------------------|-------|
| | Number of nodes | 5 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 30.00 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 30.00 | | Day (12h) | 106.80 | - | - | 106.80 | 91.24 |
| | Area /m² | 36.00 | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 91.2 | 1.00 | 0.30000 | -16.02 | -16.0 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| FQCN013 | Label | Novietne Nr.6 | | Action radius/m | | | 3000.00 | | |
| | Group | Bariba | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 30.00 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 30.00 | | Day (12h) | 106.80 | - | - | 106.80 | 91.24 |
| | Area /m² | 36.00 | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 91.2 | 1.00 | 0.20000 | -17.78 | -17.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |
| FQCN014 | Label | Novietne Nr.7 | | Action radius/m | | | 3000.00 | | |
| | Group | Bariba | | Emission is | | | Sound power level (Lw) | | |
| | Number of nodes | 5 | | Emi. variant | Emission | Sound insul. | Correction | Lw | Lw" |
| | Length/ m | 30.00 | | | dB(A) | dB | dB | dB(A) | dB(A) |
| | Length/ m (2D) | 30.00 | | Day (12h) | 106.80 | - | - | 106.80 | 91.24 |
| | Area /m² | 36.00 | | Night (8h) | -99.00 | - | - | -99.00 | |
| | | | | Evening (4h) | -99.00 | - | - | -99.00 | |
| | Rating method | Peak level | Corr. for impulsivity /dB | Corr. for tonality /dB | Corr. for inform. content/dB | | | Special correction /dB | |
| | Lden | - | 0.0 | 0.0 | 0.0 | | | - | 0.0 |
| | Rating period / Period | Duration /h | Emiss. variant | Lw" /dB(A) | n times | Impact time /h | dLi /dB | Lw"r /dB(A) | |
| | Day (12h) | 12.00 | Day | 91.2 | 1.00 | 0.20000 | -17.78 | -17.8 | |
| | Evening (4h) | 4.00 | Evening | - | 1.00 | 4.00000 | 0.00 | 0.0 | |
| | Night (8h) | 8.00 | Night | - | 1.00 | 8.00000 | 0.00 | 0.0 | |